

OPEN NATIONAL INVITATION TO TENDER

N° 01/ONIT/NC/NCITB/2019 OF 10TH MAY 2019 FOR THE CONSTRUCTION OF A BLOCKOF TWO (02) CLASSROOMS AT GS CHAMKFUNG IN NKOR COUNCIL AREA, BUI DIVISION, NORTH WEST REGION EMERGENCY PROCEDURE

PROJECT OWNER: THE MAYOR NKOR COUNCIL

PUBLIC INVESTMENT BUDGET (PIB) - 2019, THE MINISTRY OF BASIC EDUCATION

BUDGET HEAD

CONSTRUCTION OF A BLOCK OF TWO CLASSROOMS AT GS CHAMKFUNG

5315197016416492222821

Tender file

TABLE OF CONTENTS

Document No. 1: Invitation to tender

Document No. 2: General Regulations of the invitation to tender

Document No. 3: Special Regulations of the invitation to tender

Document No. 4: Special Administrative Conditions

Document No. 5: Special Technical Conditions

Document No. 6: Schedule of prices

Document No. 7: Bill of quantities and estimates

Document No. 8: The sub-detail of prices

Document No. 9: Model contract

Document No. 10: Forms and Standard documents to be used

Document No. 11: List of banking establishments and financial bodies authorised to issue bonds for public contracts

Document No. 12 Other Documents

Document No. 13 Drawings

DOCUMENT N°. 1: INVITATION TO TENDER

REPUBLIQUE DU CAMEROUN

Paix - Travail - Patrie

MINISTRE DE LA DECENTRALISATION ET DU DEVELOPPEMENT LOCAL

COMMUNE DE NKOR

SERVICE DE PASSATION DES MARCHÉS PUBLICS REPUBLIC OF CAMEROON

Peace - Work - Fatherland

MINISTRY OF DECENTRALISATION AND LOCAL DEVELOPMENT

NKOR COUNCIL

SERVICE FOR THE AWARD OF PUBLIC CONTRACTS.

OPEN NATIONAL INVITATION TO TENDER

N° 01/ONIT/NC/NCITB/2019 OF 10TH MAY 2019 FOR THE CONSTRUCTION OF A BLOCK OF TWO (02) CLASSROOMS AT G S CHAMKFUNG IN NKOR COUNCIL AREA, BUI DIVISION, NORTH WEST REGION

NORTH WEST REGION (EMERGENCY PROCEDURE)

1. Subject of the invitation to tender:

Within the framework of the 2019 Public Investment Budget (PIB), the Mayor of Nkor Council "Contracting Authority" hereby launches by emergency procedure an open National Invitation to tender for the construction of a block of two (02) classrooms at G S Chamkfung in Nkor Council Area. This invitation to tender comprises one (01) lot as follows:

| -1ζ <u>ο</u> ι Με | Project | Jacob III. | Amounte Lator bide: bond: | Project/ I (I) mount | Budger leadin | Duration in a |
|-------------------|---|---|---------------------------------|-------------------------|----------------------------|---------------|
| 01 | Construction of a block of Two (02) classrooms at G.S CHAMKFUNG | G.S CHAMKFUNG Noni subdivision | 380 000 | 19 000 000 | 53151970164 16492222821 | 04 |

2. Nature of services

Work to be done consists of constructing a block of two (02) classrooms at G S Chamkfung in Nkor Goundi Area, Bui Division. The works include the following:

Lot 100: Preparatory works and studies

Lot 200: Earth Works

Lot 300: Foundation

Lot 400: Block work in elevation

Lot 500: Carpentry works

Lot 600: Metallic works

Lot 700: Electricity

Lot 800: Painting

Lot 900: Drainage works and pavement

Lot 1000: Hygiene and Environmental Protection

3. <u>Execution deadline</u>

The maximum execution deadline shall be four (04) calender months, including the rainy season and other vagaries, with effect from the date of notification of the administrative order of work commencement.

4. Participation and origin:

Participation in this invitation to tender is open to Cameroonian enterprises that are in compliance with the fiscal laws and having a good experience in the domain concerned.

5. Financing

The sald Works shall be financed by the Public Investment Budget (PIB) of the Ministry of Basic Education for the 2019 financial year assigned to the Mayor of Nkor Council as Delegated Authorizing officers with Budget Head: IUO1312/5315197016416492222821)

6. Bid Bond:

Each bidder should include in his administrative document, a bid bond of 380 000 (Three Hundred and Eighty Thousand) CFA francs issued by a first rate-bank approved by the Ministry in charge of Finance in conformity with COBAC conditions,

Against the risk of being rejected, only originals or true copies certified by the issuing service or administrative authorities of the administrative document required, including the bid bond, shall imperatively be produced in accordance with the Special Conditions of the invitation to tender. They shall neither be older than three (O3) months nor be produced before the signing of the tender notice.

Any offer not in conformity with the prescriptions of this notice and tender file shall not be accepted, especially the absence of a bid bond issued by a first rate-bank, approved by the Ministry in charge of Finance, or the non-respect of the model of the tender file documents, shall lead to a pure and simple rejection of the offer without any appeal being entertained

7. Consultation of tender file:

interested eligible bidders may obtain further information during working hours as from the date of publication of this tender notice, at the Nkor council,

8. Acquisition of tender file:

The file may be obtained at the Nkor Council, at the Service for the award of Public Contracts, Telephone No 695 111 663 as soon as this notice is published against payment of a non- refundable sum of (35 000)Thirty Five Thousand FCFA, payable at the Council Treasury Nkor representing the cost of purchasing the tender file.

9. Submission of Bids:

Each offer drafted in English or French in O7 (Seven) copies including 01 (one) original and 06 (six) copies marked as such, should reach Nkor Council, Service for the award of Public Contracts, not later than 04 /06/2019 at 10.00 am local time. It should be labelled as follows:

"OPEN NATIONAL INVITATION TO TENDER

DIVISION, NORTH WEST REGION

N° 01/ONIT/NC/NCITB/2019 OF 10TH MAY 2019 FOR THE CONSTRUCTION OF A BLOCK OF TWO (02) CLASSROOMS AT GS CHAMKFUNG IN NKOR COUNCIL AREA, BUI DIVISION, NORTH WEST REGION

TO BE OPENED ONLY DURING THE BID OPENING SESSION

10. Admissibility of bids

Under penalty of being rejected, only originals or true copies certified by the issuing service must imperatively be produced in accordance with the Special Regulations of the invitation to tender.

They must obligatorily not be older than three (3) months preceding the date of submission of bids or may be established after the signature of the tender notice

Any bid not in compliance with the prescriptions of the Tender File shall be declared inadmissible. This refers especially to the absence of a bid bond issued by a first-rate bank approved by the Minister in charge of Finance

11. Opening of bids

The blds shall be opened in single phase. The opening of the Administrative deciments, Technical and Financial offers shall take place on the 04/06/2019 at 10 am local time, by the Nkor Council Internal Tenders Board in the Nkor Council Conference Hall.

Only bidders may attend or be represented by duly mandated persons of their choice.

12. Evaluation criteria

There are two types of evaluation criteria: eliminatory and essential criteria. [The aim of these criteria is to identify and reject incomplete bids or bids not in conformity with the essential conditions laid down in the Tender File.

i. Eliminatory criteria

Eliminatory criteria fix the minimum conditions to be fulfilled to be admitted for evaluation according to the essential criteria. The non-respect of these criteria leads to the rejection of the bid made by the bidder.

They refer especially to:

- Absence of an element in the administrative file;
- Deadline for delivery higher than prescribed;
- False declaration, forged or scanned documents;
- A bid with the external envelope carrying a sign or mark leading to the identification of the bidder.
- Two Blds with the same personnel
- · Incomplete financial file...
- Technical assessment mark lower than 80% of "Yes".

ii. Essential criteria

Essential criteria are primordial in the judgment of the technical and financial capacity of candidates to execute the works forming the subject of the invitation to tender.

The criteria relating to the qualification of candidates are based on the following:

- General presentation of the tender files;
- References of the company in similar achievements;
- Experience of supervisory staff
- Logistics (Equipment);
- Methodology;
- Financial capacity;
- Attestation of site visit signed by the Contractor
- Report of site visit signed by the Contractor

- The Special Technical Clauses (STC). (Each page should be initialed and the last page signed and stamped);
- Special Administrative Clauses completed (each page should be initialed and the last page signed and stamped);
- Pre Financing capacity not less than 75% of the amount required in the offer
 The essential criteria are subjected to minima whose detail is given in the Special Regulation of the Invitation to tender (RPAO).

lii Main qualification criteria

The criteria relating to the qualification of candidates could be indicative on the following: The essential criteria-are subjected to minima whose detail is given in the Special Tender Regulation (RPAO).

This evaluation shall be done in a purely binary method with a (yes) or a (no) with an acceptable minimum of 80% of the essential criteria taken in to account.

The contract will be awarded to the bidder who would have proposed the offer with the lowest realistic amount, in conformity with the regulations of the Tender Documents and having scored 100% of the eliminatory criteria and at least 80% of the essential criteria

13. Award of the Jobbing Order

The Jobbing Order shall be awarded to the bidder whose bid is in conformity with the dispositions of the tender file and on the basis of the lowest realistic bid and technical quality. (See article 33 of the public contracts code).

14. Period of validity of bids

The bidders shall remain committed to their offers during a period of (ninety) 90 days from the deadline set for the submission of bids.

15. Complementary information

Complementary technical information may be obtained during working hours at the Nkor Council, Service of award of Public Confidence.

16. Delivery deadline

The maximum execution deadline provided for by the Contracting Authority shall be One Hundred and Twenty (120) days maximum; as from the date of notification of the Service Order.

Circular Copies

- -S DO BUI
- ARMP
- Public Contract Journal;
- Chairpersons of Tender Board
- Notice boards
- DD MINTP Bui
- DD MINMAP Bui
- Archive)

Done at Nkor, 10/05/ 2019

grd Mayor Nkor Council

7.

REPUBLIQUE DU CAMEROUN

Paix - Travail - Patrie

MINISTRE DE LA DECENTRALISATION ET DU DEVELOPPEMENT LOCAL

COMMUNE DE NKOR

SERVICE DE PASSATION DES MARCHÉS PUBLICS

REPUBLIC OF CAMEROON

Peace - Work - Fatherland

MINISTRY OF DECENTRALISATION AND LOCAL DEVELOPMENT

NKOR COUNCIL

SERVICE FOR THE AWARD OF PUBLIC CONTRACTS

AVIS D'APPEL D'OFFRES NATIONAL OUVERT

Nº 01/AONO/CN/ CE/CIPMN/2019 10/05/ 2019 POUR LES TRAVAUX DE CONSTRUCTION D'UN BLOC DE 02 SALLES DE CLASSES A L'ECOLE PUBLIQUE DE CHAMKFUNG DANS LE COMMUNE DE NKOR, DEPARTEMENT DE BUI, RÉGION DU NORD OUEST

(EN PROCÉDURE D'URGENCE).

1. OBJET D'AVIS D'APPEL D'OFFRES:

Dans le cadre du budget d'investissement public 2019 du Ministère des Enseignements de Base, Le Mère de la commune de Nkor Jance en procédure d'urgence un Avis d'Appel d'Offres National ouvert pour les travaux des constructions d'un bloc de deux salles de classes a l'École publique de Chamkfung dans la commune de Nkor, Département de Bui.

Cet appel d'offres est constitué de un (01) lot répartis ainsi qu'il suit :

| | | , इंग्रेजी हैं | i Espansion Principalision Principality | Monton: | The state of the state of | |
|----|---|--|---|------------|----------------------------|-----|
| 01 | Construction d'un bloc de (2) Deux salles de classes a l'école Publique de Chamkfung Nkor | Chamkfung Arrondissement de Noni | 380 000 | 19 000 000 | 53151970164 16492222821 | 120 |

2. Consistance des travaux:

Les prestations du présent marché comprennent les travaux des constructions d'un bloc de deux salles de classes à L'école Publique de Chamkfung dans l' Arrondissement de Non, Département de Bui., Les prestations comprennent les opérations suivantes :

Lot 100:Travaux preparatoires et études ;

Lot 200: Travaux de terrassements;

Lot 300: Fondation;

Lot 400: Maçonnerie:

Lot 500: Menuiserie bois;

Lot 600: Menuiserie métallique:

Lot 700: Electricité;

Lot 800: Peinture

Lot 900: V.R.D.

Lot 1000: Hygien et Protection de l'Environnement

Délai d'exécution des travaux

Le délai global d'exécution des travaux est de quatre (04) mois calendaires. Ce délai comprend les périodes des pluies, toutes les intempéries et sujétions diverses et court à compter de la date de notification de l'ordre de service de commencer les travaux.

4. Participation et origine :

La participation au présent Appel d'Offres est ouverte aux entreprises de droit camerounais ayant une expérience avérée dans le domaine concerné et ayant réalisé des opérations similaires.

5. Financement:

Les prestations, objet du présent Appel d'Offres, sont financées par le budget d'investissement public (BIP) - exercice 2019 du Ministère des Enseignements de Base,

6. Cautionnement provisoire

Chaque soumissionnaire devra joindre à ses pièces administratives, une caution de soumission de de FCFA 380 000 (Trois cent quatre-vingt Mille, établie par une institution bancaire de premier ordre agrée par le Ministère en charge des Finances aux conditions de la COBAC.

Sous peine de rejet, les autres pièces administratives requises devront être impérativement produites en originaux ou en copies certifiées conformes par le service émetteur ou une autorité administrative (Préfet, Sous - préfet.....), conformément au listing prévu au Règlement Particulier de l'Appel d'Offres (R.P.A.O). Elles devront obligatoirement être datées de moins de trois (03) mois ou avoir été établies postérieurement à la date de signature de l'Avis d'Appel d'Offres.

Toute offre non conforme aux prescriptions du présent avis et du Dossier d'Appel d'Offres sera déclarée irrecevable. Notamment, l'absence de caution de soumission délivrée par une banque de premier ordre agréée par le Ministère chargé des Finances ou le non-respect des modèles des pièces du Dossier d'Appel d'Offres, entraînera le rejet/pur et simple de l'offre.

7. Consultation du Dossier d'Appel d'Offres.

Le Dossier d'Appel d'Offres peut être consulté aux heures ouvrables à la Commune de Nkor, Service de Passation des Marchés Publics Tél. : 695 111-663. Dès publication du présent Avis.

8. Acquisition du Dossier d'Appel d'Offres :

Le Dossier d'Appel d'Offres peut être obtenu à la Commune de Nkor, Service de Passation des Marchés Publics Tél.: 695 111 633., dès publication du présent avis, contre présentation d'une quittance de versement au Trésor de la commune de Niver, de la somme non remboursable de FCFA(35.000) Trente Cinq Mille Francs représentant les frais d'achat du dossier.

9. Remise des offres :

Chaque offre, rédigée en français ou en anglais en Sept (07) exemplaires dont un (1) original et Six (6) copies marquée comme telle, devra parvenir contre récépissé à la Commune de Nkor, Service de Passation des Marchés Publics au plus tard le 04/06/2019 à 10 heures, heure locale et devra porter la mention suivante:

« AVIS D'APPEL D'OFFRES NATIONAL OUVERT

Nº 01/AONO/CN/CIPMN/2019 DE 10/04/2019 POUR LES TRAVAUX DE CONSTRUCTION D'UN BLOC DE 02 SALLES DE CLASSES A L'ECOLE PUBLIQUE DE CHAMKFUNG DANS LE COMMUNE DE NKOR, DEPARTEMENT DE BUI, RÉGION DU NORD OUEST A N'OUVRIR QU'EN SEANCE DE DEPOUILLEMENT)

10 Recevabilité des offres

Sous peine de rejet, les pièces du dossier administratif requises doivent être produites en originaux ou en copies certifiées conformes par-le segvice rémetteur conformément aux stipulations du Règlement Particulier de l'Appel d'Offres.

Elles doivent dater de moins de trois (03) mois précédant la date originale de dépôt des offres ou avoir été établies postérieurement à la date de signature de l'Avis d'Appel d'Offres.

Toute offre incomplète conformément aux prescriptions du Dossier d'Appel d'Offres sera déclarée irrecevable. Notamment l'absence de la caution de soumission délivrée par une banque de premier ordre agréée par le Ministère chargé des Finances.

11. Ouverture des offres :

L'ouverture des plis se fera en un temps. L'ouverture des pièces administratives, des offres techniques et financières aura lieu 04/06/2019 à 11 heures, heure locale, par la Commission de Passation des Marchés de Bui, siégeant en présence des soumissionnaires ou de leurs représentants dûment mandatés et ayant une parfaite connaissance du dossier, dans la salle de Conférence de Commune de Nkor.

12. Critères d'évaluation :

Les critères d'évaluation sont constitués de deux types : les critères éliminatoires et les critères essentiels. Ces critères ont pour objet d'identifier et de rejeter les offres incomplètes ou non conformes pour l'essentiel aux conditions fixées dans le Dossier d'Appel d'Offres

irCritères éliminatoires

Les critères éliminatoires fixent les conditions minimales à remplir pour être admis à l'évaluation suivant les citernes essentielles. Le non-respect de ces critères entraîne le rejet de l'offre du soumissionnaire.

Il s'agit notamment:

- Absence d'une pièce administrative;
- Délai d'exécution supérieur à celui prescrit (supérieur à trois mois);
- Fausses déclarations ou pièces falsifiées;
- Absence ou insuffisance de la caution provisoire de soumission;
- Deux Entreprises avec le même personnel;
- Offres dont l'enveloppe extérieure porte des mentions permettant l'identification du Soumissionnaire;

ii Critères essentiels

Les critères dits essentiels sont ceux primordiaux ou clés pour juger de la capacité technico-financière des candidats à exécuter les travaux, objet de l'appel d'offres.

Les critères essentiels de qualification sont tel qu'il suit ;

- Présentation générale de l'offre :
- Références de l'entreprise dans les réalisations similaires ;
- Qualité du personnel clé ;
- Moyens logistiques;
- Méthodologie;
- Capacité financière ;
- Attestation de visite du site signe' par le responsable de l'Entreprise;
- o Rapport de visite du site signe' par le responsable de l'Entreprise
- Cahier des Clauses Techniques Particulières paraphé à chaque page, signée et cachetée à la fin ;
- Cahier des Clauses Administratives Particulières complété, paraphé à chaque page et signée a la fin :
- Attestation de surface financière supérieure ou égale 75% du montant de l'offre

Les critères essentiels sont soumis à des minima dont le détail est donné dans le Règlement Particulier de l'Appel d'Offres (RPAO).

iii Critères de qualification

Cette évaluation se fera de manière purement positive (oui) ou négative (non) avec un minimum acceptable d'au moins 80% de l'ensemble des critères essentiels pris en compte.

Le marché sera attribué au soumissionnaire qui aura proposé l'offre la moins disante, conforme pour l'essentiel aux prescriptions du Dossier d'Appel d'Offres, ayant satisfait à 100% des critères éliminatoires et au moins 80% des critères essentiels.

13. Attribution de la lettre commande

La lettre commande sera attribuée au soumissionnaire dont l'offre est conforme pour l'essentiel aux dispositions du Dossier d'Appel d'Offres, et qui aura présenté l'offre évaluée la moins-disante et techniquement qualifiée, conformément à l'article 33 du Code des lettre commandes Publics.

14. Délai de validité des offres

Les soumissionnaires restent engagées par leurs offres pendant une période de Cent vingt (120) jours, à compter de la date limite fixée pour la remise des offres

15. Renseignements complémentaires :

Les renseignements complémentaires d'ordre technique peuvent être obtenus auprès de la commune de Nkor Service de Passation des Marchés Publics, Tel: 695 111 663

Fait à Nkor, le 10/05/2019

Ampliations:

- SDO BUI
- ARMP
- JDM (pour publication)
- Président CPM
- DD MINMAP Bui
- DD MINTP Bui
- Affichage
- Chrono / Archives.

, -- :47

Le Maire de la commune de Nkor,

DOCUMENT N°. 2: GENERAL REGULATIONS OF THE INVITATION TO TENDER (GRIT)

Table of contents

| Α. | Article 1: Scope of the tender |
|----|---|
| В. | Tender File |
| c. | Preparation of Tenders Article 11: Tender fees |
| | Submission of bids |
| | Opening of bids and evaluation of offers Article 25: Opening of bids. Article 26: Confidential nature of the procedure. Article 27: Clarifications on the offer and contact with Contracting Authority. Article 28: Determination of their conformity. Article 29: Qualification of the bidder Article 30: Correction of errors. Article 31: Conversion into a single currency. Article 32: Evaluation of financial offers. Article 33: National preference. |
| 4 | Award of the contract |

GENERAL RULES OF THE INVITATION TO TENDER

Article 1: Scope of the tender

- 1.1 The Contracting Authority as defined in the Special Regulations of the invitation to tender hereby launches an invitation to tender for the construction and/or completion of the works described in the Tender File and briefly described in the Special Regulations.
 The name, identification number and number of lots which form the subject of the invitation to tender feature in the Special Regulations of the invitation to tender.
- 1.2 The bidder retained or the successful bidder shall complete the works within the time-limit indicated in the Special Regulations and which time-limit runs from the date of notification of the Administrative Order or that indicated in the said Administrative Order.
- 1.2 In this Jender File, the term "day" means a calendar day.

Article 2: Financing

The source of financing of the works forming the subject of this invitation to tender shall be specified in the Special Regulations.

Article 3: Fraud and corruption

- 3.1 The Contracting Authority requires of bidders and contractors the strict respect of rules of professional ethics during the award and execution of public contracts. By virtue of this principle:
 - a) The following definitions shall be admitted:
 - Shall be guilty of "corruption" whoever offers, gives, requests or accepts any advantage in view of influencing the action of a public official during the award or execution of a contract;
 - II. Is involved in "fraudulent manoeuvres" whoever deforms or distorts facts in order to influence the award or execution of a contract:
 - III. "Collusive practices" shall mean any form of agreement between two or among several bidders (whether the Contracting Authority is aware or not) aimed at artificially maintaining the prices of bids at levels not corresponding to those resulting from competition;
 - IV. "Coercive practices" shall mean any form of harm against persons or their property or threats against them in order to influence their action during the award or execution of a contract.
 - b) Any proposed award shall be rejected if it is proved that the proposed preferred bidder is directly or through an intermediary, guilty of corruption or is involved in fraudulent manoeuvres, collusive or coercive practices for the award of this contract.
 - 3.2 The Minister Delegate at the Presidency in charge of public contracts may, as a precaution, take a decision of exclusion from bidding for a period not exceeding two (2) years against any bidder found guilty of influence peddling, of conflicts of interest, insider trading, fraud, corruption or production of non-genuine documents in the bid, without prejudice to criminal proceedings that may be brought against him

Article 4: Candidates allowed to compete

- 4.1 If the invitation to tender is restricted, consultation is addressed to all candidates retained after a pre-qualification procedure.
- 4.2 Generally, the invitation to tender is addressed to all entrepreneurs, subject to the following provisions:
 - (a) A bidder (including all members of a group of enterprises and all sub-contractors to the bidder) must be from an eligible country, in accordance with the funding agreement.
 - (b) A bidder (including all members of a group of enterprises and all sub-contractors to the bidder) must not be in a situation of conflict of interest, subject to disqualification. A bidder shall be judged to be in a situation of conflict of interest if he:
 - i) is or was associated in the past with an enterprise (or a subsidiary of this enterprise) which provided consultancy services for the conception, preparation of specifications and other documents used within the scope of contracts awarded for this invitation to tender; or
 - ii) Presents more than one bid within the context of invitation to tender, except authorised variants according to article 17, where need be; meanwhile, this does not prevent the participation of sub-contractors in more than one bid.
 - iii) The Contracting Authority or Project Owner has financial interests in the capital in a way as to compromise the transparency of the procedures of award of public contracts.
 - (c) The bidder must not have been excluded from bidding-for public contracts.
 - (d) A Cameroonian public enterprise may participate in the consultation if it can demonstrate that it is (i) legally and financially autonomous, (ii) managed-according to commercial laws and (iii) not under the direct supervisory authority of the Contracting Authority or Project Owner.

Article 5: Building materials, materials, supplies, equipment and authorised services

- 5.1 Building materials, the contractor's materials, supplies, equipment and services forming the subject of this contract must originate from countries meeting the criteria of origin defined in the Special Regulations of the invitation to tender and all expenditure done within the context of the contract shall be limited to the said building materials, materials, supplies, equipment and services.
- 5.2 Within the meaning of this 5.1 above, the term "originate" shall designate the place where the goods are extracted, cultivated, produced, manufactured and from where the services originate.

Article 6: Qualification of bidder

- 6.1 As an integral part of their bid, bidders must:
 - (a) submit a power of attorney making the signatory of the bid bound by the bid; and
 - (b) Provide all information (complete or update information included in their request for prequalification which may have changed in the case where the candidates took part in prequalification) requested of bidders in the Special Regulations of the invitation to tender, in order to establish their qualification to execute the contract.

Where necessary, bidders should provide information relating to the following points:

- (i) The production of certified balance sheets and recent turnovers;
- (ii) Access to a line of credit or availability of other financial resources;

- (iii) Orders acquired and contracts awarded;
- (iv) Pending litigations; and
- (v) Availability of indispensable equipment.
- 6.2 Bids presented by two or more associated undertakings (joint-contracting) must satisfy the following conditions:
- (a) The bid must include all the information listed in article 6(1) above. The Special Regulations must indicate the information to be furnished by the group and that to be furnished by each member of the group;
- (b) The bid and the contract must be signed in a way that is binding on all members of the group;
- (c) The nature of the group (joint or several) must be specified in the Special Regulations and justified with the production of a joint venture agreement in due form;
- (d) The member of the group designated as the representative will represent all the undertakings vis à vis the Project Owner and Contracting Authority with regard to the execution of the Contract;
- (e) In case of joint co-contracting, the co-contractors shall share the sums which are paid by the Project Owner into a single account. On the other hand, each undertaking is paid into its own account by the Project Owner where it is joint co-contracting.
- 6.3 Bidders must equally present sufficiently detailed proposals to demonstrate that they comply with the technical specifications and execution time-limits set in the Special Regulations of the invitation to tender.
- 6.4 Bidders requesting to benefit from the margin of preference must furnish all the necessary information to prove that they satisfy the eligibility criteria set in article 33 of the General Regulations of the invitation to tender.

Article 7: Visit of works site

- 7.1 The bidder is advised to visit and inspect the site and its environs and obtain by himself and under his own responsibility, all the information which may be necessary for the preparation of the bid and the execution of the works. The related cost of the visit of the site shall be borne by the bidder.
- 7.2 The Project Owner shall authorise the bidder and his employees or agents to enter the premises and the land for the said visit but only on the express condition that the bidder, his employees and agents free the Project Owner, his employees and agents of any responsibility that may ensue and indemnify them if necessary and that they shall remain responsible for any deadly or corporal accident, loss or material damages, costs and fees incurred from this visit.
- 7.3 The Project Owner may organise a visit of the site of the works during the preparatory meeting to establishing the bids mentioned in article 19 of the General Regulations of the invitation to tender.

B. Tender File

Article 8: Content of Tender File

8.1 The Tender File describes the works forming the subject of the contract, sets the consultation procedure of contractors and specifies the terms of the contract. Besides the addendum (addenda) published in accordance with article 10 of the General Regulations of the invitation to tender, it includes the following documents:

Document No. 1. The letter of invitation to tender (for restricted invitation to tender);

Document No. 2. The tender notice;

Document No. 3. The General Regulations of the invitation to tender;

Document No. 4. The Special Regulations of the invitation to tender;

Document No. 5. The Special Administrative Conditions;

Document No. 6. The Special Technical Conditions:

Document No. 7. The schedule of unit prices;

Document No. 8. The bill of quantities and estimates;

Document No. 9. The sub details of unit prices;

Document No. 10. Model documents of the contract:

- a. The execution schedule;
- b. Model of forms presenting the equipment, personnel and references;
- c. Model bidding letter;
- d. Model bid bond;
- e. Model final bond;
- f. Model of bond of start-off advance:
- g. Model of guarantee in replacement of the retention fund:
- h. Model contract;

Document No. 11. Models to be used by bidders;

- a. Model contract:
- Document No. 12. Justifications of preliminary studies; to be filled by the Project Owner or Delegated Project Owner;
- Document No. 13. List of first grade banking establishments or financial institutions approved by the Minister in charge of Finance authorised to issue bonds for public contracts to be inserted by the Contracting Authority.
- 8.2 The bidder must examine all the regulations, forms, conditions and specifications contained in the Tender File. It is up to him to furnish all the information requested and prepare a bid in compliance with all aspects of the said file.

Article 9: Clarifications on the Tender File and complaints

- 9.1 Any bidder who wants to obtain clarifications on the Tender File may request them from the Contracting Authority in writing or by electronic mail (fax or e-mail) at the Contracting Authority's address indicated in the Special Regulations of the invitation to tender and send a copy to the Project Owner. The Contracting Authority replies in writing to any request for clarification received at least fourteen (14) days prior to the deadline for the submission of bids.
- A copy of the Contracting Authority's response, indicating the question posed but not mentioning the author, is addressed to all bidders who bought the Tender File.
- 9.2 Between the publication of the tender notice including the pre-qualification phase of candidates and the opening of bids, any bidder who feels aggrieved in the public contracts award procedure may lodge a complaint to the Minister in charge of Public Contracts.
- 9.3 A copy of the complaint should be addressed to the Contracting-Authority and to the body in charge of the regulation of public contracts and the chairperson of the Tenders Board.
- 9.4 The Contracting Authority has five (5) days to react. A copy of the reaction shall be forwarded to MINMAP and the body in charge of the regulation of public contracts.

Article 10: Amendment of the Tender File

- 10.1 The Contracting Authority may at any moment, prior to the deadline for the submission of bids and for any reason, be it at his initiative or in reply to a request for clarification formulated by a bidder, amend the Tender File by publishing an addendum.
- 10.2 Any published addendum shall be an integral part of the Tender File, in accordance with article 8.1 of the General Regulations of the invitation to tender and must be communicated in writing or made known by a traceable means to all bidders who bought the Tender File.
- 10.3 In order to give bidders sufficient time to take account of the addendum in the preparation of their bids, the Contracting Authority may postpone as is necessary, the deadline for the submission of bids, in accordance with provisions of article 22 of the General Regulations of the invitation to tender

Article 11: Tender costs

The candidate shall bear the costs related to the preparation and presentation of his bid and the Contracting Authority and the Project Owner shall in no case be responsible for these costs nor pay for them whatever the evolution or outcome of the invitation to tender procedure.

Article 12: Language of bid

The bid as well as any correspondence and any document exchanged between the bidder and the Contracting Authority shall be written in English or French. Complementary documents and the forms provided by the bidder may be written in another language on condition that a precise translation into either English or French of the passages concerning the bid is included; in which case for reasons of interpretation, the translation shall be considered to be authentic.

. Article 13: Constituent documents of the offer

13.1 The offer presented by the bidder shall include the documents detailed in the Special Regulations of the invitation to tender, duly filled and put together in three volumes:

Volume 1: Administrative documents

They include:

- 1. All documents stating that the bidder:
 - > Has complied with all declarations provided for by the laws and regulations in force;
 - > I current with his taxes, contributions, fees or levies of any kind whatsoever;
 - > Is not in a State of liquidation or bankruptcy;
 - Is not struck by one of the prohibitions and disqualifications criteria provided for by the legislation in force.
- II. Bid bond(s) issued is are in conformity with the provisions of article 15 of the present RGAO;
- III. A written confirmation authorizing the signatory of the offer to engage the bidder
- IV. The CCAP is duly initialed on each page and signed on the last page.
- V. Localization plan is duly signed by the authority concern.

b. Volume II: Technical Offer

It includes:

- References of the company (the contractor will provide contracts or Jobbing orders for similar work carried out as well as related minutes of reception);
- II. Personnel: the contractor will present the competent technical staff and workers he intends to employ before the beginning of the work (attach to each staff CV signed by the candidate, certified copy of technical diploma attestation of presentation of original of the technical diploma, and the attestation of availability signed by the candidate);
- III. Site equipment: The contractor shall justify the ownership and the State of the equipment necessary for the performance of the work (providing registration certificates, invoices and certificates of road worthiness (visit technique) of rolling equipment;
 - IV. The technical note on the methodology of intervention of the work: the company will produce a technical note dated and signed providing all the information concerning the mode of execution of the works, the execution plan of the expected output, provision of materials or site materials, the potential advantages in terms of safety of the environment and the Organization of the company,
 - V. Attestation of site visit and the site visit report;

- Vi The CCTP duly initialed on each page and signed on the last page
- Vii Attestation of solvency of the contractor.

c. Volume 3: Financial offer

It includes:

- 1. The submission letter, in original drafted according to the model attached, stamped at the rate in force, signed and dated;
- II. The unit price schedule duly completed, with an indication of the unit price excluding VAT in letters and figures;
 - Ill. Detail Bill of Quantities and cost estimate of the work completed;
 - IV. Sub-details of the different prices according to the model attached;

In this regard, the bidders will use the documents and models provided in the Tender File, subject to the provisions of article 17(1) of the General Regulations of the invitation to tender concerning the other possible forms of guarantees.

13.2 If in accordance with the provisions of the Special Regulations of Invitation to Tender, the bidders present offers for several lots of the same invitation to tender, they could indicate rebates offered in case of award of more than one lot.

Article 14: Bid price

- 14.1 Except otherwise stated in the Tender File, the amount of the contract shall cover all the works described in article 1.1 of the General Regulations of the invitation to tender, on the basis of the price schedule and the detailed bill of quantities and estimates presented by the bidder.
- 14.2 The bidder shall fill the unit prices and totals of all items on the schedule and bill of quantities and estimates.
- 14.3 Subject to contrary provisions provided for in the Special Regulations and in the Special Administrative Conditions, all dues, taxes and fees payable by the bidder on grounds of the contract or on any other ground, thirty (30) days prior to the submission of the bids, shall be included in the prices and in the total amount of the bid presented by the bidder.
- 14.4 If a price revision/updating clause is provided for in the contract, the date of establishment of the initial price, as well as the price revision/updating conditions for the said price must be specified. This is with the understanding that any contract of duration less than one (1) year shall not be subject to price revision.
- 14.5 All unit prices must be justified by sub-details established in accordance with the structure proposed in document 8 of the Tender File.

Article 15: Currency of bid and payment

- 15.1 In case of international invitations to tender, the currencies of the bid shall follow the provisions of either Option A or Option B below, the applicable option being that retained in the Special Regulations of the invitation to tender.
- 1.5.2 Option A: The amount of the bid shall be entirely made in the national currency. The amount of the bid, unit prices of the price schedule and the prices of the bill of quantities and estimates are completely made in CFA francs in the following manner:
 - a) Prices shall be entirely drawn in the national currency. The bidder who intends to commit expenditures in other currencies for the execution of the works shall indicate in the annex to the bid the percentage(s) of the amount of the bid necessary to cover the needs in foreign currencies, without exceeding the maximum of the three currencies of member countries of the funding institution of the contract.

b) The exchange rates used by the bidder to convert his bid into the national currency shall be specified by the bidder in an annex to the bid in compliance with the specifications of the Special Regulations. These rates shall be applied for any payment within the framework of the contract so that the retained bidder does not bear any change in the exchange rate.

15.3 Option B: The amount of the bid shall be directly made in the national and foreign currency at the rates fixed in the Special Regulations.

The bidder shall draw the unit prices of the price schedule and the prices of the bill of quantities and estimates in the following manner:

- The prices of inputs necessary for the works which the bidder intends to procure in the Contracting Authority's country shall be in currency of the Contracting Authority's country (a) specified in the Special Regulations and called "national currency";
- The prices of inputs necessary for works which bidder intends to procure out of the Contracting Authority's country shall be in the currency of the country of origin of the bidder or (a) of the currency of an eligible member country widely used in international trade.
- 15.4 The Contracting Authority may request the bidders to explain the needs in national and foreign currencies and to justify that the amounts included in the unit and total prices and indicated in annex to the bids are reasonable; to this end, a detailed statement of their needs in foreign currencies shall be furnished by the bidder.
- 15:5 During the execution of the works, most of the foreign currency to be paid as part of contract may be revised by mutual agreement between the Contracting Authority and the entrepreneur in a way as take account of any modification in the foreign currency needs within the context of the contract.

Article 16: Validity of bids

- 16.1 Bids must remain valid during the period stated in the Special Regulations from the date of submission of the bids fixed by the Contracting Authority, in application of article 22 of the Special Regulations. A bid valid for a shorter period shall be rejected by the Contracting Authority or Delegated Contracting Authority as not being in compliance.
- 16.2 Under exceptional circumstances, the Contracting Authority may seek the approval of bidders to extend the validity time-limit. The request and the responses that will be given shall be in writing (or by fax). The validity of the bid bond provided for in article 17 of the General Regulations shall equally be extended for a corresponding duration. A bidder may refuse to extend the validity of his bid without losing his bid bond. A bidder who consents to an extension shall not be asked to modify his bid nor shall he be authorised to do so.
- 16.3 Where the contract does not include a price revision clause and that the period of validity of bids is extended by more than sixty (60) days, the amounts payable to the bidder retained shall be updated by application of the related formula featuring in the request for extension that the Contracting Authority addressed to bidders.

The updating period shall run from the date of overrun of sixty (60) days to the date of notification of the contract or the Administrative Order for start of execution of works by the retained bidder, as specified in the Special Administrative Conditions. The effect of updating shall not be taken into account for purposes of evaluation of bids.

Article 17: Bid bond

- In application of article 13 of the General Regulations, the bidder shall furnish a bid bond of the amount specified in the Special Regulations and which bid bond shall be a full part of his bid.
- 17.2 The bid bond must conform to the model presented in the Tender File; other models may be authorised subject to the prior approval of the Contracting Authority. The bid bond will remain valid for thirty

- (30) days beyond the original date set for the validity of bids or any other validity time-limit requested by the Contracting Authority and accepted by the bidder, in accordance with the provisions of article 16 (2) of the General Regulations.
- 17.3 Any bid without an acceptable bid bond shall be rejected by the Tenders Board as not in conformity. The bid bond of associated enterprises must be established in the name of the group submitting the bid and mention each member of the associated grouping.
- 17.4 The bid bonds of bidders who are not retained shall be returned within fifteen (15) days after publication of the award result.
- 17.5 The bid bond of the successful bidder shall be released as soon as the latter would have signed the contract and furnished the required final bond.
- 17.6 The bid bond may be seized:
 - (a) if the bidder withdraws his bid during the period of validity;
 - (b) if the retained bidder:
 - i) fails in his obligation to register the contract in application of article 38 of the General Regulations;
 - fails in his obligation to furnish the required final bond in application of article 38 of the General Regulations;
 - ii) Refuses to receive notification of the Administrative Order to commence execution.

Article 18: Varying proposals of bidders

- 18.1 Where the works can be executed within variable deadlines, the Special Regulations shall specify these deadlines and shall indicate the method retained for the evaluation of the completion deadline proposed by the bidder within the specified deadlines. Bids that propose deadlines beyond those specified shall be considered as not being in conformity.
- 18.2 Except in the case mentioned in article 18(3) below, bidders wishing to offer technical variants must first assess the basic solution of the Contracting Authority as described in the Tender File and furnish in addition all the information which the Contracting Authority needs for a complete evaluation of the proposed variant, including the plans, calculations, technical specifications, sub-details of prices and proposed construction methods and all other useful information. If necessary, the Contracting Authority will examine only the technical variants of the bidder whose bid is in compliance with the basic solution has been evaluated as the lowest bid.
- 18.3 When according to the Special Regulations the bidders are authorised to directly submit the technical variants for certain parts of the works, these parts of the works must be described in the technical specifications. Such variants shall be evaluated on their own merit in accordance with the provisions of article 31(2) (g) of the General Regulations.

Article 19: Preparatory meeting to the establishment of bids

- 19.1 Except otherwise stipulated in the Special Regulations, a bidder may be invited to take part in a preparatory meeting which will hold at the date and place indicated in the Special Regulations.
- 19.2 The subject of the preparatory meeting shall be to furnish clarifications and answer any questions which may be raised at this stage.
- 19.3 As much as possible, the bidder is requested to submit any question in a way as to reach the Contracting Authority at least one week before the meeting The Contracting Authority may not reply to questions received too late. In this case, the questions and answers shall be transmitted according to the methods set in article 19(4) below.
- 19.4 The minutes of the meeting, including the text of the questions asked and the replies given, including questions prepared after the meeting, shall be forwarded immediately to everyone who bought the

Tender File. Any modification of documents of the Tender File listed in article 8 of the General Regulations which may prove to be necessary at the end of the preparatory meeting shall be done by the Contracting Authority by publishing an addendum in accordance with the provisions of article 10 of the General Regulations and not through the minutes of the preparatory meeting.

19.5 The fact that a bidder does not attend a preparatory meeting for the establishment of bids shall not be a reason for disqualification.

Article 20: Form and signature of bid

- 20.1 The bidder shall prepare an original of the constituent documents described in article 13 of the General Regulations in a volume clearly indicated "ORIGINAL". In addition, the bidder shall submit the number required in the General Regulations, bearing "COPY". In case of discrepancy, the original shall be considered as authentic.
- 20.2 The original and copies of the bid must be typed or written in indelible ink (photocopies shall be accepted in the case of copies) and shall be signed by the person(s) duly empowered to sign on behalf of the bidder, in accordance with article 6(1a) or 6(2c) of the General Regulations, as the case may be. All the pages of the bid containing alterations or changes must be initialled by the signatory (ies) of the bid.
- 20.3 The bid shall be bear no modification, suppression or alteration unless such corrections are initialled by the signatory (ies) of the bid.

D. SUBMISSION OF BIDS

Article 21: Sealing and marking of bids

- 21.1 The bidder shall seal the original and each copy of the bid in separate envelopes (internal envelopes) by marking on these envelopes "ORIGINAL" and "COPY", as the case may be. The envelopes shall then be placed in another envelope which will equally be sealed but which will not give any indication regarding the identity of the bidder.
- 21.2 The external and internal envelopes:
 - a) should be addressed to the Contracting Authority at the address indicated in the Special Regulations;
 - b) should bear the name and identification number of the project as indicated in the Special Regulations and bear the inscription "TO BE OPENED ONLY DURING THE BID-OPENING SESSION" as specified in the Special Regulations.
- 21.3 The internal envelopes should equally carry the name and address of the bidder in a way as to enable the Contracting Authority return the sealed bid if it is late in accordance with article 23 and 24 of the General Regulations.
- 21.4 If the external envelope is not sealed and marked as indicated in paragraphs 21(1) and 21(2) above, the Contracting Authority shall not be responsible if the bid is misplaced or opened prematurely.

Article 22: Date and time-limit for submission of bids

- 22.1 The bids must be received by the Contracting Authority at the address specified in article 21(2) of the Special Regulations not later than the date and time stated in the Special Regulations.
- 22.2 The Contracting Authority may, at his discretion, postpone the deadline set for the submission of the bids by publishing an addendum in accordance with the provisions of article 10 of the General Regulations. In this case, all the rights and obligations of the Contracting Authority and bidders previously governed by the initial date will henceforth be governed by the new date.

Article 23: Late bids

Any bid received by the Contracting Authority beyond the deadline for the submission of bids in accordance with article 22 of the General Regulations shall be declared late and consequently rejected.

Article 24: Modification, substitution and withdrawal of bids

- 24.1 A bidder may modify or withdraw his bid after submitting it, on condition that the written notification of the modification or withdrawal is received by the Contracting Authority prior to the end of the time-limit prescribed for the submission of the bids. The said notification must be signed by an authorised representative in application of article 20(2) of the General Regulations. The modification or the corresponding replacement bid must be attached to the written notification. As the case may be, the envelopes must bear the inscription "WITHDRAWAL", and "REPLACEMENT BID" or "MODIFICATION".
- 24.2 Notification of modification, replacement or withdrawal of the bid by the bidder should be prepared, sealed, marked and forwarded in accordance with the provisions of article 21 of the General Regulations. Withdrawal may equally be notified by telex but should in this case be confirmed by a duly signed written notification whose date, post mark being authentic, shall not be posterior to the time-limit set for the submission of bids.
- 24.3 In application of article 24(1), bids being requested to be withdrawn by bidders shall be returned to them unopened.
- 24.4 No bid may be withdrawn during the interval between the submission of bids and the expiry of the validity of bids specified by the model tender. The withdrawal of a bid by a bidder during this interval may lead to the confiscation of the bid bond in accordance with the provisions of article 17(6) of the General Regulations.

E. Opening of envelopes and evaluation of bids

Article 25: Opening of envelopes and petitions

- 25.1 The competent Tenders Board shall open the envelopes in single or double phases and in the presence of the representatives of bidders who wish to attend at the date, time and address specified in the Special Regulations. Representatives of bidders shall sign a register attesting to their presence.
- 25.2 Firstly, envelopes marked "withdrawal" shall be opened and the contents announced to the hearing of everyone, while the envelope containing the corresponding bid shall be returned to the bidder unopened. Withdrawal shall be allowed only if the corresponding notification contains a valid empowerment of the signatory to request this withdrawal and if this notification is read to the hearing of everyone. Then the envelopes marked "Replacement bid" are opened and announced to the hearing of everyone and the new corresponding bid substituted for the preceding one which will be sent to the bidder concerned unopened. The replacement of the bid shall only be allowed if the corresponding notification contains a valid empowerment of the signatory requesting the replacement and read to the hearing of everyone. Lastly, the envelopes marked "modification" shall be opened and their contents read to the hearing of everyone with the corresponding bid. The modification of the bid shall only be allowed if the corresponding notification contains a valid empowerment of the signatory requesting the modification and read to the hearing of everyone. Only bids which were opened and announced to the hearing of everyone during the opening of bids shall then be evaluated.
- 25.3 All envelopes shall be opened successively and the name of the bidder announced aloud as well as the possible modification mentioned, the price offered, including any rebates [in case of opening of financial bids] and any variant, where necessary, the existence of a guarantee of the bid if it is required and any other details which the Contracting Authority deems useful to be mentioned. Only rebates and variants of bids announced to the hearing of everyone during the opening of bids shall be submitted for evaluation.

- 25.4 Bids (and modifications received in accordance with the provisions of article 24 of the General Regulations) which were not opened and read to the hearing of everyone during the bid-opening session for whatever reason, shall not be submitted for evaluation.
- 25.5 Bid-opening minutes are recorded on the spot mentioning the admissibility of bids, their administrative regularity, prices, rebates and time-limits as well as the composition of the Evaluation sub-committee. A copy of the said minutes to which is attached the attendance sheet is handed over to all the participants at the end of the session.
- 25.6 At the end of each bid-opening session, the chairperson of the Tenders Board immediately hands over to the focal point designated by the body in charge of regulation of public contract an initialled copy of the bids presented by bidders.
- 25.7 In case of petition as provided for by the Public Contracts Code, it should be addressed to the Minister Delegate in charge of Public Contracts with a copies to the body in charge of the regulation of public contracts, the head of structure to which is attached the Tenders Board concerned.
 - It must reach within a maximum deadline of three (3) working days after the opening of bids in the form of a letter to which is obligatorily attached a sheet of the petition form duly signed by the petitioner and possibly by the chairperson of the Tenders Board.
 - The Independent Observer attaches to his report the sheet that was handed to him, including any related commentaries or observations.

Article 26: Confidential nature of the procedure

- 26.1 No information relating to the examination, clarification, evaluation and comparison of bids and verification of the qualification of the bidders and the recommendation for the award shall be given to bidders or to any person not concerned with the said procedure as long as the preferred bidder has not been made public, subject to the disqualification of the bid of the bidder and suspension of the authors from all activities in the domain of public contracts.
- 26.2 Any attempt by a bidder to influence the Tenders Board or the Evaluation sub-committee of bids or the Contracting Authority in its award decision may lead to the rejection of his bid.
- 26.3 Notwithstanding the provisions of paragraph 26.2 above, between the opening of bids and the award of the contract, if a bidder wishes to enter into contact with the Contracting Authority for reasons having to with his bid may do so in writing.

Article 27: Clarifications on the bids and contact with the Contracting Authority

- 27.1 To ease the examination, evaluation and comparison of bids, the Tenders Board may, if it so desires, request any bidder to give clarifications on his bid. This request for clarification and the response thereto are formulated in writing but no change on the amount or content of the bid is sought, offered or authorised, except it is necessary to confirm the correction of calculation errors discovered by the Evaluation Sub-committee during the evaluation in accordance with the provisions of article 30 of the General Regulations.
- 27.2 Subject to the provisions of paragraph 1 above, bidders shall not contact members of the Tenders Board and the Evaluation Sub-committee for questions related to their bids, between the opening of envelopes and the award of the contract.

Article 28: Determination of compliance of bids

- 28.1 The Evaluation sub-committee shall carry out a detailed examination of bids to determine if they are complete, if the required guarantees are furnished, if the documents were correctly signed and if generally the bids are in proper order.
- 28.2 The Evaluation sub-committee shall determine if the bid is essentially in compliance with the conditions fixed in the Tender File based on the content without recourse to external elements of proof.

- 28.3 A bid that complies with the Tender File shall essentially be a bid that respects all the terms, conditions and specifications of the Tender File, without substantial divergence or reservation. A substantial divergence or reservation is that:
 - i) which substantially limits the scope, quality or realisation of the works;
 - ii) which substantially limits, contrary to the Tender File, the rights of the Contracting Authority or his obligations in relation to the contract;
 - iii) Whose correction would unjustly affect the competitiveness of the other bidders who presented bids that essentially complied with the Tender File?
- 28.4 If a bid is essentially not in compliance, it shall be rejected by the competent Tenders Board and shall not subsequently be rendered in compliance.
- 28.5 The Contracting Authority reserves the right to accept or reject any modification, divergence or reservation. Modifications, divergences, variants and other factors which are beyond the requirements of the Tender File shall not be considered during the evaluation of bids.

Article 29: Qualification of the bidder

The Evaluation sub-committee shall ensure that the successful bidder retained for having submitted a bid substantially in compliance with the provisions of the Tender File, fulfils the qualification criteria stipulated in article 6 of the Special Regulations. It is essential to avoid any arbitrariness in determining qualification.

Article 30: Correction of errors

- 30.1 The Evaluation sub-committee shall verify bids considered essentially in compliance with the Tender File to correct the possible calculation errors. The Evaluation sub-committee shall correct the errors in the following manner:
 - (a) where there is an incoherence between the unit price and the total obtained by multiplying the unit price by the quantity, the unit price being authentic, the total price shall be corrected, unless the Evaluation sub-committee judges that it is a gross error of decimal point in the unit price in which case the total price as presented shall be authentic and the unit price corrected.
 - (b) if the total obtained by addition or subtraction of the totals is not exact, the sub totals shall be considered authentic and the total corrected.
 - (c) where there is a difference between the price indicated in letters and in figures, the amount in letters shall be considered authentic, unless the amount is linked to an arithmetical error confirmed by the sub-detail of the said price, in which case the amount in figures shall prevail subject to paragraphs (a) and (b) above.
- 30.2 The amount featuring in the bid shall be corrected by the Evaluation sub-committee, in accordance with the error correction procedure above and with confirmation by the bidder, the said amount shall be deemed to commit him.
- 30.3 If the bidder who presented the bid evaluated as the lowest refuses the correction thus carried out, his bid shall be rejected and the bid bond may be seized.

Article 31: Conversion into a single currency

- 31.1 To facilitate the evaluation and comparison of bids, the Evaluation sub-committee shall convert the prices of bids expressed in various currencies into those in which the bid is payable in CFA francs.
- 31.2 The conversion shall be done using the selling rate fixed by the Bank of Central African States (BEAC) under the conditions defined by the Special Regulations.

Article 32: Evaluation and comparison of financial bids

- 32.1 Only bids considered as being in compliance, as per the provisions of article 28 of the General Regulations, shall be evaluated and compared by the Evaluation sub-committee.
- 32.2 By evaluating the bids, the Evaluation Sub-committee shall determine for each bid the evaluated amount of the bid by rectifying the amount as follows:
 - a) By correcting any possible error in accordance with the provisions of article 30.2 of the General Regulations;
 - b) By excluding projected sums and where necessary provisions for unforeseen occurrences featuring in the bill of quantities and estimates but by adding the amount of works done under State supervision where they are cost in a competitive manner as specified in the Special Regulations.
 - c) By converting into a single currency the amount resulting from the rectifications (a) and (b) above, in accordance with the provisions of article 31(2) of the General Regulations;
 - d) By appropriately adjusting any other modification, divergence or quantifiable reservation on technical or financial basis.
 - e)By taking into consideration the various execution time-limits proposed by the bidders, if they are authorised by the Special Regulations;
 - f) If need be, in accordance with the provisions of article 13(2) of the General Regulations and the Special Regulations by applying the rebates offered by the bidder for the award of more than one lot, if this invitation to tender is launched simultaneously for several lots.
 - g) If need be, in accordance with the provisions of article 18(3) of the Special Regulations and the Technical Specifications, the proposed technical variants, if they are permitted, shall be evaluated on their own merit and independently of the fact that the bidder offered or not a price for the technical solution specified by the Contracting Authority in the Special Regulations.
- 32.3 The estimated effect of price revision formulae featuring in the GAC and SAC applied during the period of execution of the contract shall not be considered during the evaluation of bids.
- 32.4 If the bid judged the lowest bid is considered abnormally low or strongly unbalanced in relation to the estimates of the Project Owner for the works to be executed in this contract, the Tenders Board may, from the sub-details of prices furnished by the bidder for any element or all the elements of the bill of quantities and estimates, verify if these prices are compatible with the construction methods and proposed calendar. In the case where the justifications presented by the bidder are not satisfactory, the Contracting Authority may reject the bid after the technical opinion of the Public Contracts Regulatory Agency.

Article 33: Preference granted national bidders

National contractors shall benefit from a margin of national preference during the evaluation of bids as provided for in the Public Contracts Code.

Article 34: Award

- 34.1 The Contracting Authority shall award the contract to the bidder whose bid was judged essentially in compliance with the Tender File and who has the required technical and financial capacities to execute the contract satisfactorily and whose bid was evaluated as the lowest by including, where necessary, proposed rebates
- 34.2 If, according to article 13(2) of the General Regulations, the invitation to tender comprises several lots, the lowest bid shall be determined by evaluating this contract with other lots to be awarded concurrently, by taking into account the rebates offered by the bidders in the case of more than one lot.
- Any award of contract shall be made to the bidder fulfilling the technical and financial capacities required resulting from the evaluation criteria and presenting the bid evaluated as the lowest.

Article 35: The right by the Contracting Authority to declare an invitation to tender unsuccessful or cancel a procedure

The Contracting Authority reserves the right to cancel a procedure of invitation to tender after the authorisation of the Minister Delegate at the Presidency in charge of Public Contracts where the bids have

been opened or to declare an invitation to tender unsuccessful after the advice of the competent Tenders Board, without any claims being entertained.

Article 36: Notification of award of the contract

Before the expiry of the validity of the bids set in the Special Regulations, the Contracting Authority shall notify the preferred bidder by telecopy confirmed by registered mail or by any other means that his bid was retained. This letter will indicate the amount the Project Owner will pay the contractor to execute the works and the execution time-limit.

Article 37: Publication of results of award and petitions

- 37.1 The Contracting Authority shall communicate to any bidder or administration concerned, upon request addressed to it within a maximum deadline of five (5) days after publication of the award results, the Independent Observer's report as well as the minutes of the award session of the related contract to which shall be attached the evaluation report of the bids.
- 37.2 The Contracting Authority is bound to communicate the reasons for the rejection of bids of the bidders concerned who so request.
- 37.3 After publication of the award results, bids that are not withdrawn within fifteen (15) days shall be destroyed, without any claims for compensation being entertained. Only the copy destined for the body in charge of regulation shall be kept.
- 37.4 In case of petition, it should be addressed to the Public Contracts Authority, with copies to the body in charge of the regulation of public contracts, the Contracting Authority and the chairperson of the Tenders Board concerned.

It must take place within a maximum deadline of five (5) working days after the publication of the results.

Article 38: Signing of the contract

- 38.1 After publication of the results, the draft contract subscribed by the successful bidder is submitted to the Tenders Board for examination and where applicable, to the Minister in charge of Public Contracts for prior endorsement.
- 38.2 The Contracting Authority has a deadline of seven (7) days to sign the contract from the date of reception of the draft contract examined by the competent Tenders Board and subscribed by the successful bidder and where applicable, the endorsement of the Minister in charge of Public Contracts.
- 38.3 The contract must be notified to the successful bidder within five (5) days of its date of signature.

Article 39: Final Bond

- 39.1 Within twenty (20) days of the notification by the Contracting Authority, the contractor shall furnish the Project Owner with a final bond, to guarantee the complete execution of the works.
- 39.2 The bond whose rate varies between 2 and 5 percent of the amount of the contract inclusive of all taxes, may be replaced by a guarantee from a banking establishment approved according to the instruments in force with the Project Owner as beneficiary or by a joint or several guarantee.
- 39.3 Small and medium-sized enterprises (SiAE) constituted of national capital and managed by nationals may, in lieu of the guarantee, provide a statutory lien or a bond issued by a banking establishment or first rate financial institution approved in accordance with the instruments in force.
- 39.4 Failure to produce the final bond within the prescribed time limit shall likely cause the termination of the contract under the terms laid down in the General Administrative Conditions.

DOCUMENT No. 3:

SPECIAL REGULATIONS OF THE INVITATION TO TENDER

Special regulations of the invitation to tender

1) PURPOSE OF THE TENDERS:

The purpose of this tender is the construction of a BLOCK OF TWO (02) CLASSROOMS at G S Chamkfung in Nkor Council Area, Noni Sub Division, Launched by the Mayor of Nkor Council, Noni Sub Division Within the framework of 2019 Public Investment Budget (PIB) by emergency procedure, with Invitation to tender Reference: N° 01/ONIT/NC/NCITB/2019 of 10/05/2019

This invitation to tender comprises one (01) as follows:

| N° | Project 12 | Locality 4 | Amount for bid bond | Project Amount | Budger Head 1 | Duration Lin months |
|----|--|--------------------------------------|---------------------|-------------------|------------------------------------|---------------------------|
| 01 | Construction of a block of Two (02) classrooms at GS Chamkfung | Chamkfung Nkor - Noni subdivision | 380 000 | 19 000 000 | IUO1312/5315197 016416492222821 | 04 |

2) EXECUTION DEADLINE:

The maximum execution deadline provided for by the Contracting Authority shall be One hundred and twenty days (120) days maximum for each Lot, as from the date of notification of the service order.

3) SOURCE OF FINANCING

The said Works shall be financed by the Public Investment Budget (PIB) of the Ministry of Basic Education for the 2019 financial year assigned to the Mayor of Nkor Council as Delegated Authorizing officer.

4) CONSISTENCY OF BIDS

Each offer drafted in English or French in 07 (Seven) copies including 01 (one) original and 06 (six) copies marked as such, should reach the Nkor Council, not later than ______ 2019 at 10.00 am, local time. It should be labelled as follows:

"OPEN NATIONAL INVITATION TO TENDER

N° 01/ONIT/NC/NCITB/2019 OF 10TH MAY 2019 FOR THE CONSTRUCTION OF A BLOCK OF TWO (02)
CLASSROOMS AT G S CHAMKFUNG IN NKOR COUNCIL AREA, BUI DIVISION, NORTH WEST REGION
TO BE OPENED ONLY DURING THE BID OPENING SESSION"

N.B: The external envelope should not carry any mark or sign that can lead to the identification of the bidder.

internal envelopes

Three (03) internal envelopes shall be sealed in an external envelope.

The first internal envelope shall be labeled;

<< A: Administrative tender>> and shall contain the administrative documents of the enterprise. These documents shall be original or copies certified by competent authorities not more than three months.

ENVELOPE A: ADMINISTRATIVE DOCUMENTS

| DOCUMENT N° | DESCRIPTION |
|----------------|---|
| I.A | Certified Copy of the Business Registration, not more than three months old. |
| A.2 | Declaration of intention to tender stamped with the tariff in force(.dated, signed And stamped by the contractor) |
| A.3 | Certificate of non-bankruptcy established by the Court of 1st instance or the Chamber of Commerce, Industry and Trade of the place of residence of the bidder, not more than three (03) months. |
| A.4 | Attestation of bank account of the bidder, issued by a first rate-bank approved by the Ministry in charge of Finance or by a foreign bank of first order not more than three months. |
| A.5 | Purchase receipt of tender file issued by public treasury |
| A.6 | A bid bond of 380 000 FCFA per lot (Three hundred and eighty thousand FCFA) issued by a first rate-bank approved by the Ministry in charge of Finance in conformity with COBAC conditions |
| A.7 · | An attestation of non-exclusion from Public Contracts issued by the Public contract Regulatory Board (ARMP) |
| 8.A | Valid attestation for submission by the Social Insurance Fund, certifying that the bidder satisfied his obligations with respect to the aforementioned Social Insurance |
| A.9 | A valid Certificate of imposition certified by the chief of centre dated at most 3 months. |
| A.10 | Business License (photocopy certified by chief of centre, not more than three months). |
| A.11 | Certified Copy of a valid taxpayers card, delivered by the chief of centre. Dated at most 3 months. |
| A.12 | A certificate of payment of all assessed taxes, delivered by the chief of centre. Dated at most 3 months. |
| A.13 | Plan and attestation of localization signed by the taxation authorities |

NB:

The above administrative documents should be forwarded in their originals or certified true copies dating not more than three months old.

The absence or the nonconformity of one of these documents will result to the elimination of the offer

ENVELOPE B: - VOLUME II TECHNICAL OFFER

The state of the s

| Doc N° | DESIGNATION | | | |
|-----------|---|--|--|--|
| | General presentation of bids | | | |
| B1 | Properly bound. Table of content. Separators in color apart from white Presentation of documents in the order given in this tender. Clearness of the documents | | | |
| | REFERENCES OF SIMILAR WORKS EXECUTED | | | |
| B.2 | List of references of similar works executed. The contractor will provide evidence of similar work carried out during the last Five (05) years. Show proof of similar projects executed by presenting at least two copies of | | | |
| | different Contracts and reception minutes (provisional reception for 2015 to 2018 projects or final reception for up to 2017 projects) and related contracts or jobbing orders first and last pages | | | |
| | Bidders shall undertake to have employed or to employ, before the start of works, competent technical staff, (attach to each staff a CV signed by the candidate, a certified copy of the technical diploma, attestation of presentation of original of the technical diploma, an attestation of availability signed by candidate and Certified copy of ID card) notably. > A works supervisor with at least the level of a senior technician in civil engineering or Rural Engineering with at least three (03) years' professional experience in the domain of civil construction or similar works. | | | |
| в.3 | > A foreman with at least the level of a technician in civil engineering or Rural Engineering with at least three (03) years' of professional experience in the domain of civil construction or similar works. | | | |
| | > Other support staff or semi-skilled workers | | | |
| | - 02 (Two) builders with 3 years professional experience on building construction or similar works. Only CVs signed by the candidates | | | |
| | - 02 (Two) Carpenters with 3 years professional experience on carpentry or similar works. Only CVs signed by the candidates | | | |
| | - 01 One Electrician with 3 years professional experience on Electricity or similar works. Only CVs signed by the candidate | | | |
| | 01 (one) Painters with 3 years professional experience on painting or similar works. Only CVs signed by the candidate | | | |

| | Equipment and Construction Tools |
|---|---|
| | The List of equipment the bidder intends to use on site |
| ender sie en de la company de | The contractor shall justify the ownership and the State of the equipment necessary for the performance of the work to be carried out. |
| | > Equipment: |
| 8.4 | - Legalized Registration document (pickup truck or van, vibrator and a hand Compactor etc.) or Legalized document to hire equipment. |
| | > Construction Tools |
| | List of small construction tools or assorted tools signed by the head of the company. The bidder Should show justification of construction tools by producing legalized receipts of : (Wheel barrows; Spades; Hammers; Trowels; Tapes; Spirit levels; Squares; Lines; Buckets ;Chisels; Cutlasses, clamps and Saws etc) |
| 3 | Technical notes on the methodology and the execution of works. The bidder will produce a technical note dated and signed on the last page providing all the following information. |
| 8.5 | The mode of execution of the works The planning of intervention, the expected output supply of materials or site equipment Measures of safety and protection of the environment Administrative and technical organization of the enterprise |
| B.6 | Attestation of site visit and Site visit Report > Attestation of site visit signed by both the Head teacher of the school and the contractor or their representatives > Site visits Report. The bidder shall under his responsibility visit the site and gather all the information necessary for the preparation of his technical proposals signed and stamped by the contractor (pictures of the site where the classrooms are to be constructed, consistency of work and execution plans). |
| B.7 | Financial Capacity of the Bidder Pre — Financing capacity from a banking institution of first order approved by the Ministry in charge of finance, not less than 75% of the amount required in the offer. |
| B.8 | The Special Administrative Clauses (SAC); (each page should be initialed and the last page signed And stamped). |
| B.9 | The Special Technical Clauses (STC). (Each page should be initialed and the last page signed And stamped). |
| B 10 | Declaration of Ongoing projects: Contractors with ongoing projects should fill the table below and attach first and last pages of contracts/jobbing orders, A Copy of the notification for ongoing projects, NB: Failure to declare may lead to the elimination of the bidder During the evaluation |

ENVELOPE C: FINANCIAL OFFER

| Doc N° | DESIGNATION |
|--------|--|
| C.1 | The bid itself according to the model attached, stamped at the rate in force, dated, signed And stamped by the contractor. |
| C.2 | The unit price schedule duly completed, with an indication of the unit price excluding VAT in words and in figures. (signed And stamped) |
| C.3 | Detail quantities and cost estimates of works completed(signed And stamped) |
| C.4 | The sub-details of prices according to the model attached(signed And stamped) |

5) Currency of bid and settlement

- 5.1. The value of the contract shall be in national currency (FCFA). The amount of the bid, the unit prices, the price Bill of quantities and sub detailed of unit prices shall be entirely in CFA Francs in the following manner:
- a. Prices will be entirely settled in CFA Francs. Any bidder, who wants to engage expenditures in other currencies for the execution of the work, shall indicate in an annex to his submission, the percentage of the amount of the offer required to cover the needs in foreign currencies, without exceeding a maximum of three currencies of Member countries of the institution financing the contract.
- b. The exchange rates used by the bidder to convert its offer in national currency shall be the rate of the day of the deposition of the bids. This exchange rate will be applied for any payment in respect of the contract, so that no foreign exchange rate risk is supported by the successful bidder.

The contract prices are firm and no-revisable.

6) Submission of Bids:

Each offer drafted in English or French in 07 (Seven) copies including 01 (one) original and 06 (six) copies marked as such, should reach the Service of Award of Nkor council not later than 04/06/-2019 at 10 am local time. It should be labelled as follows

"OPEN NATIONAL INVITATION TO TENDER

N° 01/ONIT/NC/NCITB/2019 OF 10TH MAY 2019 FOR THE CONSTRUCTION OF A BLOCK OF TWO (02)
CLASSROOMS AT G 5 CHAMKFUNG IN NKOR COUNCIL AREA, BUI DIVISION, NORTH WEST REGION
TO BE OPENED ONLY DURING THE BID OPENING SESSION"

7) EVALUATION OF TENDERS

7.1. Opening of bids

The bids shall be opened in single phase. The opening of the administrative documents and the Technical and Financial offers shall take place on the 04/06/2019 at 11 am local time, by the Divisional Tenders Board at the Prefecture Bui Conference Hall

Only bidders or their duly mandated representatives with a perfect knowledge of their offer shall attend this opening session.

Representatives of bidders shall have to sign a form stating their presence at the opening of tenders.

7.2. Clarification on the bids

The request for clarification and the response shall be done in writing. No change of the offer price shall be requested, proposed or authorized.

7.3, Examination of bids

The tenders' board shall examine the bids to determine if they are complete, if the required guarantees have been provided, if the documents were produced following the tender file requirements, whether they contain calculation errors and if the bids are generally in good order. Any calculation errors will be corrected on the following bases:

- If there is a calculation error, the total price will be corrected on the basis of the unit price.
- If there is a contradiction between the price in words and the price in figures, the price in word will govern.

7.4. Evaluation and comparison of bids

The technical subcommittee shall evaluate and compare the bids which were previously found substantially responsive to the conditions of the present call for tenders. This evaluation will exclude and will not take into consideration any price variation clauses included in the submission.

The evaluation of bids shall be in two steps: technical and financial evaluation.

7.4. 1. Technical evaluation

7.4.1. 1. Eliminatory criteria

Eliminatory criteria will focus on the following aspects:

- Absence of an element in the administrative file:
- Deadline for delivery higher than prescribed;
- False declaration, forged or scanned documents;
- A bid with the external envelope carrying a sign or mark leading to the identification of the bidder.
- Two Bids with the same personnel
- Incomplete financial information.
- Technical assessment mark lower than 80% of "Yes".

7.4.1. 2 Essential criteria

The criteria relating to the qualification of candidates could indicatively be on the following:

- General presentation of the tender files;
- References of the company in the similar achievements;
- Experience of supervisory staff
- Logistics;
- Methodology;
- Financial capacity;
- Attestation of site visit signed by the company administrator or their representatives;
- Report of site visit signed by the company administrator
- The Special Technical Clauses (STC). (Each page should be initialed and the last page signed and stamped).
- The Special Administrative Clauses (SAC); (each page should be initialed and the last page signed And stamped);
- Pre Financing capacity not less than 75% of the amount required in the offer

7.4.1.3 Main qualification criteria

The criteria relating to the qualification of candidates could be indicative on the following:

The essential criteria are subjected to minima whose detail is given in the Special Tender Regulation (RPAO).

This evaluation shall be done in a purely binary method with a (yes) or a (no) with an acceptable minimum of 80% of the essential criteria taken in account.

The contract shall be awarded to the bidder who would have proposed the offer with the lowest amount, in conformity with the regulations of the Tender Documents and having satisfied to 100% of the eliminatory criteria and at least 80% of the essential criteria.

A) The company's references:

Similar works in the last three (5) years (2012-2016). The bidder shall justify its turnover either by a document from an expert or by submitting documents that can be used to appreciate the amounts from the realizations and the quality of the work (certificate of completion and/or minutes of(provisional or final) reception and related contracts, and jobbing orders).

b) Essential equipment

Essential equipment that the contractor shall make available for the contract (registration documents, purchase receipt) shall be the following: 4 x 4 pickup vehicle or van for the transportation of personnel and other materials such as a Vibrator or Legalized document to hire equipment.

C) The qualification of site personnel:

A works supervisor with at least the level of senior technician in civil engineering or Rural Engineering with at least three (03) years' professional experience in the domain of civil construction or similar works. (Attached a certified copy of certificate, CV, attestation of presentation of original of the technical diploma, an attestation of availability sign by candidate and a Certified copy of ID card)

A foreman with at least the level of a technician in civil engineering or Rural Engineering with at least three (03) years' of professional experience in the domain of civil construction or similar works. (Attached a certified copy of certificate, CV, attestation of presentation of original of the technical diploma, an attestation of availability sign by candidate and a Certified copy of ID card)

Other support staff or semi-skilled workers

- > 02 (Two) builders with 3 years professional experience on building construction or similar works.

 Only CVs signed by the candidates
- > 02 (Two) Carpenters with 3 years professional experience on carpentry or similar works. Only CVs signed by the candidates
- > 01(One) Electrician with 3 years professional experience on Electricity or similar works. Only CVs signed by the candidate;
- > 01 (one) Painter with 3 years professional experience on painting or similar works. Only CVs signed by the candidate

(d) The methodology of intervention and execution of work:

The company will produce a technical note dated and signed on the last page providing information about:

- i. The mode of execution of the works.
- ii. The planning of intervention, the expected output.
- iii. The supply of materials or site equipment.
- iv. Measures of safety and protection of the environment.

v. Administrative and technical organization of the enterprise.

E) Self-financing capacity:

An attestation of financial credibility issued by the same Bank as for the bid bond (access to a credit or of other financial facilities to ensure the gross margin of self-financing necessary for the duration of the contract.)

The available amount shall be at least more than or equal to amount required in the offer.

7.4.1. 3 Other criteria

7.4. 2. Financial evaluation

The financial evaluation shall be based on the corrected amount of the bid. It shall consist of the analysis of the coherence of prices as well as the amounts of the totals.

Award of Contract

Subject to the clause of article 6 of the present OMPP, the Contracting authority will award the contract to the bidder whose offer has been recognized substantially responsive to the requirement of the Tender file and has submitted the lowest feasible evaluated bid price.

9) Right of the Contracting authority to accept or reject any offer

Notwithstanding article 5 of the present OMPP, the Contracting authority reserves the right to cancel the tendering process at any time before the opening of the tenders, without incurring liability to the bigders affected by its decision, nor obligation to inform them of the reasons for its decision.

10) Site Visit

A site visit is recommended to participating companies in this Tender file.

11) Period of validity of tenders

The period of validity of the tender is 90 days from the date of deposition of the offers.

12) Performance guarantee

Within fifteen (15) days from the date of notification of the contract, the contractor shall provide a guarantee of three percent (3%) of the amount of the contract (all taxes inclusive), to ensure full implementation.

13) COMMENCEMENT OF WORK:

Before the commencement of work the contractor shall be installed on the site by the following:

- The Divisional Delegate of MINMAP or his representative;
- The authorizing officer;
- Control engineer,
- The Project Owner
- The Project Manager;
- The Divisional Delegate of Environment or his representative;
- The Divisional Delegate of MINEPAT or his representative;

DOCUMENT N°. 4: SPECIAL ADMINISTRATIVE CONDITIONS

SPECIAL ADMINISTRATIVE CLAUSES (SAC)

Table of contents

CHAPTER I: GENERAL

- Article 1 Subject of the jobbing order
- Article 2 Award procedure
- Article 3 Definitions and duties (article 2 of GAC supplemented)
- Article 4 Language, applicable laws and regulations
- Article 5 Constituent documents of the contract (article 4 of GAC)
- Article 6 General applicable Texts
- Article 7 Communication (GAC articles 6 and 10 supplemented)
- Article 8 Administrative Orders (article 8 of GAC supplemented)
- Article 9 Contracts with conditional phases (article 15 of GAC)
- Article 10 Contractor's Equipment and Personnel (article 15 of GAC supplemented)

CHAPTER II: FINANCIAL CLAUSES

- Article 11 Guarantees and securities (articles 29 and 41 of GAC supplemented)
- Article 12 Amount of contract (articles 18 and 19 supplemented)
- Article 13 Place and method of payment
- Article 14 Price variation (article 20 of GAC)
- Article 15 Evaluation of works (article 23 supplemented)
- Article 16 Advances (article 28 of GAC)
- Article 17 Payments for the works (articles 26, 27 and 30 of GAC supplemented)
- Article 18 Interests on overdue payments (article 31 of GAC supplemented)
- Article 19 Penalties for delay (article 32 of GAC supplemented)
- Article 20 Final detailed account (article 35 of GAC)
- Article 21 General and final detailed account (article 35 of the GAC)
- Article 22 Tax and customs schedule (article 36 of GAC)
- Article 23 registration and Stamp duty (article 37 of GAC)

CHAPTER III: EXECUTION OF THE WORKS

- Article 24 Nature of works
- Article 25 -Role and responsibilities of the Project Owner (GAC supplemented)
- Article 26 Execution time-limit of the contract (article 38 of the GAC)
- Article 27 Role and responsibility of the contractor (article 40 of GAC)
- Article 28 Provision of documents and site (article 42 of the GAC)
- Article 29- Insurance of structures and civil liabilities (article 45 of GAC)
- Article 30 -Documents to be furnished by the contractor (Article 49 of the GAC supplemented)
- Article 31 Organization and security of sites (article 50 of GAC)
- Article 32 Implantation of structures (article 52 of GAC)

CHAPTER IV: RECEPTION

- Article 33 Sub-contracting (article 54 of GAC)
- Article 34: Works site journal (LOG BOOKS)
- Article 35: Use of explosives (article 60 of the GAC)
- Article 36 -Provisional Acceptance (article 67 of the GAC)

CHAPTER V: MISCELLANEOUS PROVISIONS

- Article 37 Documents to be furnished after execution (article 68 of GAC)
- Article 38 Guarantee time-limit (article 70 of GAC)
- Article 39 Final Acceptance (article 72 of GAC)
- Article 40 Termination of the contract (article 74 of GAC)
- Article 41 Force majeure (article 75 of GAC)
- Article 42 Disagreements and Disputes (article 79 of the GAC)
- Article 43 Differences and Disputes
- Article 44 Production and dissemination of this contract
- Article 41 and last: Entry into force this jobbing order

CHAPTER 1: GENERAL PROVISIONS

ARTICLE 1: SUBJECT OF CONTRACT:

The Subject of the present Jobbing Order is the construction of a Block of two (02) Classrooms at G S Chamkfung in Nkor Council Area Bui Division.

ARTICLE 2: AWARD PROCEDURE

The present jobbing order is concluded by open National Invitation to Tender

ARTICLE 3: DEFINITIONS AND DUTIES (Article 2 of GAC Supplemented)

3.1 General definitions (cf. Code)

- The Contracting Authority shall be the Mayor of Nkor-Council; the ensures the preservation of originals of contract documents and the transmission of copies to ARMP through the focal point designated to this effect.
- The authority in charge of the effective execution of the works: the Divisional Delegate of Public Contracts for Bui
- The Control Engineer shall be. The Divisional Delegate of Public Works Bui hereinafter referred to as the Engineer
- The Project Owner shall be the Lord Mayor Nkor Council. He represents the beneficiary administration of the works. [Authorising Officer].
- The Project Manager who carried out the preliminary studies. The Deputy Mayor in Charge of Projects;
- The Contract Manager shall be the Council Development Officer Nkor Council
- The contractor shall be X

3.2 Security

- The authority in charge of ordering payment shall be: The Mayor of Nkor Council.
- The authority in charge of the clearance of expenditures shall be [Authorising Officer].
- The body or official in charge of payment shall be the Nkor Council Treasury.
- The official competent to furnish information within the context of execution of this contract shall be the The Mayor of Nkor Council.

3.3 Duties of the Control Engineer, Project Manager

i. Missions; To ensure the qualitative and quantitative execution according to the terms of this contract and the respect of time limits

ARTICLE 4: LANGUAGE APPLICABLE LAWS AND REGULATIONS

- 4.1 The language to be used shall be either English or French
- 4.2 The contractor shall be bound to observe the law, regulations and ordinances in force in Cameroon both within his own organization and in the execution of the contract.

If the laws and regulations in force at the date of signature of this contract are amended after the signature of the contract, the possible direct resulting costs shall be taken into account without gain or loss for either party.

Article 5: CONSTITUENT DOCUMENTS OF THE CONTRACT

The Contractual document, which form part of this jobbing order are in order of priority.

1) The Bid or commitment letter;

- 2) The bidder's tender and its annexes in all provisions not contrary to the Special Administrative Conditions (SAC) and the Special Technical Conditions (STC) hereunder;
- 3) The Special Administrative Conditions (SAC);
- 4) The Special Technical Conditions (STC);
- 5) The particular element necessary for the determination of the contract price, in order of priority are the unit price schedule, the detail of lump sum prices and detailed estimates break down of the lump sum prices;
- 6) Plans, calculation notes, trial documents, geotechnical documents,
- 7) The General Administrative Conditions applicable on public works contracts that went into effect by Order No. 033/CAB/PM of 13 February 2007;
- 8) The General Technical conditions shall be applicable to the services forming the subject of the jobbing order.

ARTICLE 6: GENERAL APPLICABLE TEXTS

- This jobbing order is subject to the following General texts of law
- The special General administrative Clauses (CCLS);
- The law N ° 96/12 of 05 August 1996 on the management of environment;
- The texts governing the trade;
- Decree No.2002/030 of 28th January 2002 relating to the setting up, organization and functioning of Public Contracts Tenders Boards,
- The Decree N° 2018/366 of 20 June 2018 to institute the Public Contracts Code;
- Decree n ^o 2001/048 of 23 February 2001 relating to the setting up, Organization and functioning of the Public Contracts Regulation Agency ARMP.
- Decree n ° 2003/651/PM of 16 April 2003 to lay down the procedure for implementing the tax and customs system applicable to public contracts;
- Order No.033/CAB/PM of 13th February 2007 bearing the general administrative conditions,
- Order N°093/CAB/PM of 5 November 2002 to fix the amount of the bid bond and the Purchase fees for tender files;
- Order N°22/CAB/PM of 02 February 2011 to lay down conditions for the recruitment of Individual consultants;
- Order N°23/CAB/PM of 02 February 2011 to lay down conditions for the implementation of request for quotation;
- Circular No. 004/CAB/PM of 30 December 2005 relating to the application of the Public Contracts Code;
- Circular No. 003/CAB/PM of 18 April 2008 relating to the observance of the rules governing the award; execution and control of Public Contracts;
- Circular No. 002/CAB/PM of January 31, 2011 on the improvement of the performance of Public Contracts system;
- Circular No. 003/CAB/PM of January 31, 2011 defining the conditions for the management of the changes of the economic conditions of Public Contracts;
- Decree N°2012/074 of 08 February 2012 relating to the creation, organization and functioning of the Public Tenders Board;
- Decree N°2012/075 of 08 February 2012 to organize the Ministry of Public Contracts;
- Decree N°2012/076 of 08 February 2012 to amend and supplement certain provisions of decree N°2001/048 of 23 February 2001 relating to the creation, organization and functioning of the Public Contracts Regulatory Agency(ARMP);

- Circular N°001/CAB/PR of 19 June 2012 on the Award, the Control of Execution of Public Contracts;
- Decree No 2013/271 of 05 August 2013 modifying and completing certain disposition of Decree
 No 2012/074 of 8 February 2012 relating to the Setting up, Organising and Functioning of Tenders Boards.
- Letter No.0005193/L/PR/MINMAP/CAB of 24th October 2013 bearing method of evaluation of financial bids, Total without taxes (THT) and Total all taxes inclusive (TTC),
- The circular N° 001/C/MINFI of 28th December 2018 on instructions relating to the execution of the finance law, the monitoring and execution of the State Budget, Administrative, Public Establishment, Regional and Jocal Authorities for the 2019 financial Year;
- Unified Technical Documents (DTU) for building works;
- The Norms in force in the Republic of Cameroon;
- Other texts specific to contracting fields.

Article 7: COMMUNICATION

- 7.1 All notifications and written communication within the framework of this jobbing order shall be sent to the following address:
 - a) In the case where the contractor is the addressee: beyond the time-limit of 15 days fixed in Article 6 (1) of the GAC to make his domicile known to the Chief-of Service and immediately after completion of the works, correspondences shall be validly address to Nkor Council.
 - b) In the case where the Project Owner is the addressee:
 Sir/Madam______ [to be specified] with a copy addressed to the Contracting Authority,
 Contract Manager, Contract Engineer, Project Manager and where need be, within the same deadline
 - c) In the case where the Contracting Authority is the addressee: The Divisional Delegate of Public Contracts for Bui with copies addressed to the Chief of Service and the Engineer.
- 7.2 The contractor shall address all written notifications or correspondences to the Engineer with a copy to the Chief of Service.

ARTICLE 8: ADMINISTRATIVE ORDERS

The various Administrative Orders shall be established and notified as follows:

The Administrative Order to start execution of works shall be signed by the Contracting Authority and notified to the contractor by the Project Owner with a copy to the Contracting Authority, the Contract Manager, Contract Engineer, the Paying Body and the Project Manager, where applicable.

Upon proposal by the Project Owner, Administrative Orders with an incidence on the objective, the amount and execution deadline shall be signed by Contracting Authority and notified by the Project Owner to the Contractor with a copy to the Contracting Authority, the Contract Manager, the Control Engineer, the Project Manager and the Paying Body. The prior endorsement of the Paying Body shall possibly be required before the signature of those that have an incidence on the amount.

8.1 Administrative Orders of a technical nature linked to the normal progress of the work and without financial incidence shall be signed directly by Contract Manager and notified to the contractor by

- the Control Engineer or Project Manager (where applicable) with a copy to the Contracting Authority and Contract Manager.
- 8.2 Administrative Orders serving as warnings shall be signed by the Project Owner and notified to the contractor by the Contract Manager with a copy to the Contracting Authority, the Contract Engineer and Project Manager.
- 8.3 Administrative Orders for suspension or resumption of work as a result of the weather or any other case of force majeure shall be signed by the Contracting Authority and notified by his services to the contractor with a copy to the Project Owner, Contract Manager, Contract Engineer and Project Manager.
- 8.4 Administrative Orders prescribing works necessary to remedy disorders which could appear on structures during the guarantee period and not related to normal usage shall be signed by the Contract Manager upon the proposal of the Contract Engineer and notified to the contractor by the Control Engineer.
- 8.5 The contractor has a time-limit of fifteen (15) days to issue reservations on any Administrative Order received. Having reservations shall not free the enterprise of executing the Administrative Orders received.
- 8.6 Concerning Administrative Order signed by the Contracting Authority and notified by the Project Owner, the notification must be done within a maximum of 30-days from the date of transmission by the Contracting Authority to the Project Manager. Beyond this deadline, the Contracting Authority shall establish the default of the Project Owner, take over from him and carry out the said notification.

ARTICLE 9: CONTRACTS WITH CONDITIONAL PHASES (ARTICLE 9 OF GAC)

9.1 [Specify if the contract has one or several phases]

V.

- At the end of a phase, the Project Owner shall carry out the acceptance of the works and issue an attestation of proper execution to the contractor. This attestation shall condition the start of the following conditional phase.
- 9.2 The time-limit granted for notification of the Administrative Order to start execution of a conditional phase shall be [to be specified].

ARTICLE 10: CONTRACTOR'S EQUIPMENT AND PERSONNEL (Article 15 of GAC supplemented)

- 10.1 Any modification, even partial, made in the technical bid shall only occur after the written approval of the Contract Manager. In case of modification, the contractor shall have the personnel replaced by a staff of equal competence (qualifications and experiences).
- In any case, the list of supervisory staff to be used shall be subject to the approval of the Project Owner in the days following notification of the Administrative Order to start execution. The Project Manager has Seven (07) days to notify his opinion in writing with a copy sent to the Contract Manager. Beyond this time-limit, the staff list shall be considered as approved.
- 10.3 Any unilateral modification on the supervisory staff made in the technical bid prior to and during the works shall be a reason for termination of the jobbing order as mentioned in article 45 below or the application of penalties [to be specified where need be].

CHAPTER 2: FINANCIAL CONDITIONS

ARTICLE 11 GUARANTEES AND BONDS (Articles 29 and 41 of GAC)

11.1 Final bond

The final bond shall be set at 2 % of the amount of the contract, inclusive of all taxes.

It is constituted and transmitted to the Contracting Authority within a maximum deadline of twenty (20) days of the notification of the contract.

The bond shall be returned or the guarantee released within one month following the date of provisional acceptance of the works, following a release issued by the Contracting Authority upon request by the contractor.

11.2 Performance bond (Guarantee Retention)

The retention fund shall be set at 10 % of the amount of the contract, inclusive of all taxes.

The return or release of the retention fund or security shall be done within one month after final acceptance by release issued by the Contracting Authority upon request by the contractor.

11.3 Guarantee of start-off advance

The contractor may be granted a start-off amount of 20% of the contract amount (inclusive of taxes) upon request.

The start-off payment shall be guaranteed at 100% by a Cameroonian bank recognized by the Ministry in charge of Finance.

ARTICLE 12: AMOUNT OF THE CONTRACT

| The | amount | of | this | contract | C IS | indicated | bу | the | attached | [detail | OT | estimates | is | (in |
|-----|--------|----|------|----------|-------------|---------------|----|-----|----------|---------|----|-----------|----|-----|
| | | | | | | s inclusive o | | | | | | - | | • |

- Amount exclusive of VAT: ________ CFA F
- Amount of VAT: _____ (____) CFA F.
- Amount of TSR and/or _____CFA F
- Net to be paid= EVAT-TSR and/or AIR

ARTICLE 13: PLACE AND METHOD OF PAYMENT

The Project Owner shall release the sums due in the following manner:

- a. For payments in CFA francs (amount in figures and letters exclusive of faxes) by credit to account No._____ opened in the name of the contractor in the _____ bank.
- b. For payments in foreign currencies (amount in figures and letters exclusive of taxes) by credit to account No._____ opened in the name of the contractor in _____ bank.

ARTICLE 14: PRICE VARIATION (Article 20 of GAC)

Prices shall be firm and not subject to any price revision.

- a. Payments on account made to the contractors advances shall not be revisable.
- b. Revision shall be "frozen" upon expiry of the contractual time-limit, except in the case of price reductions.
- 1.1 Price updating modalities (not applicable)

ARTICLE 15: EVALUATION OF WORK DONE

The work done shall be evaluated using the unit price.

ARTICLE 16: ADVANCES (article 28 of the GAC)

- 16.1 The Contracting Authority may grant a start-off advance equal to 20% of the amount of the contract].
- 16.2 This advance whose value cannot exceed twenty (20) percent of the initial amount inclusive of all taxes shall be guaranteed at one hundred (100) percent by a banking establishment governed by Cameroon law or a first-rate financial institution in accordance with the instruments in force and reimbursed by deduction of the payments on accounts to be paid to the contractor during the execution of the contract according to the modalities laid down in the Special Administrative Conditions.
- 16.3 The total amount of the advance must be reimbursed not later than when the value in basic price of the works reaches eighty (80) percent of the amount of the contract.
- 16.4 As the reimbursement advances, the Project Owner shall issue the release of the corresponding part of the guarantee upon the express request by the contractor.
- 16.5The possibility of granting start-off advance or advance-for supplies must be expressly stipulated in the Tender File.

Article 17: PAYMENT FOR WORKS (articles 26, 27 and 30 of the GAC supplemented)

17.1 Establishment of works executed

Before the 30th of each month, the contractor and the Project Manager shall jointly establish a job cost sheet which summarises and fixes the quantities executed and established for each item on the schedule during the month and capable of giving entitlement to payment.

17.2 Monthly detailed account

No later than the fifth (5th) of the month following the month of the services, the contractor shall hand over to the Project Manager two draft provisional monthly detailed accounts in seven copies (one detailed account exclusive of VAT and the other inclusive of taxes), according to the agreed model and establishing the total amount of the sums to which he may lay claim as a result of the execution of the contract since the start of the contract.

Only the detailed account exclusive of VAT shall be paid to the contractor. The detailed account of the amount of the taxes shall be the subject of an entry into the budgets of the Ministry in charge of Finance

Only the amount exclusive of VAT shall be paid to the contractor as follows:

- -- [100-1.1 and/or (7.5 or 15%)] paid directly into the account of the contractor;
- 1.1 % paid to the public treasury as AIR due by the contractor.
- 7.5% or 15% paid into the public treasury as TSR due by the contractor.

The Project Manager has a time-limit of seven (7) days to forward to the Contract Manager the detailed accounts he has approved.

The Contract Engineer has a maximum time-limit of twenty-one (21) days to forward the detailed accounts he approved such that they are in his possession not later than the twelfth of the month.

The Contract Manager has a deadline of fourteen (14) days maximum to sign the detailed accounts.

Payments shall be done by _____ within a maximum deadline of ____ calendar days from the date of submission of the approved detailed accounts.

17.3 Detailed account of start-off account (if applicable).

ARTICLE 18: INTEREST ON OVERDUE PAYMENTS (Article 31 of the GAC)

Possible interests on overdue payments are paid by statement of sums due in accordance with article 88 of Decree No. 2004/275 of 24 September 2004 to institute the Public Contracts Code.

ARTICLE 19: PENALTIES FOR DELAY

- A. Penalties for lateness.
- 19.1 The amount set for penalties for delays is set as follows:
 - a) One two thousandth (1/2000th) of the initial jobbing order amount all taxes inclusive per calendar day of delay from the first (1st) to the thirtieth (30th) day beyond the contractual time-limit.
 - b) One One thousandth (1/1000th) of the initial amount of the jobbing order inclusive of all taxes per calendar day beyond the 30th day.
- 19.2 The cumulated amount of penalties for delay shall be limited to ten percent (10%) of the initial jobbing order inclusive of all taxes.
 - B. Specific penalties.
 - 19.3 Apart from penalties of overrun of the contractual deadlines, the contractor is liable to the following special penalties for the non-respect of the provisions of the contract. Notably:
 - Late submission of final bond;
 - Late submission of insurances:
 - Late submission of the draft execution programme if the lateness is caused by the contractor.

ARTICLE 20: FINAL DETAILED ACCOUNT (article 34 of the GAC)

20.1 [Indicate the time-limit available to the contractor to forward the draft to the Project Manager, after the date of provisional acceptance of the works (maximum 1 month)].

After completion of the works and within a maximum time-limit of 30 days after the date of provisional acceptance, the contractor shall establish, based on joint reports, the draft final detailed account of works executed and which detailed account summarises the total sums to which the contractor may be entitled as a result of the execution of the whole contract.

- 20.2 [Indicate the time-limit available to the Contract Manager to notify the corrected and approved draft to the Project Manager (maximum one month)].
- 20.3 [Indicate the time-limit available to the contractor to return the signed final detailed account (maximum I month)].

ARTICLE 21: GENERAL AND FINAL DETAILED ACCOUNT (article 35 of the GAC)

21.1 The Contract Manager or the Project Manager has up to thirty (30) days to establish the general detailed account and forward to the contractor after final acceptance.

At the end of the guarantee period which results in the final acceptance of the works, the Contract Manager draws up the general and final detailed accounts of the contract which he has had signed jointly by the contractor and the Contracting Authority. This detailed account includes:

- The final detailed account,
- The balance
- The summary of monthly payments on account.

The signing of the general and final detailed account without reservation by the contract or definitely binds the two parties puts an end to the contract, except with regard to interest on overdue payments.

21.2 The contractor has up to thirty (30) days to return the signed final detailed account.

ARTICLE 22: TAX AND CUSTOMS SCHEDULE

Decree No. 2003/651 of 16 April 2003 to lay down the conditions for implementing the tax regulations and customs procedures applicable to public contracts. The taxes applicable to this contract include notably:

- Taxes and dues relating to industrial and commercial projects, including the AIR which is a deduction on company taxes;
- Registration dues in accordance with the tax code;
- Dues and taxes attached to the execution of services provided for in the jobbing order;
- Duties and taxes of entry in to Cameroonian territory (customs duties, VAT, computer tax);
- Council dues and taxes:
- Dues and taxes relating to the execution of building materials and water.

These elements shall be included in the costs which the enterprise inputs on its running costs and constitute one of the elements of the sub-details of prices exclusive of taxes. All prices inclusive taxes mean VAT included.

ARTICLE 23: REGISTRATION AND STAMP DUTY

Seven (7) original copies of the present jobbing order shall be stamped and registered at the expense of the contractor, in accordance with the applicable regulations.

CHAPTER III: EXECUTION OF THE WORKS

ARTICLE 24: NATURE OF THE WORKS (article 46 of GAC)

The works shall include especially: (position or volume of works) (To be specified cf. Special Technical Conditions)

ARTICLE 25: ROLE AND RESPONSIBILITIES OF THE PROJECT OWNER (GAC supplemented)

- 25.1 The Project Owner shall be bound to furnish the contractor with information necessary for the execution of his mission and to guarantee, at the cost of the contractor, access to sites of projects.
- 25.2 The Project Owner shall ensure the contractor of protection against threats, insults, violence, assault and battery, slander or defamation of which he could be victim by reason of or during the exercise of his mission.

ARTICLE 26: EXECUTION TIME-LIMIT OF THE CONTRACT (article 38 of the GAC)

- 26.1 The time-limit for the execution of the works forming the subject of this contract shall be one hundred and twenty (120) days.
- 26.2 This time-limit shall run from the date of notification of the Administrative Order-to commence execution of the works.

ARTICLE 27: ROLES AND RESPONSIBILITIES OF THE CONTRACTOR

The contractor shall be responsible for the works for which he has been chosen. To this effect, his mission shall be to ensure its execution under the supervision of the Engineer in conformity with the regulation and standards in force and in respect to the work schedule. The contractor shall also be expected to carry out all the necessary calculations, chose and buy all machines, adequate materials etc. required for the work and engage suitable workers.

The contractor confirms that he has verified the volume of work to be executed and that he is reputed to have taken perfect cognizance of the scope of the works and the necessity for prompt action to request irrespective of whether he has to use his own equipment or hire equipment to execute the work. To this end, he cannot use any omission or under estimation of the works to make any claims of any nature whatsoever.

Removal of equipment, materials, installations and work site waste shall be carried out by the contractor before reception, failing which the Contracting Authority shall automatically proceed with it soon after the expiry date, at the contractor's expense.

ARTICLE 28: PROVISION OF DOCUMENTS AND SITE (article 42 of the GAC)

A reproducible copy of the plans featuring in the Tender File shall be submitted by the Contract Manager.

The Project Owner shall make available the site and access ways to the contractor at the appropriate time as the works progress.

ARTICLE 29: INSURANCE OF STRUCTURES AND CIVIL LIABILITIES (article 45 of GAC)

The following insurance policies are required within the scope of this contract in the minimum amounts indicated hereafter within fifteen (15) days of the notification of the contract (to be adapted):

- Liability insurance, business manager;
- Comprehensive insurance of the site;
- Insurance covering its ten-year obligation, where applicable.

ARTICLE 30: DOCUMENTS TO BE FURNISHED BY THE CONTRACTOR (Article 49 of the GAC supplemented)

[Specify the deadlines for the transmission of documents as well as those of approval by persons to be designated]

30.1 Programme of works, Quality Assurance Plan and others (to be specified).

a) Within a minimum deadline of [Fifteen (15) days] from the date of notification of the Administrative Order to commence execution, the contractor shall submit in [six (6)] copies for the approval of [Contract Manager after the endorsement of the Project Manager (or Project Engineer] the execution programme of the works, his supply calendar, his draft Quality Assurance Plan and the Environment Management Plan, where applicable.

This programme shall be exclusively presented according to the furnished models.

Two (2) copies of these documents will be returned to him within a deadline of fifteen (15) days from the date of reception with:

- Either the indication "GOOD FOR EXECUTION";
- Or the indication of their rejection including the reasons for the said rejection.

The contractor has eight (8) days to present a new draft. The Contract Manager or the Project Manager then has a deadline of five (5) days to give his approval or possibly make comments. Delay in approving the draft execution schedule shall stay the execution deadline.

The approval given by the Contract Manager or Project Manager does not in any way release the contractor of his responsibilities. Meanwhile, works executed before the approval of the programme shall neither be ascertained nor paid for. The updated and approved schedule will become the contractual schedule.

The contractor shall constantly update on site, a schedule that will take account of real progress of the site. Significant modifications may only be made on the contractual programme upon receiving the approval of the Project Manager. After approval of the execution schedule by the Contract Manager, the latter shall transmit it within five (5) days to the Contracting Authority without staying its execution. However, if important modifications after the objective of the contract or the nature of the works, the Contracting Authority shall return the execution schedule accompanied by reservations to be lifted within fifteen (15) days of the date of reception.

- b) The Environment Management Plan should bring out notably the choice technical conditions of the site and basic life, conditions of the backfill of the extraction sites and conditions for reinstating the works and installation sites.
- c) The contractor shall indicate in this schedule the equipment and methods which he intends to use as well as the personnel he intends to employ.
- d) The approval granted by the Contract Manager or Project Manager shall in no way diminish the responsibility of the contractor with regard to the harmful consequences which their implementation may cause both towards third parties and the respect of clauses of the contract.

30.2 Execution draft

- a) The execution plan documents (calculations and drawings) necessary for the realisation of all the parts of the structure must be submitted for the endorsement of the [Contract Manager or Project Manager] at most one month (specify the duration which must not exceed one month) prior to the date provided for the commencement of execution of the corresponding part of the structure.
- b) The Contract Manager or Project Manager has a deadline of fifteen (15) days to examine and make known his observations. The contractor then has a deadline of [eight days] to present a new file including the said observations.
- 30.3 In case of the non observance of the approval deadlines of the above documents by the Administration, these documents shall be deemed to have been approved

ARTICLE 31: ORGANISATION AND SAFETY OF SITES (article 50 of the GAC)

- 31.1 Signboards at the beginning and end of each section must be placed within a maximum deadline of (01) one month after the notification of the Administrative Order to commence work.
- 31.2 The contractor shall respect all standard safety measures during the execution and shall clear the site upon completion of the works

ARTICLE 32: IMPLEMENTATION OF STRUCTURES

32.1 The engineer shall within a maximum of five (05) days following the date of notification of the service order to commence work, make himself available to the contractor for the setting out of the structures

Commencement of work: Before the commencement of work, the authorizing officer shall convene an enlarged site meeting with the following in attendance:

- Contract engineer,.....Secretary
- The Divisional Delegate of MINMAP or his representative,......Observer
- The Divisional Delegate of Environment and Nature protection... Member
- The Project Manager;..... Member
- The Divisional Delegate of MINEPAT or his representative;......Member
- The Contractor or his Representative...... (Member)

During this meeting, the commission shall do the following:

- Install the project sign post:
- Indicate the site where the structure will be implanted;
- Verify the harmony between the plans and quantities/cost estimates, and note with recommendations any discrepancies;
- Present the site log-book to the contractor;
- Establish and sign an on-the-spot report (minutes). All the members at the site are expected to sign this report with or without stamps and the absence of any member should be indicated in the report and his signatory left out.

ARTICLE 33: SUB-CONTRACTING

This jobbing order may give rise to sub-contracts or subsidiary orders with a maximum accord of 30% of the initial jobbing order amount.

However, any recourse to sub-contractors or placing of subsidiary orders shall be subject to the prior authorization of the Contracting Authority. Notwithstanding the recourse to sub-contracting or placing of subsidiary orders, the contracting partner shall be responsible for the execution of all the obligation of the said jobbing order.

ARTICLE 34: WORKS SITE JOURNAL (LOG BOOKS)

- 34.1 The worksite journal shall be systematically jointly signed by the Engineer and the Contractor's representative each site visit.
- 34.2 It is a joint document in a single copy. Its pages shall be numbered and initialed. No page should be removed. The erased or cancelled parts shall be mentioned on the margin for validation.

Article 35: Use of explosives (article 60 of the GAC)

Subject to restrictions or prohibitions possibly stipulated in the SAC, the contractor must take under his responsibility, all the necessary precautions so that the use of explosives is not dangerous to the personnel and third parties and does not cause damage to neighbouring property and structures as well as to the structure forming the subject of the contracting.

CHAPTER IV: ACCEPTANCE

ARTICLE 36: PROVISIONAL ACCEPTANCE (article 67 of the GAC)

36.1 PRE- ACCEPTANCE OPERATIONS

Before the acceptance of the works the contractor shall ask in writing to the control Engineer, to organize a technical visit for pre-acceptance. This visit shall include the following operations.

- Qualitative and quantitative evaluations of the different works that have been executed.
- > Findings and statement of the unexecuted task envisaged in the present jobbing order.
- > Findings relative to the completion of the work
- > Findings on the quantity of works that have been effectively realized

These operations shall be subject to a site report drawn up on the field, signed by the following.

The Contract Engineer.......(Secretary)

-A representative of the contracting Authority......(Member) -The Contractor or his Representative........................(Member)

- A Controller from MINMAP Bui(Observer)

During this pre-reception, the engineer shall eventually specify the reserves to be lifted and the

corresponding works to be effected before the reception. The Engineer shall fix the reception date in collaboration with the chief of service for the contract.

36.2 Acceptance The contractor shall request the Authorizing officer in writing, to schedule and call for the provisional acceptance of the works. The report (minutes) of the Pre- Acceptance shall be attached to the said request. The Authorizing officer shall then fix the date of acceptance in collaboration with the contract Engineer and call for the task by a letter of invitation

The acceptance commission shall comprise:

- Contract engineer,.....Secretary
- The Divisional Delegate of MINMAP or his representative,......Observer
- The Project Manager;..... Member
- The Contractor or his Representative...... (Member)

The commission shall examine the report of the pre-acceptance and shall proceed to the acceptance. An acceptance report (process - verbal) of the works shall be prepared by the Engineer and sign by all the commission members.

ARTICLE 37: DOCUMENTS TO BE FURNISHED AFTER EXECUTION

- 37.1 The contractor shall furnish within one (1) month after completion of the works three (3) copies of all working documents and drawings as executed, especially those relevant to the maintenance of the works.
- 37.2 A penalty of 30% of the guarantee retention shall be retained in the event where the contractor fails to comply with Article 34.1 above.

ARTICLE 38: GUARANTEE TIME LIMITS

The guarantee period shall be one (1) year to run from the date of the provisional reception of the works.

ARTICLE 39: FINAL ACCEPTANCE

Final reception shall take place within a maximum deadline of fifteen (15) days from the date of expiry of the guarantee period.

The procedure for final reception shall be the same as for provisional reception.

CHAPTER V: MISCELLANEOUS PROVISIONS

ARTICLE 40: TERMINATION OF THE CONTRACT (article 74 of the GAC)

The Jobbing order may be terminated as provided for in Part III Paragraph 2 of Decree No. 2004/275 of 24 September 2004 instituting the Public Contracts Code and equally under the conditions laid down in Articles 74, 75 and 76 of the GAC especially in case of:

- Delay of more than fifteen (15) days in the execution of a Service Order or unjustified stoppage of more than seven (7) calendar days;
- Delay in work resulting in penalties of more than 10% of the amount of the works;
- Refusal to repeat poorly executed works;
- Default by the contractor;
- Persistent on payment for services.

ARTICLE 41: FORCE MAJEURE (Unforeseen Circumstances)

If the contractor were to raise the issue of force majeure, the thresholds below which claims shall not be admitted are:

- Rainfall: 200 millimetres in 24 hours;
- Wind: 40 metres per second;
- Flood: decennial flood frequency.

ARTICLE 42: DISAGREEMENTS AND DISPUTES (article 79 of the GAC)

Disagreements and disputes resulting from the execution of this contract may be settled amicably.

Where no amicable solution can be found for a disagreement, it is brought before the competent court in Bui Division of the Republic of Cameroon

ARTICLE 43: DIFFERENCES AND DISPUTES

Any dispute arising from this jobbing order shall be resolved amicably. Failure to arrive at a compromise, the matter shall be referred to the competent court in Bui Division of the Republic of Cameroon.

ARTICLE 44: PRODUCTION AND DISSEMINATION OF THIS-CONTRACT

The jobbing order shall be produced by the Contracting Authority and the contractor shall multiply it in Ten (10) copies at his expenses.

ARTICLE 45 AND LAST: ENTRY INTO FORCE OF THIS JOBBING ORDER

This jobbing order shall be regarded as finally concluded after its signature by the Mayor of NKOR-Oku and it shall only come into force after it has been notified to the Contractor

DOCUMENT No. 5 SPECIAL TECHNICAL CONDITIONS (STC)

SPECIAL TECHNICAL SPECIFICATIONS

CONTROL OF QUALITY OF EQUIPMENT AND PERSONNEL BEFORE START OF ANY WORK

- 1. Setting out of the building
- 2. Excavation of trenches
- 3. Elevation of foundation (reinforcement, sand, gravel, stones, cement, concrete, mortar (dosages) and foundation finished and back filling)
- 4. Elevation of walls (reinforcement, sand, gravel, cement, form work and height of the building (14 courses (lines of blocks) before chain beam + dosages).
- 5. Roof (wood, pitch (2.00m), trusses, nails, roofing sheets, accessories, brown ceiling boards-(4mm)) in the various phases. Reception of assembled roofing members before putting in place of roofing sheets and accessories
- 6. Concreting of floor and plastering (surface finished, materials, concrete, mortar-(dosages))
- 7. Electricity (materials) and painting.
- B. Metal works (materials (metal sheets, angle bar, aluminum frames, etc...), locks, hinges, etc.. and finished product)
- 9. Drainage (excavation and materials, concrete (dosages))

ANY CONTRACTOR WHO AVOIDS THE RECEPTION OF ANY OF THE PHASE ABOVE WILL BE DOING IT AT HIS OWN RISK (DEMOLITION).

1. TECHNICAL SPECIFICATIONS

The works, which are object of the present Contract, include all the works included in the technical estimates here below.

A) BRIEF PRESENTATION OF THE PROJECT

These present works concern the construction of two classrooms (all in one) for Primary schools at government standards in Bui Division. This building will be 22.6m long by 9.30m large including the office. Its height will be 3.05m from floor finish to the ceiling. It will have four metal doors and Aluminum sliding window. The roof king post is 2.00m high from the wall plate level. The roofing sheets are TOLE BAC 5/10e and the fascia boards, 30cm high round the perimeter of the roof. The external walls will be painted with "Pantex 1300", the internal walls and the ceiling with "Pantex 800", while the doors, the skirting and the exposed foundation walls will be in oil paint. A gutter will be constructed round the building to facilitate drainage. The whole building will be electrified.

B) DESCRIPTIVE NOTES:

TECHNICAL DESCRIPTIONS FOR THE CONSTRUCTION OF TWO (02) CLASSROOMS.

A-INTRODUCTION

The Technical descriptions of the norms in building construction are essential in defining the consistency and method of execution of the assigned task. Its smooth realization therefore depends on the strict respect of the updated general norms governing building construction works alongside all the specifications of the contract.

These descriptions are established to precise and complete indications found on the bill of quantities and estimates as well as on the various plans of this project.

C- MODE OF EXECUTION

The setting out of the building shall be duly supervised by the Control Engineer (Divisional Delegate of Public Works for Bui). In the same vein, all building materials (sand, gravel, cement, rods,

roofing sheets, ridge covers, aluminum sheets for fascia board, wood, paint, plywood, metal doors, angle bars, electrical materials and fittings, Etc..) shall be approved by the Control Engineer before use. All phases of works (formwork, steel work, concrete/mortar mix, prepared surfaces, Etc...) shall be afore received on minutes by the control.

1- GENERALITIES

PROJECT SIGN BOARD

The Contractor shall put in place at his expense project sign board(s) giving information about the project in conformity with the terms of the contract, indicating the project title, the enterprise, the contract engineer, the source of funding, the date of notification and the execution deadline.

HYGIENE AND SAFETY

The contractor shall ensure total hygiene and security of the site by constructing a temporal pit latrine and putting up a temporal fence around the project site as prescribed by the contract engineer.

The contractor shall be responsible for the protection of the structure before final acceptance. He shall equally be responsible for all materials and tools present on the project site. He shall seek an insurance policy to cover theft and fire accidents.

The contractor shall take all preventive measures against accidents. The project owner reserves the right to Intervene in case of any emergency without necessary interfering with the responsibilities of the contractor.

VERIFICATION OF DIMENSIONS

The contractor shall verify all dimensions on the plans. For execution no dimension shall be measured with a scale rule from the plans. The contractor shall check in-situ the possibility of translating the dimensions on plans to the structure before work begins. He shall refer to the Contract Engineer in case of any doubt. He shall not on his own modify anything on the structure and shall consult the Contract Engineer concerning any changes that he considers necessary.

All modifications accepted by the contractor shall be accomplished in a specified duration and at his cost without modification of the contract amount. The project owner shall have the right to the final choice in case of any modification.

CONCRETE/MORTARS

In all masonry works, the mixture of concrete or mortars shall respect certain elementary qualities here in below described.

a) SAND

All the sand to be used shall be free from acids, organic matter, animal or vegetable matter. The grain size should be between 0/2.5mm for mortars and screed finish and between 0/5mm for structures in reinforced concrete. It shall be river sand.

b) GRAVELS

All the gravel for concrete shall be homogeneous. This gravel shall be free from silt or other noxious elements by sieving or washing with clean water. The grade shall be 5/15 and 15/25.

c) WATER

Water used in mixing concrete and mortars or washing of aggregates shall be free from salt and other impurities.

d) CEMENT AND ADDITIVES.

Cement used for concrete and mortars shall comply with the general conditions required by the rules in force. The cement to be used for this project should be of resistance 42.5 Bars types manufactured by a recognized cement producer and shall not present any trace of humidity. To avoid humidity, cement should be well packed on a well ventilated platform free from moisture. Any cement or additive which does not present a dusty aspect will be rejected forthwith and taken off the site immediately.

e) REINFORCEMENT

Rods for reinforced concrete are either the 'Round Smooth' type of 235 MPA or the 'Rough' type "HA" with an elastic limit of 400 and shall conform with the BAEL 91 or BS specifications. These rods shall be quite clean and free from oil, rust or paint.

They should not be twisted or recovered from other usage. There shall be a strict respect of plan in terms of steel works.

f) FORMWORK

Formwork for this exercise is the simple type. It shall be able to bear without noticeable deformations all the weight and pressure exerted on it by the concrete. It shall equally bear effects of concrete vibration and the weight of workers on it during concreting.

The formworks should be water tight to avoid the leakage of cement grout.

II. - SITE INSTALLATION

This essential task which is the responsibility of the contractor consists of the following:

- Erecting a temporal structure for the accommodation of a packing store and an office in which the site Log book and building plans will be permanently available. It also includes the preparation of a surface for the assembling of materials.
- Where necessary, temporary toilet, water and electrical connections will be required at the site to enhance a smooth realization of the project.

- SITE PREPARATION, STUDIES, EATHWORKS.

STUDIES

Studies comprise of:

- Drawing of Execution or detail plans to suitable scales.
- Preparation of execution programme and establishment of the work planning chart.
- Other necessary details, which shall be made known to the Control Engineer before site visits.

PREPARATORY WORKS - IMPLANTATION

These works concern the demolition of any existing structure on the site and the evacuation of the rubbles to a site to be indicated by the Contract Engineer, the clearing and leveling of the site where necessary. The setting out will be in respect of the technical plans. The setting out profile boards will be at least 1, 20 m from the outside axes, this to facilitate terracing (trench and other earthworks) and a good circulation. No starting of excavation will be accepted by the Contract Engineer without the checking of the conformity of the setting out axes of the building.

The minimal depth of the excavation trenches will be of 80 cm, and depending on the soil bearing capacity. Where there is black cotton soil or soil with low bearing capacity at the bottom of the trench, the contractor shall continue excavation up to a depth as will be approved by the Control Engineer. The excavations will be done manually and no concrete or mortar shall be laid on the bottom of the trench without the acceptance of the trench by the control engineer

CLEARING AND LEVELING OF THE SITE

The portion on which this building will be set out will be cleared and leveled, as well as clearing ten (10) meters wide round the building (this includes clearing of vegetable soil, felling of trees, uprooting of tree stumps, removal of rocks etc.). The vegetable soil and other debris shall be taken away to a location approved by the Control Engineer.

EXCAVATION

In order to ensure a good stability of the building, foundation trenches shall be deep enough to meet a soil of good bearing capacity.

Considering the rocky nature of the site, the minimum foundation walls shall be elevated by <u>50cm</u>. The excavation of the trenches should be well straightened and the bottom well leveled. Foundation footings must be at a minimum depth of <u>20cm</u> below the level of the trenches.

No excavation of the trenches should be done until the Control Engineer has accepted the setting out of the building on minutes. Equally no elevation of the foundation should be done until the control Engineer has accepted the excavation of trenches on minutes. During this acceptance he will equally accept the coarse sand, the gravel and the reinforcement of the foundation. Therefore the reinforcement will be done simultaneously with excavation of trenches

BACKFILLING

The soil excavated from the trenches may be used in backfilling provided it is of good quality. If not, selected or well graded soil (lateritic soil) from a borrow pit should be used for the purpose. The backfilling will be done in compacted layers of 20cm thick each. The soil to be used for backfilling should be free from noxious substances including vegetable matters. Any rejected soil should be discarded at a site approved by the contract engineer.

IV. - FOUNDATION WORKS

IV-i Lean concrete

This will be dozed at 150kg/m³ and 5cm thick laid on the bottom of the trenches.

IV-ii - FOUNDATION FOOTINGS

These will be isolated footings in reinforced concrete:

- Dosage: The concrete will be dozed at 350 kg/m³.
- Reinforcement: It will be with $\varnothing 10$ rods with hooks spaced at 15cm.
- Dimensions: $15 \times 40 \times 40$ for square pillars of 15×15 (wall pillars) and $15 \times 60 \times 60$ for rectangular pillars of 15×25 (veranda pillars)

IV-iii - FOUNDATION WALLS

The foundation walls shall be of 20cm thick. The sand screed block work with 20x20x40 frog filled blocks duly laid in stretcher bond with cement mortar dosed at 350kg/m3. The moulding of 20 blocks per bag of cement is recommended for reasonable resistance.

The minimum height of the foundation walls from the highest point of the natural ground level shall be 50cm and increases with the topography.

IV-iv - FOUNDATION PILLARS

The reinforced concrete pillars as indicated on working drawings are described as follows;

- 20x20 wall pillars
- 20x30 (veranda pillars)

Dosage: 350kg/m³

Rods:

- Within the building: 20x20cm pillars
- Four (04) Ø10 longitudinal rods with Ø6 square stirrups rods at every 20cm and 15cm for overlap.
- Veranda pillars: 15 x 25cm pillars
- Six (06) Ø10 longitudinal rods with Ø6 rectangular stirrups rods at every 20cm and 15cm for overlap. NB: All footings shall be of (60x60) cm, Rods (04) Ø10 spaced at 15cm c/c on both sides.

IV-v - FOUNDATION GROUND BEAM.

- Dosage 350kg/m³
- * Rods: Ø6 rectangular stirrups at every 20cm + 4 Ø10 longitudinal rods.

V-vi - HARDCORE FILLING

This will consist of gravel, or stones duly laid on the rammed floor to a specific midness of 15cm as prescribed in the plan.

V-vi - STAIRS AND/ OR SLABS AT THE ENTRANCES OF CLASSROOMS

Reinforced concrete slabs of 1.2m and/or stairs of well plastered or pointed stones will be constructed at the entrances of classrooms as approved by the Control team.

V - ELEVATION AND MASONRY WORKS

V- i WALLS

The supporting walls shall be of sand screed block work with 15x20x40 hollow blocks duly laid in stretcher bond with cement mortar. The moulding of 28 blocks per bag of cement is recommended for reasonable resistance cement of 42.5 bars.

Note: The partition walls should be sand screed block work with 15x20x40 hollow blocks.

V-ii PILLARS

These shall be in reinforced concrete of 15cm x 15cm in the walls and 15cm x 25cm at verandas Dosed at 350kg/m^3 .

Reinforcement:

- ❖ Ø6 square stirrups rods at every 20cm + 4Ø8 longitudinal rods for 15cm x 15cm pillars.
- ❖Ø6 rectangular stirrups at every 20cm + 6Ø8 longitudinal rods, for 15cm x 25cm veranda pillars.

V-iii - HNTEI S

These will be on all walls in reinforced concrete of $15 \text{cm} \times 20 \text{cm}$ in respect of the thickness of the walls. Dosage: 350kg/m^3 .

Reinforcement:

❖ Ø6 Stirrups rods every 20cm and 15cm at overlap+ 4 Ø 8mm longitudinal rods.

V-iv -BEAMS

WALL PLATE (RING BEAMS)

They will be on all walls in reinforced concrete of 15cm x 20cm

- Dosage: 350 kg/m³
- Reinforcement: Ø6 stirrups rods at every 20cm + 4 Ø8 longitudinal rods.

VERANDA BEAMS:

These are of reinforced concrete of 15x20cm.

Dosage: 350kg/m³

Reinforcement: Ø6 Rods rectangular stirrups at every 20cm + 4 Ø8 longitudinal rods.

NOTE: Reinforcement Schedule.

| Nº | STRUCTURAL ELEMENT | | MAIN RODS(HA) | STIRRUPS | | DOSAGE | ROD STRENGTH |
|----|------------------------------------|-----|------------------|----------|---------|----------------------|------------------|
| | | N° | ф | ф | SPACING | | |
| 1 | Foundation pillars and Ground beam | 6/4 | 10mm | 6mm | 20cm | 350kg/m³ | Fe-E-400 |
| 2 | Lintel (15x20) | 4 | 8mm | 6mm | 20cm | 350kg/m ³ | Fe-E-400 |
| 3 | VerandaPillars 15x 25 | 6 | 8mm | 6mm | 20cm | 350kg/m ³ | Fe-E-400 |
| 4 | Wall pillars 15x15 | 4 | 8mm | 6mm | 20cm | 350kg/m ³ | Fe-E-400 |
| 5 | Wall plate (tie-beams) 15x20 | 4 | 8mm | 6mm | 20cm | 350kg/m³ | Fe-E-400 |
| 6 | Beams 15x20 | 4 | 8mm | 6mm | 20cm | 350kg/m ³ | Fe-E-400 |
| 7 | Veranda beam 15 x 20 | 4 | 8mm | 6mm | 20cm | 350kg/m ³ | Fe- <u>E-400</u> |

NB: - Spacing of stirrups at all overlap should be 15cm

-All the doors and window openings shall be all round in reinforced concrete of 15 x 15cm with $4\phi_8$ rods and stirrups spaced at 20cm.

V-v - OVERSITE CONCRETE

This is mass concrete of 10cm thickness to be laid over the 15cm hardcore filling. The surface shall be float finished. Thickness: ten (10) cm.

V-vi - CEMENT/SAND MIX FOR FLOOR FINISH

This is cement/sand mortar spread on the over site concrete to a thickness of 4cm and duly trowel finished.

- Dosage: 400kg/m³

V-ix- CEMENT/ SAND PLASTER ON WALLS

This shall be realized in two coats of minimum 3cm thick: Roughing-in with cement mortar of coarse sand dosed at 500kg/m³ and a finishing coat with cement mortar of fine sand dosed at 400kg/m³ with an average thickness of 1.5cm. The recommended sand for this purpose is medium/soft sand free from all impurities and salt.

V-xi - CHALK BOARDS

Two (02) boards will be constructed per classroom. One (01) for normal lessons and the other one for home works. These are realized in cement/sand mortars with expanded metal mesh duly buried in the mortar. It should extend from the surface of the wall to a thickness of 2cm with a trowel finished surface and two coats of black or green chalk board renovator. There should be provision for the spare chalk used in teaching to be kept. It shall be made in with wire mesh.

Dimensions: Length= 5m, height = 1.20m, thickness = 2cm i.e. (5x1.2x0.02). Each board should be 105cm from the floor finish.

V-xii - TEACHER'S PLATFORM (Black board stages)

There will be constructed under the main chalk board a platform for the teacher to freely move along. This will be done as per the dimensions of the detailed drawings and following the prescriptions of the Control Engineer.

VI - FRAMEWORK, ROOF, AND CEILING WORKS

VI-i - ROOF TRUSSES

These are rafters made up of hard wood 5cmxl5cm duly treated with xylamon or other insecticide approved by the Control Engineer and assembled with the beams of 5cmxl5cm and vertical/diagonal braces of 5cmxl5cm as designed in plan.

They are rigidly fixed to the pillars' tie rods and the tie rods provided on the ring beam.

PURLINS

These are hardwood purlins of 5cmx8cm duly treated with xylamon or other insecticide approved by the Control Engineer and fixed on the trusses to receive the roofing sheets.

N.B. ALL THE TIMBER FOR ROOFING SHALL BE TREATED WITH XYLAMON OR COLOURLESS SOLIGNUM OR ANY OTHER INSECTICIDE APPROVED BY THE CONTROL ENGINEER.

VI-II - ROOFING SHEETS

The building shall be roofed with TOLE BAC 5/10° (cinq dixieme) roofing sheets gauged with a fixed length prescribed in the drawings (6m long each) or by the Control Engineer. These roofing sheets shall be fixed in place with special nails, covers and bitumen sheets sold together.

- The ridge shall be covered with aluminium ridge piece
- The fascia board shall consist of Scm x 8cm hard wood which shall receive TOLE BAC $5/10^{\circ}$ (cinq dixieme) sheets including lining.

VI-iii- CEILING

Ceiling Joists

All ceiling joists shall be hardwood of 5cm x 8cm with moulded ceiling battens. They shall be treated with xylamon or other insecticide approved by the Control Engineer.

Ceiling board

This is done with 4mm thick ceiling boards of 60cm x 120cm, duly fixed on ceiling joists and the joints at the walls covered with battens as stated above. It shall be in block form.

N.B:

- a) Eaves: This shall be of smooth zinc sheets (tole lisse)
- b) Ventilation: The ceiling shall be ventilated with 4 holes covered with mesh and three holes of prefabricated elements at the gable ends and the dove
- c) Access to the ceiling: Each of the classrooms should be provided with an access vent and cover as well as the office.

VII -METAL WORK AND JOINERY

VII -i - Doors and Windows:

- Door shutters (97 x 220) cm shall be made of metal of double metallic panels $10/10^{\circ}$ on both sides, fixed on metallic angle bars (35x35)mm securely anchored to the pillars, (90X220)cm for the office main door and (90X220)cm hard wooden raise panels fixed on wooden frames and securely anchored to the walls for the office inner door and external door. All external door shutters shall open inwards.
- -All window openings (210 X 110) cm for the classrooms/the offices shall be fitted with sliding aluminum glazed panels shutters and fixed window protectors (210 X 110) cm of vertical striped metallic tubes

30mm. There will also be a provision for internal protection of the windows.ie (Two vertical striped metallic 30mm on each panel secured to walls with bolts and nuts.

NB: The designs of the doors and windows must be approved by the control engineer. Security locks of high quality (PACO) are recommended.

VII-ii - ANGLE BARS FOR FLOOR FINISH

Angle bar 30mm shall be fixed on edges of the floor finished along the veranda, the doors (eventually), the teacher's platform, slabs and the stairs to avoid damage of the sharp edges.

N.B All the metal works will be given two coats of anti-rust before supply to the site.

VIII - ELECTRICAL INSTALLATION

VIII-i -CONDUITS

13mm Orange plastic conduits buried in duly chiseled sand screed block work.

VIII-ii CABLING

The cables to be used should either be in VGV OR TH (pure copper).

- 1.5 mm² VGV cable for lighting
- 2.5mm² TH cable for sockets.

VIII iii - FITTINGS AND APPLIANCES

There will be a fuse box complete with 10 A and 16A fuses for lighting and power circuits respectively and the building shall be earthed.

The lamps shall be original complete Led energy saver bulbs 12W. Other accessories (sockets, switches, lamp holders Etc.) will be as prescribed by the Contract Engineer.

All trademarks though prescribed by the Control Engineer or by these present specifications shall be approved before being fitted.

IX-PAINTING AND DECORATION

Surfaces to be painted shall be brushed, dressed, smoothened and primed with ordinary paint (national paint) before applying a thoroughly mixed homogenous paint as prescribed.

The following specifications shall be respected:

IX-i - PRIMING

Internal and external walls: To be primed with ordinary paint

IX-ii FINISHING

- Ceiling: shall be painted with pantex '800' in 2 Coats;
- External walls: Shall be painted with 2 Coats of Pantex '1300' or its equivalence backed by an equivalence table from the supplier.
- Internal walls: Shall be given 2 Coats of Pantex '800' or its equivalence backed by an equivalence table from the supplier.
- Wall skirting in classrooms: Shall be at window sill level from floor finish and shall be painted in O2 coats of oil paint.
- Elevated foundation wall: 02 coats oil paint
- All metal works: shall be given 02 Coats of oil paint.

X - DRAINAGE

X-i - Gutter (not indicated on the plan)

Trenches shall be excavated round the building to receive a 40cm wide by 30cm deep gutter with the floor sloped at 2% minimum to facilitate the flow of water. The flooring of the gutters will be 08cm thick and the 10cm walls shall be plastered with cement mortar.

The walls of the gutters shall be 10 cm thick in mass concrete dosed at 300 kg/m³ and the floor shall be in mass concrete dosed at 300 kg/m³. These gutters shall include two offshoots of 1.5m long each.

These gutters will be covered on a width of 1.2m with pre-cast reinforced concrete slabs and/or stairs at the entrances to the classrooms.

There shall be provision for two access ramps (2 m wide) to the classrooms for disabled persons.

The sections behind the constructed gutters shall be backfilled and well compacted. All edges of slabs, stairs and ramps shall be protected with 30mm angle bars.

X-ii EXTERNAL VERANDA

Besides the main veranda of the classrooms, the space round the building between the gutters and the building which is 90cm wide (and 80cm wide at gable ends) shall be covered with mass-concrete 1 cm thick dosed at 300kg/m³.

SUMMARY OF BATCHING FOR ONE BAG OF CEMENT

| Designation | Dosage of cement CPJ 35 | Sand (wheelbarrows) | Gravel 5/15 (wheelbarrows) | Gravel 15/25 (wheelbarrows) |
|--|----------------------------|------------------------|----------------------------|--------------------------------|
| Concrete for Blinding and frog-filling | 150 kg/m³ | 2 of coarse sand | 4 | 0 |
| Mass concrete for floor | 300 kg/m ⁸ | 1 of coarse sand | 1 | 1.5 |
| Concrete for RC elements | 350 kg/m³ | 1 of coarse sand | 1 | 1 |
| Mortar for roughing-in plaster (1st coat) | 500 kg/m ³ | 1.5 of coarse sand | O | Ö |
| Mortar for finishing coat of plaster(2 nd coat) | 400 kg/m ³ | 2 of coarse sand | 0 | 0 |
| Sand screed for floor finish | 400 kg/m ³ | 2 of coarse sand | 0 | 0 |
| Mortar for manufacture of hollow blocks (non load bearing) | 300 kg/m³ | 3 of coarse sand | 0 | . 0 |
| Interlay mortar | 300 kg/m ³ | 3 of medium sand | 0 | 0 |
| Mortar for stone masonry | 350kg/m3 | 2.5 | О | 0 |

NB: All phases of this project shall be received on minutes by the project Engineer and copies forwarded to the project owner and the contracting Authority.

DOCUMENT N°. 6 SCHEDULE OF UNIT PRICES

| SCHEDI | ULE OF UNIT PRICES FOR THE CONSTRUCTION OF CHAMKFUNG IN MBVEN SUB-DIVISI | | CLASSROOMS AT G.S. |
|---------|--|-----------------|--|
| NO | DESIGNATION | U.P. in figures | U.P. IN WORDS |
| EOT 100 | PRELIMINARY/WORKS | | |
| 101 | Site installation This lump sum price include the cost of: Transporting the equipment to the site Removal of equipment Mobilisation of personnel Construction of a temporal fence in local materials to enclose the whole work site, site huts, offices and a store | | |
| 102 | Installation of project information board This lump sum price include the cost of: Production of information board as per sample in the tender file Installation of the information board at an area prescribed by the project team A lump sum cost | | |
| 103 | Preparation of working documents This lump sum price include the cost of: Studies relative to the construction of the structure Executing documents (Site logbook, detailed programme, report of execution and insurance policy) A lump sum cost | | · |
| 104 | Clearing, Cutting of trees, digging of stumps, and removal of rocks The price per Square meter include The clearing vegetable soil Removal/extraction of heavy stone, felling of trees and digging of stumps A lump sum cost | | |
| 105 | Implantation of the building This lump sum price include the cost of setting out the building A tump sum cost | | |
| LOT 200 | EARTHWORKS | | |
| 201 | Mass excavation and leveling of platform The price per cubic meter include The tracing/removal of soil within the limits of the implantation area of the building including working space 5m round the structure The leveling of the platform A cubic meter (m3) | | |
| 202 | Digging of foundation trenches and footings This price per cubic meter include: The cost of (digging) excavation of all trenches/footings right to the resistant soil minimum 80cm from leveled platform A cubic meter (m3) cost | | |
| 203 | Backfilling with selected laterite soil The price per cubic meter include; The cost of backfilling/compaction with selected laterite (free from all vegetation and debris) in successive layers of 20cm A cubic meter (m3) cost | | |
| LOT 300 | FOUNDATION | | |
| 301 | Blinding concrete dosed at 150kg/m3 This price per cubic meter is the cost of: • Laying a 5cm thick blinding concrete at the | | The state of the s |

| ı | | | | |
|-----------|---|--|--------------|-----|
| | base of the foundation trenches dosed at | } | | |
| 1 | 150kg/m3 A cubic meter (m3) cost | | | |
| | Foundation in frog filled block wall- 20cm thick | | | |
| ŀ | This price per meter square of filled blocks in | | | |
| | ordinant concrete | | | |
| 302 | The cost of filling of the blocks dosed at | 1 | j | |
| | 200kg/m3 | 1 | | |
| | A meter square (m2) cost | 1 | | |
| | Reinforced concrete footing, pillars and ground | | | |
| 1 | beams dosed at 350kg/m3 |] | | |
| i | This price per cubic meter include; | 1 | - | |
| | The cost of realizing foundation footing of | | | |
| Į. | section 30x30 or 40x40 as specified on the |] | | |
| 303 | plan | Ī | 1 | |
| 1 | Foundation pillars section 20x20 or 20x30 | | | |
| ļ | Cost of reinforcement rods | | : | |
| | Cost of form work | | | |
| | A cubic meter (m3) cost | | 1 | |
| | | | | |
| | Mass concrete floor of thickness 10cm dosed at | | | |
| | 300kg/m3 | 1 | | |
| 304 | This price per cubic meter shall include; | 1 | | |
| 304 | The cost of realizing mass concrete floor of | | | |
| • | thickness 8cm | | | |
| | Finishing with cement past A meter cube (m3) cost | 1 | | |
| 7502000 | | | | |
| * LOT 400 | WALLMASONRY | 3 | | - 1 |
| | Blocks 15x20x40 for wall elevation | | | |
| | This price per square meter include | 1 | | Ì |
| 401 | The cost of raising the walls with 15x20x40 | , | | 1 |
| | sand screed blocks with sufficient resistance. | 1 | |] |
| | A square meter m2 cost | } | | - 1 |
| | Plastering/Rendering with cement mortar dosed at | | | |
| | 500kg/m3 and 400kg/m3 for spatadash and final coat | | | |
| | respectively | | | ļ |
| 402 | This price per square meter include | | 1 | |
| | The cost of spata-dashing with rich mortar. | [| 4 | 1 |
| | The cost of plastering proper and dressing of | | | |
| | pillars, beams and other related tasks. | | | |
| | A square meter m2 cost | | <u>i</u> | _ |
| | Reinforced Concrete for pillars, lintels, and final beams and beams/pillars around the openings dosed | | 1 | |
| | at 350kg/m3 | | | |
| | This price per cubic meter shall include | | | f |
| | The cost of realizing pillars 15x15 in the walls | | | } |
| Ì | and 15x30 on the veranda with reinforced | | | j |
| 403 | concrete dosed at 350kg/m3 | | | 1 |
| | The cost of realizing the lintels and the | | | ļ |
| | beams with reinforced concrete dosed at | | | |
| 1 | 350kg/m3 | | | - 1 |
| ł | Cost of casting beams/pillars around the | | | |
| 1 | openings and other the works | | | |
| | A cubic meter (m3) costs | | | |
| 1 | Wall blackboard (500x120x2)cm with cement past | | | |
| J | finish, wire mesh and painting | | | |
| | The unit cost of realizing a chalk board of | | | |
| 404 | required dimensions with wire mesh/ cement | | | |
| [| paste finishing. | | | 1 |
| ļ | The cost of oil paint for the chalkboard. A unit (u) cost | | | |
| | | | | 1 |

| 405 | Floor finish in cement screed of 4cm dosed at 400kg/m3 and cement paste This price per square meter include; • The cost of realizing a floor screed of thickness 4cm • Finishing with cement past | No. company of the co | ACCOUNT OF THE PROPERTY OF THE |
|------------|---|--|--|
| 405 | Black board stages with 30mm angle bar at the edges The unit cost of realizing a board stage include, The cost of realizing mass concrete/. The cost of backfilling. The cost of screed/30mm angle bar and finishing with cement paste A unit (u) cost | | |
| LOT(500 | ROOF | Balanak Danah S | |
| 501 | Complete roof trusses in treated hard wood (Kingpost = 200cm) with rafters of (5x15)cm, 8 main/8 secondary This price per unit include; The cost of supplying and the putting in place rafters realized with season hard wood and treated with xylomon or any other products of similar characteristics. It shall be of section (5x15)cm A unit (u) cost | | |
| | Purlins (5x8)cm | | |
| 502 | This price per cubic meter include; The cost of treated hard wood of section 5x8 The cost of putting in place + accessories A cubic meter (m3) cost | | |
| 503 | Noggings (5x8)cm This price per cubic meter include; The cost of treated hard wood of section 5x8 The cost of putting in place + accessories A cubic meter (m3) cost | | |
| 504 | Ceiling of 4mm thick brown plywood This price per square meter include; • The cost of supplying and putting in place of 4mm thick brown plywood • The cost of the nails, battens + accessories. A square meter (m2) cost | | |
| 505 | Ceiling at the eaves with smooth zinc (tole lisse) This price per square meter include; • The cost of supplying and putting in place of smooth zinc • The cost of the nails, battens + accessories. A square meter (m2) cost | | THE COME THE CHARLES WE SHELD |
| 506 | Aluminium roofing sheets (tole bac 5/10mm) This price per square meter includes; • The cost of supplying and putting in place roofing sheets (tole bac 5/10) on the whole building • The cost of gaskets screw nails and other accessories A square meter (m2) cost | | |
| 507 508 | Fascia board (Tole bac 5/10mm of 30cm height) including lining This price per square meter includes; The cost of supplying and putting in place a fascia board of width 30cm with sheets (tole bac 5/10) including lining and other accessories A square meter (m2) cost Angle sheets | | |
| | 1 1.3.5 5.165.5 | | |

| This price per meter length include; * The cost of covering with aluminum (angle sheets) at the gable ends. * A motor length (mi) cost * Alu ridge cap Storm large * The price per matter length includes; * The cost of pathicating or purchasing and putting in place a ridging sheet of width Storm * A meter length cost (mi) Vonitlation of roof (pre-fabricates) at the seaves This price per unit include; * The cost of fabricating or purchasing and putting in place on all the gable ends and dove of the building sir vents. * A unit (u) cost * The cost of fabricating or purchasing and putting in place on all the gable ends and dove of the building sir vents. * A unit (u) cost * The cost of fabricating and putting in place a metallic door with sheeting on both sides. * The cost of path clock * The cost of of pitch clock soft of path clock * The cost of path clock * The cost of path clock * The cost of of path clock soft of path clock * The cost of fabricating and putting in place * The cost of fabricating and putting in place * The cost of fabricating and putting in place * The cost of fabricating and putting in place * The cost of fabricating and putting in place * The cost of fabricating and putting in place * The cost of fabricating and putting in place * The cost of the cost of soft and indiges * The cost of the cost of soft soft soft soft soft soft sof | 1 | This price per mater length include: | 1 | 1 |
|--|---|--|--------------------------|--|
| A meter length (mi) cost Alu ridge cap 50cm large This price per meter length includes; - The cost of supplying and putting in place a ridging sheet of width 50cm A meter length cost (mi) Vernitation of roof (pre-fabricated) at the eaves This price per unit include; - The cost of supplying and putting and putting in place and putting in place on all the gable ends and durit (u) cost LOT 600 METAL WORKS AND JOINERY Metal door of 90x220 with PACO lock and two pad locks and accessories for the office (external) This price per unit include; - The cost of fabricating and putting in place a metallic door with sheeting on both sides The cost of pad locks - The cost of the facting and putting in place wooden farme fitted with a solid lock 90x202cm for the office (the external door shall be doubled Le. metal and wood) - This price per unit include; - The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood - The cost of Padrocks - The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood - The cost of wooden door frames - This price per unit include; - The cost of wooden door frames - This price per unit include; - The cost of wooden door frames - This price per unit include; - The cost of pad locks - The cost of fabricating and putting i | | | | |
| A meter length (ml) cost Alu ridge cap Soom large This price per meter length includes; The cost of supplying and putting in place a ridging sheet of width Soom A mater length cost (ml) Ventilation of roof (pre-fabricated) at the eaves This price per unit include; The cost of fabricating or purchasing and putting in place on all the gable ends and obve of the building air vents. A unit (u) cost METAL WORKS AND JOINERY Metal door of 90x220 with PACO lock and two pad locks and accessories for the office (external) This price per unit include; The cost of fabricating and putting in place a metallic door with sheeting on both sides. The cost of PACO lock and hinges The cost of PACO lock and hinges The cost of abricating and putting in place a metallic door with sheeting on both sides. The cost of PACO lock and hinges The cost of palciation of anil rust A unit (u) cost Wooden door of raised panels in hard wood + wooden frame fitted with a solid lock 90x220cm for the office (the external door shall be doubled 1.e. metal and wood) This price cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood This cost of PACO lock and hinges This cost of Wooden door frames A unit (u) cost Metal door of 97x220cm fitted with solid locks for the classrooms This price per unit include; The cost of Naco of 16 wooden door frames A unit (u) cost The cost of PACO lock and hinges This price per unit include; The cost of palciation of anti rust A unit (u) cost The cost of palciation of anti rust A unit (u) cost The cost of palciation of anti rust A unit (u) cost The cost of palciation of anti rust A unit (u) cost The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of palciation of unit rust A unit (u) cost The cost of fabricating and putting in place of complete aluminum stiding windows, 4mm thick giase. The cost of fabricating and putting in place of window protectors in Sorm square tubes (210x110) and for the classrooms This price per unit includ | 1 | | 1 | |
| Alu ridge cap 50cm large This price per meter length includes; • The cost of supplying and putting in place a ridging sheet of vidth 50cm A meter length cost (mi) Ventilation of roof (per-fabricated) at the eaves This price per unit include; • The cost of fabricating or purchasing and putting in place on all the gable ends and do of the building air vents. A unit (u) cost LOT 600 METAL WORKS AND JOINERY Metal door of 90x220 with PACO lock and two pad locks and accessories for the office (external) This price per unit include; • The cost of fabricating and putting in place a metalic door with sheeting on both sides. • The cost of pabrication This price per unit include; • The cost of pabrication of and rust A unit (u) cost Wooden forar fitted with a solid lock 90x220cm for the office (the externat door shall be doubled I.e. metal and wood) This price per unit include; • The cost of fabricating and putting in place wooden farme fitted with a solid lock 90x220cm for the office (the externat door shall be doubled I.e. metal and wood) This price per unit include; • The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood • The cost of FACO lock and hinges • The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood • The cost of wooden door frames A unit (u) cost Metal door of 97x220cm fitted with solid locks for the classrooms This price per unit include; • The cost of wooden door frames • The cost of wooden door frames • The cost of over of over the cost of season This price per unit include; • The cost of over the season This price per unit include; • The cost of fabricating and putting in place metalic doors with sheeting on both sides. • The cost of fabricating and putting in place of window protectors in 30mm square tubes (210x110):m for the classrooms This price per unit include; • The cost of fabricating and putting in place of window protectors in 30mm square tubes (210x1010):m for the | | | ļ | |
| The cost of supplying and putting in place a ridiging sheet of width 50cm | | | | |
| A meter length cost (m) Ventilation of roof (pre-fabricated) at the eaves This price per unit include; 100 The cost of fabricating and putting in place on a metallic door of the building air vents. A unit (u) cost LOT 600 METAL WORKS AND JOINERY Metal door of 90x20 with PACO lock and two pad locks and accessories for the office (external) This price per unit include; The cost of fabricating and putting in place a metallic door with sheefing on both sides. The cost of pad locks The cost of sabricating and putting in place a metallic door with sheefing on both sides. The cost of pad locks This price per unit include; The cost of two lock and hinges The cost of PACO lock and hinges The cost of | 1 | This price per meter length includes; | | |
| Ventilation to roof (pre-fabricated) at the eaves This price per unit include; 100 Ventilation to roof (pre-fabricated) at the eaves This price per unit include; 101 The cost of fabricating or purchasing and putting in place on all the gable ends and dove of the building air vents. A unit (u) cost Metal door of 90x220 with PACO lock and two pad locks and accessories for the office (external) This price per unit include; The cost of fabricating and putting in place a metallic door with sheeting on both sides. The cost of PACO lock and hinges The cost of padrolocks | 509 | | | |
| Ventilation of roof (pre-fabricated) at the eaves This price per unit include; The cost of fabricating or purchasing and putting in place on all the gable ends and dove of the building air vents. A unit (u) cost METAL WORKS AND JOINERY Metal door of 90x220 with PACO lock and two pad locks and accessories for the office (external) This price per unit include; The cost of fabricating and putting in place a metallic door with sheeting on both sides. The cost of pad locks The price per unit include; This price per unit include; This price per unit include; The cost of PACO lock and hinges This price per unit include; The cost of PACO lock and hinges This price per unit include; The cost of PACO lock and hinges This price per unit include; The cost of PACO lock and hinges This price per unit include; The cost of PACO lock and hinges This price per unit include; The cost of PACO lock and hinges This price per unit include; The cost of PACO lock and hinges This price per unit include; The cost of PACO lock and hinges This price per unit include; The cost of PACO lock and hinges This price per unit include; The cost of PACO lock and hinges | 1 | | 1 | |
| price per unit include; The cost of febricating or purchasing and putting in place on all the gable ends and dove of the building air vents. LOT 600 METAL WORKS AND JOINERY Metal door of 90x220 with PACO lock and two pad locks and accessories for the office (external) This price per unit include; The cost of fabricating and putting in place a metallic door with sheeting on both sides. The cost of pad locks The cost of application of anti rust A unit (u) cost Wooden door of raised panels in hard wood + wooden frame fitted with a solid lock 90X220cm for the office (the external door shall be doubled i.e. metal and wood) This price per unit include; The cost of PACO lock and hinges This price per unit include; The cost of PACO lock and hinges This price per unit include; The cost of vooden door frames A unit (u) cost Metal door of 97x220cm fitted with solid locks for the diassrooms This price per unit include; The cost of padolocks This price per unit include; The cost of padolocks This price per unit include; The cost of padolocks This price per unit include; The cost of padolocks The cost of padolocks This price per unit include; The cost of padolocks This price per unit include; The cost of padolocks This price per unit include; The cost of padolocks This price per unit include; The cost of padolocks This price per unit include; The cost of padolocks The cost of padolocks The cost of padolocks The cost of padolocks This price per unit include; The cost of padolocks and padolocy and padol | | | | |
| - The cost of fabricating or purchasing and putting in place on all the gable ends and dove of the building air vents. A unit (u) cost Metal door of 90x220 with PACO lock and two pad locks and accessories for the office (external) | | | | |
| putting in place on all the gable ends and dove of the building air vents. A unit (u) cost METAL WORKS AND JOINERY Metal door of 90x220 with PACO lock and two pad locks and accessories for the office (external) This price per unit include; The cost of pathocal lock and hinges The cost of pathocal lock and lock 90x220cm for the office (the external door shall be doubled i.e. metal and wood the order of raised panels in hard wood + wooden frame little with a solid lock 90x220cm for the office (the external door shall be doubled i.e. metal and wood and pathocal lock and hinges This price per unit include; The cost of PACO lock and hinges The cost of PACO lock and hinges This price per unit include; The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood The cost of PACO lock and hinges This price per unit include; The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of PACO lock and hinges This price per unit include; The cost of paplication of anti rust A unit (u) cost A unit (u) cost The cost of paplication of anti rust A unit (u) cost The cost of paplication of anti rust A unit (u) cost This price per unit include; The cost of paplication of antirust and the price per unit include; The cost of paplication of antirust and putting in place of complete auminum sliding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and botis A unit (u) cost The cost of application of antirust A unit (u) cost The cost of application of antirust A unit (u) cost The cost of application of antirust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at v | | 1 | | |
| Dutting in place on all the gable ends and dove of the building air vents. A unit (u) cost METAL WORKS AND JOINERY Metal door of 90x220 with PACO lock and two pad locks and accessories for the office (external) This price per unit include; The cost of fabricating and putting in place a metallic door with sheeting on both sides. The cost of pad locks oxyz20cm for the office (the external door shall be doubled i.e. metal and wood) This price per unit include; This price per unit include; The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood The cost of PACO lock and hinges The cost of rabricating and putting in place wooden panel doors in well vanished and seasoned hard wood This price per unit include; This price per unit include; The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood This price per unit include; The cost of PACO lock and hinges This price per unit include; The cost of PACO lock and hinges The cost of PACO lock and hinges The cost of pad locks The cost of provision of internal protection with the lock glass. The cost of provision of internal protection with tube of 30mm and boils A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; This cost per meter length includes; Angle 30mm metallic bar at veranda/door | 510 | | | |
| A unit (u) cost METAL WORKS AND JOINERY Metal door of 90x220 with PACO lock and two pad locks and accessories for the office (external) This price per unit include; The cost of fabricating and putting in place a metallic door with sheeting on both sides. The cost of PACO lock and hinges The cost of application of anti rust A unit (u) cost Wooden door of raised panels in hard wood + wooden frame fitted with a solid lock 90X220cm for the office (the external door shall be doubled i.e. metal and wood) This price per unit include; The cost of rabricating and putting in place wooden panel doors in well vanished and seasoned hard wood The cost of PACO lock and hinges The cost of vooden door frames A unit (u) cost Metal door of 97x220cm fitted with solid locks for the classrooms This price per unit include; The cost of wooden door frames A unit (u) cost Metal door of 97x220cm fitted with solid locks for the classrooms This price per unit include; The cost of pad locks The cost of provision of anti rust A unit (u) cost Aumit unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms This price per unit include; This price per unit include; The cost of application of internal protection with twe of 30mm and boils A unit (u) cost The cost of application of internal protection with two of 30mm and boils A unit (u) cost The cost of application of antirust A unit (u) cost The cost of application of antirust A unit (u) cost The cost of application of antirust A unit (u) cost The cost of application of antirust A unit (u) cost The cost of application of antirust A unit (u) cost The cost of application of antirust A unit (u) cost The cost of application of antirust A unit (u) cost | | | | |
| LOT 600 METAL WORKS AND JOINERY Metal door of 90x220 with PACO lock and two pad locks and accessories for the office (external) This price per until include; • The cost of fabricating and putting in place a metallic door with sheeting on both sides. • The cost of PACO lock and hinges • The cost of PACO lock and hinges • The cost of paplication of anti rust A unit (u) cost This price per unit include; • The cost of fabricating and putting in place wooden frame fitted with a solid lock 90X220cm for the office (the external door shall be doubled i.e., metal and wood) This price per unit include; • The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood • The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood • The cost of wooden door frames A unit (u) cost Metal door of 97x220cm fitted with solid locks for the classrooms This price per unit include; • The cost of fabricating and putting in place metallic doors with sheeting on both sides. • The cost of PACO lock and hinges • The cost of pabrication of anti rust A unit (u) cost A unit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; • The cost of provision of internal protection with tube of 30mm and bolts This price per unit include; • The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per meter length includes; • The cost of application of anti rust A unit (u) cost This cost per meter length includes; • The cost of application of anti rust A unit (u) cost This cost per meter length includes; | | | | |
| Metal door of 90x220 with PACO lock and two pad locks and accessories for the office (external) This price per unit include; • The cost of PACO lock and hinges • The cost of application of anti rust A unit (u) cost Wooden door of raised panels in hard wood + wooden frame fitted with a solid lock s0X220cm for the office (the external door shall be doubled i.e. metal and wood) This price per unit include; • The cost of PACO lock and hinges The cost of application of well vanished and seasoned hard wood This price per unit include; • The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood • The cost of PACO lock and hinges • The cost of Vacound of Frames A unit (u) cost Metal door of 97x220cm litted with solid locks for the classrooms This price per unit include; • The cost of fabricating and putting in place metallic doors with sheeting on both sides. • The cost of pack O lock and hinges • The cost of pack O lock and hinges The cost of PACO lock and hinges • The cost of pack O lock and hinges • The cost of pack O lock and hinges A unit (u) cost Vince of pack o | , | | 1 | - |
| locks and accessories for the office (external) This price per unit include; The cost of fabricating and putting in place a metallic door with sheeting on both sides. The cost of pad locks Wooden door of raised panels in hard wood + wooden frame fitted with a solid lock 90X220cm for the office (the external door shall be doubted i.e. metal and wood) This price per unit include; The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood The cost of PACO lock and hinges The cost of oped one of frames A unit (u) cost Metal door of 97X220cm fitted with solid locks for the classrooms This price per unit include; The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of pad locks The price per unit include; This price per unit include; This price per unit include; The cost of pad locks The price per unit include; This price per unit include; This price per unit include; The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost This price per unit include; The cost of fabricating and putting in place of window protectors in 30mm square tubes (210x110)cm for the classrooms and offices The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of paplication of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic ber at veranda/door | LOT 600 | METAL WORKS AND JOINERY | | |
| locks and accessories for the office (external) This price per unit include; The cost of fabricating and putting in place a metallic door with sheeting on both sides. The cost of pad locks Wooden door of raised panels in hard wood + wooden frame fitted with a solid lock 90X220cm for the office (the external door shall be doubted i.e. metal and wood) This price per unit include; The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood The cost of PACO lock and hinges The cost of oped one of frames A unit (u) cost Metal door of 97X220cm fitted with solid locks for the classrooms This price per unit include; The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of pad locks The price per unit include; This price per unit include; This price per unit include; The cost of pad locks The price per unit include; This price per unit include; This price per unit include; The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost This price per unit include; The cost of fabricating and putting in place of window protectors in 30mm square tubes (210x110)cm for the classrooms and offices The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of paplication of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic ber at veranda/door | ł | | 1 | |
| locks and accessories for the office (external) This price per unit include; The cost of fabricating and putting in place a metallic door with sheeting on both sides. The cost of pad locks Wooden door of raised panels in hard wood + wooden frame fitted with a solid lock 90X220cm for the office (the external door shall be doubted i.e. metal and wood) This price per unit include; The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood The cost of PACO lock and hinges The cost of oped one of frames A unit (u) cost Metal door of 97X220cm fitted with solid locks for the classrooms This price per unit include; The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of pad locks The price per unit include; This price per unit include; This price per unit include; The cost of pad locks The price per unit include; This price per unit include; This price per unit include; The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost This price per unit include; The cost of fabricating and putting in place of window protectors in 30mm square tubes (210x110)cm for the classrooms and offices The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of paplication of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic ber at veranda/door | | Metal door of 90x220 with PACO lock and two pad | | 1 |
| This price per unit include; The cost of PACO lock and hinges The cost of application of anti rust A unit (u) cost Mooden door of raised panels in hard wood + wooden frame fitted with a solid lock 90X220cm for the office (the external door shall be doubled i.e. metal and wood) This price per unit include; The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood The cost of MACO lock and hinges The cost of MACO lock and hinges The cost of Wooden door frames A unit (u) cost Metal door of 97x220cm fitted with solid locks for the classrooms This price per unit include; The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of FACO lock and hinges The cost of FACO lock and hinges The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of FACO lock and hinges The cost of pal locks The cost of pal locks The cost of pal locks The cost of application of anti rust A unit (u) cost Auminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; The cost of fabricating and putting in place of complete aluminum stiding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and botts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per metal relation of anti rust A unit (u) cost This cost per metal relation of anti rust A unit (u) cost | | | | 1 |
| metallic door with sheeting on both sides. The cost of PACO lock and hinges The cost of application of anti rust A unit (u) cost Wooden door of raised panels in hard wood + wooden frame fitted with a solid lock 90X220cm for the office (the external door shall be doubled i.e. metal and wood) This price per unit include; The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood The cost of PACO lock and hinges The cost of PACO lock and hinges The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of paCO lock and hinges The cost of paCO lock and hinges The cost of pact locks The cost of pact locks The cost of paplication of anti rust A unit (u) cost Auminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; This cost per meter length includes; This cost per meter length includes; | Ĭ | | | 1 |
| metallic door with sheeting on both sides. The cost of PACO lock and hinges The cost of application of anti rust A unit (u) cost Wooden door of raised panels in hard wood + wooden frame fitted with a solid lock 90X220cm for the office (the external door shall be doubled i.e. metal and wood) This price per unit include; The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood The cost of PACO lock and hinges The cost of PACO lock and hinges The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of paCO lock and hinges The cost of paCO lock and hinges The cost of pact locks The cost of pact locks The cost of paplication of anti rust A unit (u) cost Auminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; This cost per meter length includes; This cost per meter length includes; | | The cost of fabricating and putting in place a | | |
| The cost of pad locks The cost of application of anti rust A unift (u) cost Wooden foor of raised panels in hard wood + wooden frame fitted with a solid lock 90X220cm for the office (the external door shall be doubled i.e. metal and wood) This price per unit include; The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood The cost of NeCol lock and hinges The cost of Wooden door frames A unit (u) cost Metal door of 97x220cm fitted with solid locks for the classrooms This price per unit include; The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of PACO lock and hinges The cost of pad locks The cost of application of anti rust A unit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; The cost of provision of internal protection with tube of 30mm and boits A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | , 601 | | | |
| The cost of application of anti rust A unit (u) cost Wooden door of raised panels in hard wood + wooden frame fitted with a solid lock 90X220cm for the office (the external door shall be doubted i.e. metal and wood) This price per unit include; The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood The cost of PACO lock and hinges The cost of wooden door frames A unit (u) cost Metal door of 97x220cm fitted with solid locks for the classrooms This price per unit include; The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of PACO lock and hinges The cost of PACO lock and hinges The cost of PACO lock and hinges The cost of application of anti rust A unit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210X110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | | | |
| A unit (u) cost | | The cost of pad locks | | 1 |
| A unit (u) cost | | The cost of application of anti rust | | 1 |
| wooden frame fitted with a solid lock 90X220cm for the office (the external door shall be doubled i.e. metal and wood) This price per unit include; 1 The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood 1 The cost of PACO lock and hinges 1 The cost of wooden door frames A unit (u) cost Metal door of 97x220cm fitted with solid locks for the classrooms This price per unit include; 1 The cost of fabricating and putting in place metallic doors with sheeting on both sides. 1 The cost of pACO lock and hinges 1 The cost of pad locks 1 The cost of application of anti rust A unit (u) cost A unit (u) cost Window protectors in 30mm adulting in place of complete aluminum sliding windows, 4mm thick glass. 1 The cost of provision of internal protection with tube of 30mm and botts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; 1 The cost of fabricating and putting in place of window protectors of tube size specified above. 1 The cost of application of anti rust A unit (u) cost This cost per meter length includes; 1 This cost per meter length includes; | | | 1 | |
| the office (the external door shall be doubled i.e. metal and wood) This price per unit include; The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood The cost of VACO lock and hinges The cost of Wooden door frames A unit (u) cost Metal door of 97x220cm fitted with solid locks for the classrooms This price per unit include; The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of pad locks The cost of application of anti rust A unit (u) cost Aunit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. The cost of forvision of internal protection with tube of 30mm and boits A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | Wooden door of raised panels in hard wood + | | |
| metal and wood) This price per unit include; The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood The cost of PACO lock and hinges The cost of wooden door frames A unit (u) cost Metal door of 97x220cm fitted with solid locks for the classrooms This price per unit include; The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of PACO lock and hinges The cost of pad locks The cost of fabrication of anti rust A unit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; The cost of fabricating and putting in place of complete aluminum stiding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; This cost per meter length includes; Angle 30mm metallic bar at veranda/door | Į. | | |] |
| This price per unit include; The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood The cost of PACO lock and hinges The cost of wooden door frames A unit (u) cost Metal door of 97x220cm fitted with solid locks for the classrooms This price per unit include; The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of PACO lock and hinges The cost of PACO lock and hinges The cost of pad locks The cost of pad locks The cost of pad locks The cost of application of anti rust A unit (u) cost Auminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; This cost per meter length includes; Angle 30mm metallic bar at veranda/door | 1 | | | |
| The cost of fabricating and putting in place wooden panel doors in well vanished and seasoned hard wood The cost of PACO lock and hinges The cost of wooden door frames A unit (u) cost Metal door of 97x220cm fitted with solid locks for the classrooms This price per unit include; The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of PACO lock and hinges The cost of pad locks The cost of application of anti rust A unit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | <u> </u> | | | |
| wooden panel doors in well vanished and seasoned hard wood • The cost of PACO lock and hinges • The cost of wooden door frames A unit (u) cost Metal door of 97x220cm fitted with solid locks for the classrooms This price per unit include; • The cost of fabricating and putting in place metallic doors with sheeting on both sides. • The cost of PACO lock and hinges • The cost of pad locks • The cost of forbrication of anti rust A unit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; • The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. • The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; • The cost of fabricating and putting in place of window protectors of tube size specified above. • The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | | | |
| seasoned hard wood The cost of PACO lock and hinges The cost of wooden door frames A unit (u) cost Metal door of 97x220cm fitted with solid locks for the classrooms This price per unit include; The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of PACO lock and hinges The cost of pad locks The cost of application of anti rust A unit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; The cost of fabricating and putting in place of complete aluminum stiding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | 602 | | | |
| The cost of PACO lock and hinges The cost of wooden door frames A unit (u) cost Metal door of 97x220cm fitted with solid locks for the classrooms This price per unit include; The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of PACO lock and hinges The cost of pad locks The cost of pad locks The cost of application of anti rust A unit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | | | |
| The cost of wooden door frames A unit (u) cost Metal door of 97x220cm fitted with solid locks for the classrooms This price per unit include; The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of PACO lock and hinges The cost of application of anti rust A unit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; A unit (u) cost This cost per meter length includes; A unit (u) cost This cost per meter length includes; A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | ! | | | |
| Metal door of 97x220cm fitted with solid locks for the classrooms This price per unit include; The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of PACO lock and hinges The cost of pad locks The cost of application of anti rust A unit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | ľ | | 1 | ! |
| Metal door of 97x220cm fitted with solid locks for the classrooms This price per unit include; • The cost of fabricating and putting in place metallic doors with sheeting on both sides. • The cost of PACO lock and hinges • The cost of pad locks • The cost of application of anti rust A unit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; • The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. • The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; • The cost of fabricating and putting in place of window protectors of tube size specified above. • The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | · · | | ·} |
| classrooms This price per unit include; • The cost of fabricating and putting in place metallic doors with sheeting on both sides. • The cost of PACO lock and hinges • The cost of pad locks • The cost of application of anti rust A unit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; • The cost of fabricating and putting in place of complete aluminum stiding windows, 4mm thick glass. • The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; • The cost of fabricating and putting in place of window protectors of tube size specified above. • The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | | | |
| This price per unit include; The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of PACO lock and hinges The cost of pad locks The cost of application of anti rust A unit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | | | |
| The cost of fabricating and putting in place metallic doors with sheeting on both sides. The cost of PACO lock and hinges The cost of application of anti rust A unit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | | | |
| metallic doors with sheeting on both sides. The cost of PACO lock and hinges The cost of pad locks The cost of application of anti rust A unit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | | | |
| The cost of PACO lock and hinges The cost of pad locks The cost of application of anti rust A unit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | | | |
| The cost of pad locks The cost of application of anti rust A unit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | 603 | | | |
| The cost of application of anti rust A unit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | j. | | | |
| A unit (u) cost Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; • The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. • The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; • The cost of fabricating and putting in place of window protectors of tube size specified above. • The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door |] | | | |
| Aluminum glazed windows of (210X110)cm with internal protection for the classrooms This price per unit include; • The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. • The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; • The cost of fabricating and putting in place of window protectors of tube size specified above. • The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | | | |
| internal protection for the classrooms This price per unit include; • The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. • The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; • The cost of fabricating and putting in place of window protectors of tube size specified above. • The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | | - | |
| This price per unit include; The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | 1 | | | |
| The cost of fabricating and putting in place of complete aluminum sliding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | | | |
| complete aluminum sliding windows, 4mm thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | | | |
| thick glass. The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | 604 | complete aluminum sliding windows 4mm | | |
| The cost of provision of internal protection with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | "" | | | |
| with tube of 30mm and bolts A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | | | |
| A unit (u) cost Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | | | |
| Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices This price per unit include; • The cost of fabricating and putting in place of window protectors of tube size specified above. • The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | | | - |
| (210x110)cm for the classrooms and offices This price per unit include; • The cost of fabricating and putting in place of window protectors of tube size specified above. • The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | - | | | |
| This price per unit include; The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | | | |
| The cost of fabricating and putting in place of window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | | | |
| window protectors of tube size specified above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | | | | |
| above. The cost of application of anti rust A unit (u) cost This cost per meter length includes; Angle 30mm metallic bar at veranda/door | 605 | | | |
| A unit (u) cost This cost per meter length includes; 606 Angle 30mm metallic bar at veranda/door | | | | |
| A unit (u) cost This cost per meter length includes; 606 Angle 30mm metallic bar at veranda/door | | The cost of application of anti rust | | · |
| This cost per meter length includes; 606 Angle 30mm metallic bar at veranda/door | <u> </u> | | | |
| 606 Angle 30mm metallic bar at veranda/door | | | | |
| | 606 | | | |
| | <u> </u> | A meter length (ml) cost | | |
| LOT700 ELECTRICITY | / JEOT 700 | ELECTRICITY | BTO A PART OF THE BATTER | 55年开始党员后加发 在 加州 |

इंद् ला चर

| 701 | Conduit pipes (flexible orange pipes ø13mm) This cost includes; • The cost of supplying and fitting the pipes for electricity according to plan approved by the project control team. A roll (roll) cost | | |
|---------|---|--|--|
| 702 | Original Cables V.G.V 1.5mm2 for lighting This cost includes; The cost of supplying and fitting V.G.V 1.5mm2 original cable as per plan A roll (roll) cost | | |
| 703 | original cable as per plan A roll (roll) cost | | |
| 704 | Complete lamp holders and Led lamp energy saver bulbs 12 Watts A unit (u) cost | | |
| 705 | One way switches 'The unit price include: • The cost of supplying and fitting all switches as per plan A unit (u) cost | | |
| 706 | Two way switches The unit price include: The cost of supplying and fitting all switches as per plan A unit (u) cost | | |
| 707 | Three pin English power sockets (squares) The unit price include: The cost of supplying and fitting all the sockets as per plan A unit (u) cost | | |
| 708 | Complete earthing of the structure (6mm copper cable 3m, earth rod 1.5m etc)This lump sum price include the cost of: Provision and execution of earthing proper with all accessories included A lump sum cost | | |
| 709 | Fuse box + Circuit breaker + line breaker and provision of connection to existing electricity network in the school. This lump sum price include the cost of: • Provision and fitting of fuse box, circuit/line breakers and provision for connection to existing network with accessories included A lump sum cost | | |
| LOT 800 | PAINTING | | |
| 801 | Priming coat in ordinary paint (National paint) This price per square meter includes; The cost of priming painting with ordinary paint (National paint) A square meter (m2) cost | and a control of the second of | |
| 802 | Two coats of water resistant paint (pantex 800) on internal walls and ceiling The price per square meter includes; • The cost of priming and painting of internal walls with pantex 800 (double coats) A square meter (m2) cost | | |
| 803 | Two coats of water resistant paint (pantex 1300)on | | |

| | external walls | | |
|----------|---|---|----------|
| | The price per square meter includes: | | |
| 1 | The cost of priming and painting of external | i | |
| 1 | walls with pantex.1300 (double coats) | | |
| | A square meter (m2) cost Oil paint on metallic doors (chasi-red)& skirting | ļ | |
| İ | (coffee brown) at window sill level externally and | | |
| 1 | internally | | |
| i | This price per square meter includes | | |
| 804 | The general cost of painting the wooden, | 1 | |
| | metallic elements with oil paint |] | |
| | (glyverophtalic) including skirting | | |
| | A square meter (m2) cost | | |
| LOT 900 | EXTERNAL WORKS | | |
| | Rain water(run-off) gutters 30x40cm with off shuts of | | |
| İ | 1.5m | | |
| | This general cost of realizing a concrete | | l i |
| 901 | gutter of width 30cm and depth 40cm | | 1 |
| | thickness 10cm all-round the floor. It shall be | | |
| | dosed at 300kg/m3 | | 1 |
| | A meter length(ml) costs | | |
| | Concreting of external veranda (dosed at 300kg/m3) | ; | |
| | This general cost of realizing a concrete | | |
| 902 | veranda of width 85cm and thickness 10cm | İ | 1 |
| | all-round the building. It shall be dosed at | 1 | 1 |
| | 300kg/m3 | | |
| | A meter cube (m3) costs | | <u>-</u> |
| | Prefabricated concrete slab / stairs on gutter at | | 1 |
| | entrances of the classrooms protected with 25mm angle bar | 1 |] |
| | This price per unit shall include | | |
| 903 | The cost of realizing slabs 120cm wide on | | |
| | gutters at entrances with reinforced concrete | 1 | |
| | dosed at 350kg/m3 and protected with 25mm | - | <u> </u> |
| | angle bar at edges | | |
| | A unit (u) costs | | |
| | Concrete ramps (2m wide) of reinforced concrete | | |
| ļ | dosed at 350kg/m3 protected with 25mm angle bar | |] |
| | This price per unit shall include | | 1 |
| 904 | The cost of realizing ramps 2m wide on | | |
| | gutters at entrances with reinforced concrete | | |
| | dosed at 350kg/m3 and protected with 25mm | } | 1 |
| 1 | angle bar at edges | | |
| | A unit (u) costs | and discharges about the same of the same | |
| LOT 1000 | HYGIENE AND ENVIRONMENTAL PROTECTION | | |
| | Provision of three trash cans labelled PIB 2018, two | | |
| | incinerating pits (2x2x1.5)m protected with dead | | [|
| 4004 | wood/bared wire and planting of ten trees | | |
| | This lump sum cost is for : | | |
| 1001 | Purchase and supply of the cans with labels | | |
| | as prescribed | | |
| 1 | Planting of environmental friendly trees The diagram of a dump pit with the chare | , | |
| | The digging of a dump pit with the above diamentions | | |
| | digiticitions | | |

DOCUMENT No. 7 BILL OF QUANTITIES AND ESTIMATES

BILL OF QUANTITIES AND COST ESTIMATES FOR THE CONSTRUCTION OF A BLOCK OF TWO (02) CLASSROOMS AT G.S CHAMKFUNG IN NKOR COUNCIL AREA, NONI IN BUI DIVISION

| ITEM | DESCRIPTION | UNIT | Q'TY | RAT E | AMOUNT |
|------|--|---------|------------|----------|--------|
| | 100:PRELIMINARY WORKS | | | | |
| 101 | Site installation | Lumps | 1 | | |
| 102 | Installation of project information board | Lumps | 1 | | |
| 103 | Preparation of working documents (Detailed execution programme, Site logbook, Report of execution, and Insurance policy) | Lumps | 1 | | |
| 104 | Clearing, Cutting of trees, digging of stumps, and removal of rocks | Lumps | 1 | | |
| 105 | Implantation of the building | Lumps | -1 | | |
| | SUBTOTAL 100 | 1 | | | |
| | 200:EARTHWORKS | | | , | - |
| 201 | Mass excavation and levelling of platform | m3 | 60 | | |
| 202 | Digging of foundation trenches depth=80cm and footings | m3 | 23.7 | | |
| 203 | Backfilling with selected lateritic soil | m3 | 64 | | |
| | SUBTOTAL 200 | | 1 | | |
| | 300: FOUNDATION | | | | |
| 301 | Blinding concrete dosed at 150kg/m3 | m3 | 2.8 | | - |
| 302 | Foundation in frog filled blocks -walls (20x20x40)cm | M2 | 74.64 | | |
| 303 | Reinforced concrete for footings, pillars and ground beams dosed at 350kg/m3 | m3 | 6.5 | | |
| 304 | Mass concrete floor (10 cm thick dosed at 300kg/m3) | m3 | 17.94 | | |
| | SUBTOTAL 300 | | | | |
| | 400: WALL MASONARY | | | | |
| 401 | Blocks of 15x20x40 for wall elevation | m2 | 224 | | |
| 402 | Plastering/Rendering with cement mortar dosed at 500kg/m3 and 400kg/m3 for spata-dash and final coat respectively | -m2 | 448 | | |
| 403 | Reinforced concrete for pillars, lintels, and final beams and beams/pillars around the openings dosed at 350kg/m3 | m3 | 11.3 | , | |
| 404 | Wall blackboard (500x120x2)cm with cement past finish, wire mesh and painting | U —- | 4 | | |
| 405 | Floor finish in cement screed of 4cm dosed at 400kg/m3 and cement paste | m2 | 220.6 0 | | |
| 406 | Black board stages with 30mm angle bar at the edges | U | 2 | | |
| | SUBTOTAL 400 | | | | |
| | 500: ROOF , | | | | |
| 501 | Complete roof trusses in treated hard wood (King-post = 200cm) with rafters of (5x15)cm, 8 main/8 secondary | U | 16 | 5 | |
| 502 | Purlins (5x8)cm | m3 | 1.5 | | |
| 503 | Noggings (5x8)cm | m3 | 2.56 | | |
| 504 | Ceiling of 4mm thick brown plywood | m2 | 233.6 | | |
| 505 | Ceiling at the eaves with smooth zinc (tole lisse) | m2 | 68 | | |
| 506 | Aluminium roofing sheets (tole bac 5/10mm) | m2 | 300 | | |
| 507 | Fascia board (Tole bac 5/10mm of 30cm height) including lining | - m2 | 22.5 | | |
| 508 | Angle sheets | MI | 34 | | |

| 509 | Alu ridge cap 50cm large | MI | 25 | 1 | |
|-----|--|--------------|------|---|----------|
| 510 | Ventilation of roof (pre-fabricated) at the eaves | U | 3 | - | |
| | SUBTOTAL 500 | - | | | |
| | 600: METAL WORKS AND JOINERY | | | | |
| 601 | Metal door of 90x220 with PACO lock and two pad locks and accessories for the office (external) | U | 313 | | |
| 602 | Wooden door of raised panels in hard wood + wooden frame fitted with a solid lock 90X220cm for the office (the external door shall be doubled i.e. metal and wood) | U | 2 | | |
| 603 | Metal door of 97x220cm fitted with PACO lock and two pad locks including accessories for the classrooms | U | 4 | | |
| 604 | Aluminium glazed windows of (210X110)cm with internal protection for the classrooms and offices | U | 12 | | |
| 605 | Window protectors in 30mm square tubes (210x110)cm for the classrooms and offices | U | 12 | | |
| 606 | Angle 30mm metallic bar at veranda/door | Mi | 39.7 | 1 | 1 |
| | SUBTOTAL 600 | 1 | | 1 | |
| | 700: ELECTRICAL INSTALLATIONS | i | 1 | } | j |
| 701 | Conduit pipes (flexible orange tubes ø13mm) | Roll | 2 | Ì | <u> </u> |
| 702 | Original cables V.G.V 1.5mm2 for lighting | Roll | 3 | 1 | |
| 703 | Original cables TH 2.5 mm2 for sockets | Roll | 2.5 | Ì | |
| 704 | Complete lamp holders and Led lamp energy saver bulbs 12 Watts | U | 20 | | |
| 705 | One way switches | U | 5 | |] |
| 706 | Two way switches | U | 4 | | Ĭ |
| 707 | Three pin English power sockets (squares) | U | 8 | | 1 |
| 708 | Complete earthing of the structure(6mm copper cable 3m, earth rod 1.5m etc) | Lumps | 1 | | |
| 709 | Fuse box + Circuit breaker+line breaker and provision of connection to existing electricity network in the school | Lumps | 1 | | |
| | SUBTOTAL 700 | | | | |
| | 800: PAINTING | | | | |
| 801 | Priming coat in ordinary paint (National paint) | m2 | 435 | | |
| 802 | Two coats of water resistant paint (Pantex 800) on internal walls and ceiling | m2 | 332 | | |
| 803 | Two coats of water resistant paint (Pantex 1300) on external walls | m2 | 103 | | |
| 804 | Oil paint on metallic doors (chasi-red) & skirting (coffee brown) at window sill level externally and internally | m2 | 224 | | |
| | SUBTOTAL 800 | | | | |
| | 900: EXTERNAL WORKS | | | | |
| 901 | Rain water (run-off) gutters 40x30cm with off shuts of 1.5m | MI | 68.1 | | |
| 902 | Concreting of external veranda 10 cm thick (dosed at 300kg/m3) | m3 | 5.88 | | |
| 903 | Prefabricated concrete slab / stairs on gutter at entrances of the classrooms protected with 25mm angle bar | U | 2 | | |
| 904 | Concrete ramps (2m wide) of reinforced concrete dosed at 350kg/m3 protected with 25mm angle bar | U | 2 | | |
| | SUBTOTAL 900 | | | | |
| | 1000: HYGIENE AND ENVIRONMENTAL PROTECTION | | | | Ţ |

| 1001 | Provision of three trash cans labelled PIB 2018, two incinerating pits (2x2x1.5)m protected with dead wood/bared wire and planting of ten trees | Lumps | 1 | |
|------|---|-------|---|--|
| | SUBTOTAL 1000 | | | |

SUMMARY

| 100:PRELIMINARY WORKS | |
|--|---|
| 200:EARTHWORKS | |
| 300: FOUNDATION | |
| 400: WALL MASONARY | |
| 500: ROOF | |
| 600: METAL WORKS AND JOINERY | |
| 700: ELECTRICAL INSTALLATIONS | 1 |
| 800: PAINTING | |
| 900: EXTERNAL WORKS | |
| 1000: HYGIENE AND ENVIRONMENTAL PROTECTION | |
| TOTAL WITHOUT TAXES | |
| VAT: 19.25% | |
| AIR: 2.2% or 5.5% | |
| TOTAL TAXES INCLUSIVE(TTC) | |
| NET TO BE PAYABLE | |
| · <u> </u> | |

This present estimate is closed at the sum of————F.C.F.A all taxes included

DOCUMENT N° 8 FRAMEWORK OF SUB DETAIL OF PRICES

UNIT PRICE BREAKDOWN

| No | Daily out put | | Total quantity | Unit | Duration activity | of |
|--------------------|--------------------------------|---------------------------------------|-------------------|---|-------------------|----|
| | Category | No | Daily wage | Days break up | Amount | |
| <u>.</u> | | | | | _ | |
| HS N | | | | | | |
| WORKMAN SHIP | | | <u> </u> | 1 | | |
| WOR | | | | | 1 | |
| | | - | | | | |
| | TOTAL A | ' | <u> </u> | 1 | | |
| EQUIPMENT/MECHINES | Туре | No | Daily rate | Days break up | Amount | |
| EC. | | | | | | |
| T/M | | , | | <u>i</u> | · | |
| Ē | | | <u> </u> | - | | |
| <u></u> | | | | | | |
| EQU | TOTAL B | | 1 . | <u> </u> | | |
| | Туре | Unit | Unit cost | Quantity | Amount | |
| . 글 | 17/6-0 | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | |
| ξ | , | | 1 | | | |
| D MISCELLANOUS | | | | | | |
| MIS | | | | | | |
| è | | | | | | |
| ₹. | | | | | | |
| ₹ | | | | | | : |
| MATERIAL ANI | | | | 1 | | |
| | TOTAL C | · · · · · · · · · · · · · · · · · · · | | A+B+C | | |
| D | | DIRECT TOTAL COST | | | | |
| <u>E</u> | GENERAL SITE EXPENSE | | | Dx% | | |
| F | GENERAL OFFICE EXPENS | SES | | Dx% | | |
| G | NET COST | | *. | D+E+F. | | |
| H | RISK + BENEFITS | | | Gx% G+H | | |
| <u>P</u> V | TOTAL COST (HT) UNIT COST (HT) | <u> </u> | | P/Q'TY | | _ |

DOCUMENT N° 9 MODEL JOBBING ORDER

REPUBLIQUE DU CAMEROUN

Paix - Travail - Patrie

MINISTRE DE LA DECENTRALISATION ET DU DEVELOPPEMENT LOCAL

COMMUNE DE NKOR

SERVICE DE PASSATION DES MARCHÉS PUBLICS

REPUBLIC OF CAMEROON

Peace - Work - Fatherland

MINISTRY OF DECENTRALISATION AND LOCAL DEVELOPMENT

NKOR COUNCIL

SERVICE FOR THE AWARD OF PUBLIC CONTRACTS

NKOR COUNCIL INTERNAL TENDERS BOARD.

| JOBBING ORDER | NO/JO/NC/NCI | ГВ/2019 OF | 2019 FOR THE CONSTRUCTION |
|---|---|-------------------|---------------------------|
| | | ••••• | |
| | Awarded after an Ope | en National Invit | ation to Tender |
| Nº 01/ONIT/ NO | | | RUCTION OF A BLOCK OF TWO |
| | | | AREA, NONI SUB- DIVISION, |
| | | NORTH WEST REGIO | |
| TRADE REGISTER N TAX PAYER N°: BANK ACCOUNT N | RESS): P.O BOX TEL I°(N° R.C.): | .AT | · |
| SUBJECT: | *************************************** | ••••••••• | |
| | INE: | | |
| AMOUNT IN FCFA: | | | |
| | | | |
| | Amount tax inclusive | | |
| | Amount without Taxes | | |
| | VAT (19.25) | | |
| | A.I.R. (2.2 or 5.5 %) | | |
| | Net Payable | | |
| BUDGET HEAD: | ••••••••••••••••••••••••••••••••••••••• | | · . |
| | ENTER | ED ON: | |
| | | | |
| | | | |
| | | TERED ON: | |

| | ment of the Republic of Cameroon, represented by the Mayor of Nkor Council hereinafter as the "The Contracting Authority" |
|-----------|--|
| on the on | E PART, |
| AND | |
| Entornico | |
| | office is at |
| | referred to as the "Contractor" |
| | by its Director, Mr./Ms |
| Address: | P.O. Box |
| | Business Registry No |
| | Tax Payers' Card No |
| | |

ON THE OTHER PART

BETWEEN:

IT IS HEREBY AGREED AND ORDERED AS FOLLOWS:

SUMMARY

Part I: Special Administrative Clause (SAC)

Part II: Special technical Clauses (STC)

Part III: Schedule of Unit Prices

Part IV: Details or Estimates

| Page and | last of Jobbing Order No_ | |
|------------------------|---------------------------|--|
| National Invitation to | Tender No 01/ONIT/ NC/N | CH8/2019 |
| With | | |
| | | |
| | • | |
| FOR THE CONSTRU | CTION OF A BLOCK OF I'V | 0 (02) CLASSROOMS AT G S CHAMKFUNG IN NKOR |
| | COUNCIL AREA, | NONI SUB - DIMISION. |
| | | |
| | | |
| | | |
| EXECUTION DEADU | INE: FOUR (04) MONTHS | |
| | | |
| AMOUNT OF JORRI | NG ORDER IN FCFA: | |
| | | |
| • | Amount tax inclusive | |
| , | Amount without Taxes | |
| : | VAT (19.25) | |
| | A.I.R. (2.2 or 5,5%) | |
| : | Net Payable | |
| | · | |
| | Dord and area | pled by the Contractor |
| | Kedd Gna Gcce | pied by the Coninditor |
| • | | |
| | | |
| | 1440D | |
| | | (date) |
| | Signed by the LORD | MAYOR NKOR COUNCIL |
| | | |
| | | |
| | | |
| | | (date) |
| | Re | gistration ' |
| | | |
| | | |
| • | | |
| | | |
| | | |

DOCUMENT N° 10 FORMS AND MODELS TO BE USED

TABLE OF MODELS

Annex No. 1: Model tender

Annex No. 2: Model bid bond

Model No. 3: Model find bond

Model No.:4: Model of start-off advance bond

Model No. 5: Model retention fund

Annex No. 6: Schedule framework

Annex No. 1: Model tender

| l, the undersigned[indicate the name and capacity of signatory] |
|---|
| Representing thecompany or enterprise or group ¹ with head office at |
| registered in the trade register of under the number No |
| Having taken cognisance of all the documents featured or mentioned in the Tender File: |
| [recall the subject of the invitation to tender] |
| After having personally taking account of the situation of the site and evaluated from my point of view and under my responsibility, the nature and difficulty of the works to be carried out; Hereby submit, bearing my signature, the schedule of unit prices as well as the quotations in accordance with the structure featuring in the Tender File. |
| Submit and commit myself to execute the works in accordance with the Tender File, in return for the prices which I myself establish for each type of structure which prices reveal the amount of the tender for lot No |
| I pledge to execute the works within a deadline ofmonths. |
| I pledge to maintain my offer for [indicate duration of validity, in principle 90 days from the deadline of submission of tenders. |
| Rebates and the modalities of application the said rebates shall be the following (in case of the possibility of award of several lots). |
| The Project owner shall pay the sums due for this contract by crediting account No |
| opened inBankBranch |
| Prior to the signing of the contract, this tender accepted by you shall constitute an agreement between us. Signature of |
| sign the tenders on behalf of ² |

¹ Delete where necessary
² Attach the Power of Attorney

ANNEX No. 2: MODEL BID BOND

| Addressed to [indicate the Contracting Authority and his address] "Contracting Authority" |
|---|
| Whereas the undertaking hereinafter referred to as the "bidder" has submitted his |
| tender onfor [recall the subject of the invitation to tender], hereinafter referred to as "the |
| tender" and to which shall be attached a bid bond equivalent to findicate the amount] CFA francs. |
| We [name and address of the bank], represented by [names of signatories] |
| hereinafter referred to as "the bank" hereby declare to guarantee payment to the Contracting Authority |
| of the maximum sum of [indicate the amount] CFA francs, that the bank pledges to pay in full to the |
| Contracting Authority, binding itself, its successors and assignees. |
| The conditions of this commitment are as follows: |
| If the bidder retires his tender during the validity period specified by him in the tender; or |
| If the bidder, having been notified of the award of the contract by the Contracting Authority during the |
| validity period: |
| Fails or refuses to sign the contract, even though required to do so; |
| Fails or refuses to furnish the final bond for the contract (final bond) as provided for by the contract; |
| We pledge to pay to the Contracting Authority an amount up to the maximum of the sum referred to |
| above upon reception of his first written request, without the Contracting Authority having to justify his |
| request, given, however, that in his request the Contracting Authority shall note that he is due the amount |
| he is claiming because one or the other or both of the above condition(s) has (have) been fulfilled and he |
| shall specify which condition(s) took effect. |
| This bond shall enter into force from the date of signature and from the date set by the Contracting |
| Authority for the submission of tenders, it shall remain valid up till the thirtieth day inclusive following the |
| end of the deadline for the validity of tenders. Any request by the Contracting Authority to cause it to |
| ake effect should reach the bank by registered mail with an acknowledgement of receipt before the end |
| of this period of validity. |
| this bond shall, for purposes of its interpretation, be submitted to Cameroon law. Cameroon courts shall |
| pe the only jurisdictions competent to rule on this commitment and its consequences. |
| Signed and authenticated by the bank at, on |
| [Bank's signature] |
| |

ANNEX No. 4: Model of start-off advance bond

| Bank: reference, address |
|--|
| • |
| We, the undersigned, (bank, address) hereby declare by the present to guarantee on behalf |
| of [the holder] to the benefit of the Contracting |
| Authority [address of the Contracting Authority] (the beneficiary) |
| The payment, without contest and upon receipt of the first written request by the beneficiary, declaring |
| that[the holder] has not fulfilled his obligations relating to the reimbursement of the start-off |
| advance according to the terms of contract $\stackrel{\cdot}{No.}$ of relating to |
| works [indicate the subject of the works, the references of the invitation to tender and |
| the lot, if possible] of the total sum corresponding to the advance of [twenty (20) %] of the amount |
| inclusive of all taxes of contract No, payable upon notification of the corresponding |
| Administrative Order that is,CFA francs. |
| This bond shall enter into force and shall take effect upon reception of the respective parts of this |
| advance into the accounts of [the holder] opened in the bank under |
| No |
| This bond shall remain in force up till the reimbursement of the advance in accordance with the SAC. |
| However, the amount of the guarantee shall be proportionately reduced on the progressive |
| reimbursement of the advance. |
| The applicable law and jurisdiction shall be those of the Republic of Cameroon. |
| Signed and authenticated by the bank at on |

Signature of the bank

ATTACHMENT No. 5: MODEL OF PERFORMANCE BOND (RETENTION FUND)

| Bank: |
|---|
| Reference of the bond: No |
| Addressed to [Indicate the Contracting Authority] |
| [Address of Contracting Authority] |
| Hereinafter referred to as "the Contracting Authority" |
| Whereas name and address of Supplier] hereinafter referred to "the contractor", pledged, in |
| execution of the contract, to carry out the works of [indicate the subject of the work] |
| Whereas it is stipulated in the contract that the retention fund fixed at [percentage below 10 % to be specified] of |
| the amount of the contract may be replaced by a joint guarantee, |
| Whereas we have agreed to provide the Contractor with this guarantee, |
| We,[name and address of the bank], |
| Represented by[names of signatories] and hereinafter referred to as "the bank", |
| Hence, we hereby affirm that on behalf of the Contractor, we guarantee and are responsible to the Contracting |
| Authority for a maximum amount of |
| [in figures and letters] corresponding to [percentage below 10 % to be specified] of the contract price3. |
| And we pledge to pay to the Contracting Authority within a maximum deadline of eight (8) weeks upon his simple written request declaring that the contractor has not fulfilled his contractual obligations or is indebted to the Contracting Authority within the meaning of the contract, amended where need be, by its additional clauses, without being able to defer the payment nor raise any contest for whatever reason, any sum(s) within the limits of the amount equal to [percentage below 10 % to be specified] of the total amount of the works featuring in the final detailed account, without the Contracting Authority having to prove or give the reasons nor the motive for the amount of the sum indicated above. We hereby agree that no change or addendum or any other amendment shall release us of any obligation incumbent on us by virtue of this bond and we hereby incline by the present to the notification of any amendment, addendum or change. |
| This bond shall enter into force upon signature. It shall be released within thirty (30) days from the date of the final acceptance of the works and upon release issued by the Contracting Authority. |
| Any request for payment formulated by the Contracting Authority by virtue of this bond should be done by registered mail with acknowledgement of receipt to reach the bank during the period of validity of this commitment. This bond shall, for purposes of its interpretation and execution, be subject to Cameroon law. Cameroon courts shall be the only jurisdictions competent to rule on this pledge and its consequences. |
| Signed and authenticated by the bank at on |
| [Signature of the bank] |

³ In the case where the bond is established once upon start of the works and covers the full bond, that is, 10 % of the amount of the contract

ANNEX No. 6: Schedule framework

The quantities, daily outputs, the duration of execution of works and the slowdowns or even the due interruptions shall be clearly brought out in the schedules.

The financial schedule resulting from the schedule of works shall indicate month by month, the estimated amounts of the detailed accounts of works by item and cumulatively by taking into account the incidence of rainy seasons for the basic solution and possibly variant solution.

[Signature of the bank]

DOCUMENT N° 11 LIST OF COMMERCIAL BANKS AND FINANCIAL INSTITUTIONS

LIST OF COMMERCIAL BANKS AND FINANCIAL INSTITUTIONS AUTHORIZED TO ISSUE BONDS FOR PUBLIC CONTRACTS

I- BANKS

- 1. Afriland First Bank
- 2. BanqueAtlantique
- 3. Banque Gabonaise pour le Financement International (BGFI BANK)
- 4. Banque International du Cameroun pour l'Epargne et le Crédit (BICEC)
- 5. CITI Bank
- 6. Commercial Bank of Cameroon (CBC)
- 7. Ecobank
- 8. National Financial Credit Bank
- 9. Société Camerounaise de Banque au Cameroun
- 10. Société Générale de Banque au Cameroun
- 11. Standard Chartered Bank Cameroon
- 12. Union Bank of Cameroon
- 13. United Bank for Africa.

II- Insurance companies

- 14. Chanas Insurance;
- 15. Activa Insurance

DOCUMENT N° 12 OTHER DOCUMENTS

REPUBLIQUE DU CAMEROUN

Paix - Travail - Patrie

MINISTRE DE LA DECENTRALISATION ET DU DEVELOPPEMENT LOCAL

COMMUNE DE NKOR

SERVICE DE PASSATION DES MARCHÉS PUBLICS REPUBLIC OF CAMEROON

Peace - Work - Fatherland

MINISTRY OF DECENTRALISATION AND LOCAL DEVELOPMENT

NKOR COUNCIL

SERVICE FOR THE AWARD OF PUBLIC CONTRACTS

EVALUATION GRID

N° 01/ONIT/NC/NCITB/2019 OF _____ 2019FOR THE CONSTRUCTION OF A BLOCK OF TWO (02) CLASSROOMS AT G S CHAMKFUNG IN NKOR COUNCIL AREA NONI SUB - DIVISION.

| | EVALUATION GRIDHOR ELIMINATORY GRITERIA A | | |
|--------|---|-------------|-------------|
| DOC N° | DESCRIPTION | YES | NO |
| A.1 | Certified Copy of the Business Registration, not more than three months old. | · , | |
| A.2 | Declaration of intention to tender stamped with the tariff in force(.dated , signed And stamped by the contractor) | - | _ |
| A.3 | Certificate of non-bankruptcy established by the Court of 1st instance or the Chamber of Commerce, Industry and Trade of the place of residence of the bidder, not more than three (03) months. | | |
| A.4 | Attestation of bank account of the bidder, issued by a first rate-bank approved by the Ministry in charge of Finance or by a foreign bank of first order not more than three months. | | |
| A.5 | Purchase receipt of tender file issued by public treasury | † - | |
| A.6 | A bid bond of 380 000FCFA per lot (Three hundred Eighty thousand FCFA) issued by a first rate-bank approved by the Ministry in charge of Finance in conformity with COBAC conditions | , | |
| A.7 | An attestation of non-exclusion from Public Contracts issued by the Public contract Regulatory Board (ARMP) | | |
| A.8 | Valid attestation for submission by the Social Insurance Fund, certifying that the bidder satisfied his obligations with respect to the aforementioned Social Insurance | | |
| A.9 | A valid Certificate of imposition certified by the chief of centre | | |
| A.10 | Business License (photocopy certified by the chief of centre, not more than three months). | | |
| A.11 | Certified Copy of a valid taxpayers card, delivered by the chief of centre. | | |
| A.12 | Plan and attestation of localization signed by the taxation authorities | | |
| A.13 | Deadline for delivery higher than prescribed | | |
| A.14 | False declaration or falsified documents | | |
| A15 | Two Bids with the same personnel | | |

| B.3.3 | 88 33 32 | 8.3.7 | 8.3 | B.2.1 B.2.2 | 8.2 | | (B) Ne B.1 |
|--|---|--|--|---|--|--|--|
| Other support staff or semi-skilled workers > 02 Two builders with 3 years professional experience in building construction or similar works. (Only CVs signed by the candidate) > 02 Two Carpenters with 3 years professional experience on carpentry or similar works. Only CVs signed by the candidate > 01 One Electrician with 3 years professional experience on Electricity or | A foreman with at least the level of a technician in civil engineering or Rural Engineering with at least three (03) years' of professional experience in the domain of civil construction or similar works. > CV signed by the candidate, > A certified capy of the technical diploma > An Attestation of presentation of original of the technical diploma > An attestation of availability signed by the candidate notably. > Certified capy of ID card | A works supervisor with at least the level of a senior technician in civil engineering or Rural Engineering with at least three (03) Years' professional experience in the domain of civil construction or similar works. > CV signed by the candidate, > A certified copy of the technical diploma > An Attestation of presentation of original of the technical diploma > An attestation of availability signed by the candidate notably. > Certified copy of ID card | QUALIFICATION AND EXPERIENCE OF SUPERVISORY STAFF FOR EACH LOT | First Reference in the domains of construction Second Reference in the domains of construction | REFERENCES OF SIMILAR WORKS EXECUTED > List of references of similar works executed. The contractor will provide evidence of similar work carried out during the last Five (05) years. > Show proof of similar projects executed by presenting at least two copies of different Contracts and reception minutes (provisional reception for 2015 and 2016 projects or final reception for up to 2014 projects) and related contracts or jobbing orders first and last pages | Properly bind. Table of content. Separators in color apart from white Order described respected Clearness of the documents | EVALUATION GRID FOR ESSENTIAL CRITERIA General presentation of bids |

÷ .

| | similar works. (Only CVs signed by the candidate) | |
|-------|---|-------------|
| | > 01 Painter with 3 years professional experience on Electricity or similar works. (Only CVs signed by the candidate) | |
| B.4 | TECHNICAL PROPOSALS | 1 <u></u> _ |
| B.4.1 | - The mode of execution of the works | |
| B.4.2 | - The planning of intervention, the expected output | |
| B.4.3 | - supply of materials or site equipment | 1 |
| B.4.4 | - Measures of safety and protection of the environment | |
| B.4.5 | - Administrative and technical organization of the enterprise | |
| B.5 | LOGISTICS (Equipment put aside for this project) | |
| B.5.1 | Proof of ownership of a pickup truck or van, or show proof of ability to hire | |
| B.5.3 | Proof of ownership of a Concrete vibrator or show proof of ability to hire | |
| B.5.4 | Proof of ownership of a Hand compactor or show proof of ability to hire | |
| B.5.5 | Masonry Kit: Wheelbarrows, masonry clamps, masonry hammer 300g, shovel, dig axe, building level, masonry bucket, trowels, etc. | |
| | Carpentry Kit: carpentry clamps, saws, harmers, etc. | |
| B.6 | FINANCIAL CAPACITY | |
| B.6.1 | Pre – Financing capacity from a banking or institutions of first order approved by the Ministry in charge of finance, not less than 75% to the amount required in the offer. | |
| B.7 | ATTESTATION OF SITE VISIT AND SITE VISIT REPORT | |
| B.7.1 | Attestation of site visit signed by the contractor | |
| B.7.2 | Site visit Report of (The bidder shall under his responsibility visit the site and gather all the information necessary for the preparation of his technical proposals signed by the contractor and justified by pictures | |
| в.8 | The Special Administrative Clauses (SAC); (each page should be initialed and the last page signed And stamped). | : |
| B.9 | The Special Technical Clauses (STC). (Each page should be initialed and the last page signed And stamped). | |
| | · · · · · · · · · · · · · · · · · · · | |

| | EVALUATION GRID OF FINANCIAL OFFER |
|-----|--|
| C.1 | The bid itself according to the model attached, shall be stamped at the rate in force, dated, signed And stamped by the contractor |
| C.2 | Unit price schedule duly completed, with an indication of the unit price excluding VAT in words and in figures. (signed And stamped) |
| C.3 | Detail quantities and cost estimated (signed And stamped) |
| C.4 | The sub-details of prices(signed And stamped) |

NB: The financial evaluation shall be based on the corrected amount of the bid. It shall consist of the analysis of the coherence of prices as well as the amounts of the totals

Main Evaluation criteria's

The bids shall be evaluated according to the main aiteria as follows:

A/Eliminatory criteria

- Absence of an element in the administrative file;
- Deadline for delivery higher than prescribed;
- False declaration or falsified documents:
- Absence or insufficient amount on bid bond;
- Incomplete financial file.
- Two Bids with the same personnel
- A bid with the external envelope carrying a sign or mark leading to the identification of the bidder

B/Essential criteria

The criteria relating to the qualification of candidates are based on the following:

- General presentation of the tender files;
- References of the company in the similar achievements;
- Experience of supervisory staff ;
- Logistics (Equipment);
- Methodology;
- Financial capacity;
- Attestation of site visit signed by the contractor
- Report of site visit signed by the Contractor
- The Special Technical Clauses (STC). (Each page should be initialed and the last page signed and stamped);
- Special Administrative Clauses completed (each page should be initialed and the last page signed and stamped);
- Pre Financing capacity greater or equal to the amount required in the offer

The essential criteria are subjected to minima whose detail is given in the Special Regulation of the Invitation to tender (RPAO).

C/ Main qualification criteria

The criteria relating to the qualification of candidates could be indicative on the following:

The essential criteria are subjected to minima whose detail is given in the Special Tender Regulation (RPAO).

This evaluation will be done in a purely binary method with a (yes) or a (no) with an acceptable minimum of 80% of the essential criteria taken in account.

The contract will be awarded to the bidder who would have proposed the offer with the lowest amount, in conformity with the regulations of the Tender Documents and having satisfied to 100% of the eliminatory criteria and at least 80% of the essential criteria.


MODEL ATTESTATION OF SITE VISIT


| I the undersigned | ••• |
|---|---|
| Engineer of the Company: | (Name of Enterprise), |
| Has actually visited the site winder relative TENDER N°01/ONIT/NC/NCIT | hich is going to receive the structure B/2019 OF2019 |
| FOR THE CONSTRUCTION OF A BLOCK OF T | WO (02) CLASSROOMS AT GS CHAMKFUNG, NKOR |
| COUNCIL AREA, | , NONI SUB – DIVISION |
| The interested person declares: | |
| - To have carried out a thorough study of the to the execution of job with respect to norms | e site taking into consideration all the constraints relative s. |
| | into account the difficulties of the site relative to the dition claim the Delegated Contracting Authorityfor any |
| In Testimony Whereof, this present attestourpose it deserves. | ation of site visit is established and issued to serve the |
| | Date Stamp of enterprise |
| | Signature and Names of the Contractor. |


SITE VISIT REPORT

| Name of School |
|---|
| Name of Enterprise |
| |
| 1. CONTEXT OF THE PROJECT |
| 2. GEOGRAPHICAL SITUATION |
| 3. STATE OF THE SITE |
| 4. PHOTOGRAPHS OF THE SITE (access to the site, existing structures of the school, Sign post of |
| the school, Photos of the Engineer of the enterprise in front of the school building etc.) |
| |
| Daite |
| Name of Enterprise: |
| Stamp and signature of enterprise |

DOCUMENT N° 13 GRAPHIC PLANS







,

7%

.

•

