REPUBLIC OF CAMEROON Peace-Work-Fatherland

NORTH-WEST REGIONAL ASSEMBLY

REGIONAL EXECUTIVE COUNCIL

PEACE-JUSTICE-UNITY-HARD WORK- SOLIDARITY

IMPUTATION:



REPUBLIQUE DU CAMEROUN Palx-Travail-Patrie

ASSEMBLEE REGIONALE DU NORD-OUEST

CONSEIL EXECUTIF REGIONAL

PAIX-JUSTICE-UNITE-TRAVAIL-SOLIDARITE

## OPEN NATIONAL INVITATION TO TENDER

## TENDER FILE

PROJECT OWNER:

THE PRESIDENT OF THE NORTH WEST REGIONAL ASSEMBLY

**CONTRACTING AUTHORITY:** 

THE PRESIDENT OF THE NORTH WEST REGIONAL ASSEMBLY

TENDER BOARD:

NORTH WEST REGIONAL ASSEMBLY INTERNAL TENDERS BOARD (NWRAITB)

TENDER FILE N° = 0 2 9 /ONIT/NWRA/ITB/2024 OF 2 7 HAI 2024
FOR THE CONSTRUCTION OF A RETAINING WALL AT NKONYI
TO PROTECT THE ROAD SECTION BOYUL PK 49 + 200 ON THE
BAMBUI - FUNDONG ROAD

<< BY EMERGENCY PROCEDURE>>>

**FINANCIAL YEAR 2024** 

## TABLE OF CONTENTS

Document No. 1: Tender Notice	3
Document No. 2: General Regulations of the Invitation to Tender	10
Document No. 3: Special Regulations of the Invitation to Tender	26
Document No. 4: Special Administrative Conditions	34
Document No. 5: Special Technical Conditions	49
Document No. 6: Schedule of unit prices	62
Document No. 7: Bill of quantities and estimates	67
Document No. 8: The sub-detail of prices	72
Document No. 9: Model Contract.	74
Document No. 10: Model documents to be used by bidders	78
Document No. 11: Justifications of preliminary studies	91
Document No. 12: List of banking establishments and financial bodies authorised to issue bonds for Public Contracts	93

## Document N°. 1 TENDER NOTICE

#### REPUBLIC OF CAMEROON Peace-Work-Fatherland

NORTH-WEST REGIONAL ASSEMBLY

REGIONAL EXECUTIVE COUNCIL

PEACE-JUSTICE-UNITY-HARD WORK- SOLIDARITY



#### REPUBLIQUE DU CAMEROUN Paix-Travail-Patrie

ASSEMBLEE REGIONALE DU NORD-OUEST

CONSEIL EXECUTIF REGIONAL

PAIX-JUSTICE-UNITE-TRAVAIL-SOLIDARITE

## TENDER NOTICE

OPEN NATIONAL INVITATION TO TENDER

<< BY EMERGENCY PROCEDURE>>

Financing: ROAD FUND 2024 Regional Assembly.

#### 1. Subject of the Invitation to Tender:

Within the framework of 2024 Road Fund, The President of the North West Regional Assembly, Contracting Authority, hereby launches an Open National Invitation to tender for the construction of a retaining wall at Nkonyi to protect the road section Boyui PK 49 + 200 on the Bambui - Fundong road

#### 2. Nature of works:

Works to be done consists of

- 100. PRELIMINARY WORKS
- 200. EARTHWORKS
- 300. FOUNDATION
- 400. RETAINING WALL IN GABIONS PACKING
- 500. CONCRETING ON HIGH SLOPES AND V GUTTERS
- 600. PLANTING OF TREES

#### 3. Execution deadline

The maximum deadline provided by the Contracting Authority for the execution of the works which are the subject of this Invitation to tender is Seven (07) Months.

4. Lot: This project is in a single lot.

#### 5. Estimated cost

The estimated cost after preliminary studies

LOT	DIVISION	PROJECT	AMOUNT (ATI)
1	ВОУО	construction of a retaining wall at Nkonyi to protect the road section Boyui PK 49 + 200 on the Bambui - Fundong road	

#### 6. Participation and origin

REPUBLIQUE D

Participation to this Invitation to tender is open under the same conditions to all Cameroonian companies and business persons that have proven experience in the field of building construction and provided they are in compliance with the Cameroonian laws.

#### 7. Financing

Works which are the subject of this Invitation to Tender shall be financed by the 2024 Road Fund assigned to the North West Regional Assembly.

8. Bid bond

4

The bidder must include in his administrative documents, a bid bond issued by a first-rate financial and insurance establishment approved by the Ministry in charge of Finance (See list in document  $N^{\circ}$ . 12 of the Tender File). The amount is of the table below and valid for Thirty (30) days beyond the date of validity of bids.

LOT	DIVISION	PROJECT	AMOUNT	AMOUNT OF
			(ATI)	BID BOND
1	ВОУО	Construction of a retaining wall at Nkonyi to protect the road section Boyui PK 49 + 200 on	472, 140,097	9, 442,802
		the Bambui - Fundong road		, , , , , , , ,

#### 9. Consultation of Tender File:

The file may be consulted during working hours at The Office of the Director of General Affaires of the North West Regional Assembly (Tel N° 2 33 36 00 92), as soon as this notice is published.

10. Acquisition of Tender File:

The file may be obtained from the Office of the Director of General Affaires of the North West Regional Assembly (Tel N° 2 33 36 00 92), as soon as this notice is published against payment of the sum of one hundred and ninety Thousand (190,000) Francs CFA Francs, payable at the Treasury of the North West Regional Assembly (Block B), representing the cost of purchasing the Tender File.

#### 11. Submission of bids:

Each offer drafted in English or French in Seven (7) copies including One (1) original and Six (6) copies marked as such, should reach the Office of the Director of General Affaires of the North West Regional Assembly (Tel N° 2 33 36 00 92), not later than 3 10:00am noon local time and should carry the inscription:

THE BAMBUI - FUNDONG ROAD << BY EMERGENCY PROCEDURE>>>>

"To be OPEN only during the bid-opening session"

12. Admissibility of bids

Upon penalty of being rejected, only originals or certified true copies signed by the issuing service or administrative authorities (Senior Divisional Officer, Divisional Officers....) must imperatively be produced in accordance with the Special Regulations of the Invitation to Tender.

They must obligatorily not be older than three (3) months preceding the date of submission of bids or may be established after the signature of the tender notice

Any bid not in compliance with the prescriptions of the Tender File shall be rejected. This refers especially to the absence of a bid bond issued by a first-rate bank or insurance establishment approved by the Minister in charge of Finance.

13. Opening of bids:

14. The bids shall be OPEN in a single phase. The opening of the administrative documents, the Technical and Financial offers will take place on the 10 202 at 11.00 am local time, in the conference hall of the Internal Tenders Board, by its competent members. Only bidders may attend or be represented by duly mandated persons of their choice and having a good knowledge of their files.

15. Evaluation criteria

The bids shall be evaluated according to the main criteria as follows:

EE REGIONA

A. Eliminatory criteria

- 1. Absence or non-conformity of an element in the administrative file not regularized within 48 hours after opening of bids
- 2. Execution deadline higher than prescribed in the Tender File;
- 3. False declaration or falsified documents:
- 4. Absence or insufficient bid bond at the opening of the bids;
- 5. A bid with the external envelope carrying a sign leading to the identification of the bidder;
- 6. Incomplete financial file:
- 7. Non respect of 75% of essential criteria:
- 8. Suspended by MINMAP for 2024.
- 9. Submission of insufficient number of copies of bids;
- 10. Average annual turnover of at least the tendering amount (Average annual turnover calculated as total certified payments received for contracts in progress or completed, within the last five (5) years (from 2019). This should be justified by copies of past contracts (completed or ongoing). Final reception minutes for all completed contracts before 2023 and provisional reception minutes for contracts completed in 2024 should be presented.

#### B. Essential criteria

- 1- General presentation of the bids;
- 2- Financial capacity:
- 3- References of the company in similar works visaed by the competent authority;
- 4- Quality of the personnel;
- 5- Technical organization of the works;
- 6- Safety measures on the site;
- 7- Logistics;
- 8- Attestation of site visit duly signed on honour by the bidder and report of site visit with pictures;
- 9- Special Technical Clauses initialed on all the pages, signed and dated on the last page;
- 10- Special Administrative Clauses completed and initialed on all the pages, signed and dated at the last page.

#### 15. Award

The evaluation will be done in a binary way (Yes) or (No) with an acceptable minimum score of 75% of the essential criteria taken in account.

The Contract will be awarded to the bidder who would have proposed the offer with the lowest amount, in conformity with the regulations of the Tender Documents and having satisfied to 100% of the eliminatory criteria and at least 75% of the essential criteria.

#### 16. Validity of bids

Bidders will remain committed to their offers for Ninety (90) days from the deadline set for the submission of tenders.


#### 17. Complementary information

Complementary technical information may be obtained during working hours from the Office of the Director of General Affaires of the North West Regional Assembly (Tel N° 2 33 36 00 92).

Done at Bamenda on \_\_\_\_\_ & 8 JUIN 2024

#### Copies:

- ARMP BAMENDA
- RD/MINMAP/NW
- Chairperson of ITB/NWRA
- Notice Board
- File/archive



#### REPUBLIC OF CAMEROON Peace-Work-Fatherland

NORTH-WEST REGIONAL ASSEMBLY

REGIONAL EXECUTIVE COUNCIL

PEACE-JUSTICE-UNITY-HARD WORK-SOLIDARITY



#### REPUBLIQUE DU CAMEROUN Paix-Travail-Patrie

ASSEMBLEE REGIONALE DU NORD-OUEST

CONSEIL EXECUTIF REGIONAL

PAIX-JUSTICE-UNITE-TRAVAIL-SOLIDARITE

## AVIS D'APPEL D'OFFRES APPEL D'OFFRES NATIONAL OUVERT

N° - 0 2 9 / AONO/ARNO/CIPM/2024 DU 2 7 MAI 2004R LES TRAVAUX DE CONSTRUCTION D'UN MUR DE SOUTENEMENT A NKONYI POUR PROTEGER LE TRONÇON ROUTIER BOYUI PK 49 + 200 SUR LA ROUTE BAMBUI - FUNDONG

<< PAR PROCÉDURE D'URGENCE>>
Financement : Fonds Routier 2024 alloué à l'Assemble Régional de Nord-Ouest.

#### 1. Objet de l'Appel d'Offre

Dans le cadre de l'exercice budgétaire 2024, le Président de l'Assemblée Régionale du Nord-Ouest, Autorité Contractante lance un Appel d'Offres National Ouvert pour les travaux de construction d'un mur de soutènement à Nkonyi pour protéger le tronçon routier Boyui PK 49 + 200 sur la route Bambui - Fundong

#### 2. Consistance des travaux

Les travaux comprennent notamment :

100. TRAVAUX PRELIMINAIRES

200. TERRASSEMENT

300. FONDATION

400. MUR DE SOUTENEMENT EN GABIONS D'EMBALLAGE

500. BETONNAGE SUR PENTES ELEVEES ET GOUTTIERES EN V

600. PLANTATION D'ARBRES

#### 3. Délais d'exécution

Le délai maximum prévu le Maître d'Ouvrage Délégué pour la réalisation des travaux objet du présent appel d'offres est de Sept (07) Mois

#### 4. Allotissement

Ce projet est en un lot comme indiqué ci-dessous

S/No.	DEPARTEMENT	PROJECT
01	ВОУО	construction d'un mur de soutènement à Nkonyi pour protéger le tronçon routier Boyui PK 49 + 200 sur la route Bambui - Fundong

#### 5. Coût prévisionnel

Le coût prévisionnel de l'opération à l'issue des études préalables est.

LOT	DEPARTEMENT	PROJECT	AMOUNT (ATI)
1.	ВОУО	construction d'un mur de soutènement à Nkonyi pour protéger le tronçon routier Boyui PK 49 + 200 sur la route Bambui - Fundong	472,140,097

#### 6. Participation et origine

La participation au présent Appel d'offres est ouverte dans les mêmes conditions à toutes les entreprises et hommes d'affaires camerounais ayant une expérience dans le domaine de la construction de bâtiments et à conformité avec les lois camerounaises.

7. Financement



Les travaux objet du présent appel d'offres sont financés par le Budget d'Investissement Publics du Cameroun de l'exercice 2024 alloué à l'Assemble Régional de Nord-Ouest.

#### 8. Cautionnement provisoire

Chaque soumissionnaire doit joindre à ses pièces administratives, une caution de soumission établie par une banque ou assurance de premier ordre agréée par le Ministère chargé des finances (Voir liste dans la pièce 12 du DAO). La montant de et dans le tableur ci-dessous et valable pendant trente (30) jours au-delà de la date originale de validité des offres.

Lot	Département	Project	Montant (TTC)	Montant de caution provisoire
1	вочо	construction d'un mur de soutènement à Nkonyi pour protéger le tronçon routier Boyui PK 49 + 200 sur la route Bambui - Fundong	472,140,097	9, 442,802

#### 9. Consultation du Dossier d'Appel d'Offres

Le Dossier d'Appel d'Offres peut être consulté et obtenu aux heures ouvrables aux bureau de Directeur des Affaire General à l'Assemble Regional de Nord-Ouest (Tel N° 2-33-36 00 92) dès Publication du présent avis.

#### 10. Acquisition du Dossier d'Appel d'Offres

Le dossier peut être obtenu aux heures ouvrables auprès Publication du présent avis aux bureau de Directeur des Affaire General à l'Assemble Regional de Nord-Ouest (Tel N° 2 33 36 00 92), contre présentation d'une quittance de versement au Trésor Public de la somme non remboursable de 190,000 mille Francs CFA.

#### 11. Remise des offres

«APPEL D'OFFRES NATIONAL OUVERT N° 0 2 9 / AONO/ARNO/ARNOCIPM/2024 DU 2 7 MAT 2024 POUR LES TRAVAUX DE CONSTRUCTION D'UN MUR DE SOUTENEMENT A NKONYI POUR PROTEGER LE TRONÇON ROUTIER BOYUI PK 49 + 200 SUR LA ROUTE BAMBUI - FUNDONG

<< PAR PROCÉDURE D'URGENCE>>

#### 12. Recevabilité des offres

Sous peine de rejet, les pièces du dossier administratif requises doivent être produites en originaux ou en copies certifiées conformes par le service émetteur ou une autorité administrative (Préfet, Souspréfet,...), conformément aux stipulations du Règlement Particulier de l'Appel d'Offres.

Elles doivent dater de moins de trois (03) mois précédant la date originale de dépôt des offres ou avoir été établies postérieurement à la date de signature de l'Avis d'Appel d'Offres.

Toute offre incomplète conformément aux prescriptions du Dossier d'Appel d'Offres sera déclarée irrecevable. Notamment l'absence de la caution de soumission délivrée par une banque ou assurance de premier ordre agréée par le Ministère chargé des Finances.

#### 13. Ouverture des plis

PRESIDEN MOLES DECIDINALED

présence des soumissionnaires ou de leurs représentants dûment mandatés et ayant une parfaite connaissance du dossier.

#### 14. Critères d'évaluation

Les offres seront évaluées selon les principaux critères suivants :

#### A - Critères éliminatoires

Il s'agit notamment:

- 1- Absence ou non-conformité de document administratif qui ne peuvent pas ce régulariser pendant quarante-huit heures appris ouverture des offres
- 2- Délai d'exécution supérieur à celui prescrit dan le DAO ;
- 3- Fausses déclarations ou pièces falsifiées;
- 4- Absence ou insuffisance de la caution provisoire de soumission;
- 5- Offres dont l'enveloppe extérieure porte des mentions permettant de reconnaître le Soumissionnaire;
- 6- Offres financière incomplète,
- 7- Le non-respect de 75% des critères essentiels ;
- 8- Suspendu par le MINMAP en 2024
- 9- Soumission d'un nombre insuffisant d'exemplaires des offres ;
- 10-Chiffre d'affaires annuel moyen d'au moins le montant de l'appel d'offres (Chiffre d'affaires annuel moyen calculé comme le total des paiements certifiés reçus pour les contrats en cours ou achevés, au cours des cinq (5) dernières années (à partir de 2019). Cela doit être justifié par des copies des contrats antérieurs (terminés ou en cours). Les procès-verbaux de réception définitifs pour tous les contrats achevés avant 2023 et les procès-verbaux de réception provisoires pour les contrats achevés en 2024 doivent être présentés.

#### B - Critères essentiels

Les critères relatifs à la qualification des candidats porteront à titre indicatif sur :

- 1- Présentation générale de l'offre ;
- 2- Capacité financière ;
- 3- Références de l'entreprise dans les réalisations similaires ;
- 4- Qualité du personnel;
- 5- Organisation technique des travaux ;
- 6- Sécurité au chantier ;
- 7- Moyens logistiques;
- 8- Attestations de visite de site signée sur l'honneur par le soumissionnaire et rapport de visite du site avec photos ;
- 9- Cahier des Clauses Techniques Particulières paraphé à chaque page, signe et date a la denier page ;
- 10-Cahier des Clauses Administratives Particulières complété et paraphé à chaque page, signe et date a le denier page.

Les critères essentiels sont soumis à des minima dont le détail est donné dans le Règlement Particulier de l'Appel d'Offres (RPAO).

#### 15. Attribution

Cette évaluation se fera de manière purement positive (oui) ou négative (non) avec un minimum acceptable d'au moins 75% de l'ensemble des critères essentiels pris en compte.

Le marché sera attribué au soumissionnaire qui aura proposé l'offre la moins disant, conforme pour l'essentiel aux prescriptions du Dossier d'Appel d'Offres, ayant satisfait à 100% des critères éliminatoires et au moins 75% des critères essentiels.

9

#### 16. Durée de validité des offres

Les soumissionnaires restent engagés par leur offre pendant Quatre-vingt-dix (90) jours à partir de la date limite fixée pour la remise des offres.

#### 17. Renseignements complémentaires

Les renseignements complémentaires d'ordre-technique peuvent être obtenus auprès du bureau de Directeur des Affaire General à l'Assemble Regional de Nord-Ouest (Tel N° 2 33 36 00 92).

Fait à Bamenda, le 1 8 JUIN 2024

Le Président de l'Assemblée Régionale du Nord Ouest

#### Copie:

- ARMP
- DR/MINMAP/NW
- Présidents CIPM
- Affichage
- Chrono/archive



## Document N°. 2 GENERAL REGULATIONS OF THE INVITATION TO TENDER

#### Table of contents

A.	General
	Article 1: Scope of the tender
	Article 2: Financing
	Article 3: Fraud and corruption.
	Article 4: Candidates admitted to compete.
	Article 5: Building materials, materials, supplies, equipment and authorised services
	Article 5. Dunding materials, materials, supplies, equipment and authorised services
	Article 6: Qualification of the bidder
	Article 7: Visit of work site
_	
В.	Tender File.
	Article 8: Content of Tender File
	Article 9: Clarifications on Tender File and complaints
	Article 10: Modification of the Tender File
C.	Preparation of Bids
	Article 11: Tender fees
	Article 12: Language of bid.
	Article 13: Constituent documents of the bid.
	Article 13. Constituent documents of the bid
	Article 14: Amount of bid
	Article 15: Currency of bid and payment.
	Article 16: Validity of bids
	Article 17: Bid bond
	Article 18: Varying proposals by bidders
	Article 19: Preparatory meeting to the establishment of bids
	Article 20: Form and signature of bids
D	Submission of bids
ν.	Article 21: Sealing and marking of bids.
	Article 22: Date and time-limit for submission of bids.
	Article 22. Date and time-finite for submission of bids
	Article 23: Out of time-limit bids.
	Article 24: Modification, substitution and withdrawal of bids
_	
E.	Opening and evaluation of bids
	Article 25: Opening of bids
	Article 26: Confidential nature of the procedure
	Article 27: Clarifications on the bid and contact with Contracting Authority
	Article 28: Determination of their compliance
	Article 29: Qualification of the bidder
	Article 30: Correction of errors.
	Article 31: Conversion into a single currency.
	Article 32: Evaluation of financial bids.
	Article 32. Divaluation of financial olds
	Article 33: National preference
E	Award of the Contract
Г.	Award of the Contract
	Article 34: Award
	Article 35: Right of the Contracting Authority to declare an Invitation to Tender unsuccessful or to
	cancel a procedure
	Article 36: Notification of the award of the Contract
	Article 37: Signature of the Contract.
	Article 38: Final bond.

#### GENERAL RULES OF THE INVITATION TO TENDER

#### A. General

Article 1: Scope of the tender

- 1.1 The Contracting Authority, The President of the North West Regional Assembly hereby launches an OPEN National Invitation to Tender N° \_\_/ONIT/NWRA/ITB/2024 of \_\_/\_/2024 FOR CONSTRUCTION OF A RETAINING WALL AT NKONYI TO PROTECT THE ROAD SECTION BOYUI PK 49 + 200 ON THE BAMBUI FUNDONG ROAD << BY EMERGENCY PROCEDURE>>
- 1.2 The bidder retained or the preferred bidder must complete the works within the time- limit indicated in the Special Regulations which runs from the date of notification of the Administrative Order.
- 1.2 In this Tender File, the term "day" means a calendar day.

Article 2: Financing

The source of financing of the works forming the subject of this Invitation to Tender shall be specified in the Special Regulations.

Article 3: Fraud and corruption

- 3.1 The Contracting Authority requires of bidders and Contractors the strict respect of rules of professional ethics during the award and execution of Public Contracts. By virtue of this principle:
  - a) The following definitions shall be admitted:
    - Shall be guilty of "corruption" whoever offers, gives, requests or accepts any advantage in view
      of influencing the action of a Public official during the award or execution of a Contract;
    - ii)Is involved in "fraudulent manoeuvres" whoever deforms or distorts facts in order to influence the award or execution of a Contract;
    - iii) "Collusive practices" shall mean any form of agreement between two or among several bidders (whether the Contracting Authority is aware or not) aimed at artificially maintaining the prices of bids at levels not corresponding to those resulting from competition;
    - iv) "Coercive practices" shall mean any form of harm against persons or their property or threats against them in order to influence their action during the award or execution of a Contract.
    - b) Any proposed award shall be rejected if it is proved that the proposed preferred bidder is directly or through an intermediary, guilty of corruption or is involved in fraudulent manoeuvres, collusive or coercive practices for the award of this Contract.
  - 3.2 The Minister Delegate at the Presidency in charge of Public Contracts may, as a precaution, take a decision of exclusion from bidding for a period not exceeding two (2) years against any bidder found guilty of influence peddling, of conflicts of interest, insider trading, fraud, corruption or production of non-genuine documents in the bid, without prejudice to criminal proceedings that may be brought against him

Article 4: Candidates allowed to compete

- 4.1 If the Invitation to Tender is OPEN, consultation is addressed to all candidates retained after a prequalification procedure.
- 4.2 Generally, the Invitation to Tender is addressed to all entrepreneurs, subject to the following provisions:
  - (a) A bidder (including all members of a group of enterprises and all sub-Contractors to the bidder) must be from an eligible country, in accordance with the funding agreement.

- (b) A bidder (including all members of a group of enterprises and all sub-Contractors to the bidder) must not be in a situation of conflict of interest, subject to disqualification. A bidder shall be judged to be in a situation of conflict of interest if he:
  - Is or was associated in the past with an enterprise (or a subsidiary of this enterprise) which
    provided consultancy services for the conception, preparation of specifications and other
    documents used within the scope of Contracts awarded for this Invitation to Tender; or
  - ii) Presents more than one bid within the context of Invitation to Tender, except authorised variants according to article 17, where need be; meanwhile, this does not prevent the participation of sub-Contractors in more than one bid.
  - iii) The Contracting Authority or Project Owner has financial interests in the capital in a way as to compromise the transparency of the procedures of award of Public Contracts.
- (c) The bidder must not have been excluded from bidding for Public Contracts.
- (d) A Cameroonian Public enterprise may participate in the consultation if it can demonstrate that it is (i) legally and financially autonomous, (ii) managed according to commercial laws and (iii) not under the direct supervisory authority of the Contracting Authority or Project Owner.

Article 5: Building materials, materials, supplies, equipment and authorised services

- 5.1 Building materials, the Contractor's materials, supplies, equipment and services forming the subject of this Contract must originate from countries meeting the criteria of origin defined in the Special Regulations of the Invitation to Tender and all expenditure done within the context of the Contract shall be limited to the said building materials, materials, supplies, equipment and services.
- 5.2 Within the meaning of this 5.1 above, the term "originate" shall designate the place where the goods are extracted, cultivated, produced, manufactured and from where the services originate.

#### Article 6: Qualification of bidder

- 6.1 As an integral part of their bid, bidders must:
  - (a) submit a power of attorney making the signatory of the bid bound by the bid; and
  - (b) provide all information (complete or update information included in their request for prequalification which may have changed in the case where the candidates took part in prequalification) requested of bidders in the Special Regulations of the Invitation to Tender, in order to establish their qualification to execute the Contract.

Where necessary, bidders should provide information relating to the following points:

- (i) The production of certified balance sheets and recent turnovers;
- (ii) Access to a line of credit or availability of other financial resources;
- (iii) Orders acquired and Contracts awarded;
- (iv) Pending litigations;
- (v) Availability of indispensable equipment.
- 6.2 Bids presented by two or more associated undertakings (joint-Contracting) must satisfy the following conditions:
- (a) The bid must include all the information listed in article 6(1) above. The Special Regulations must indicate the information to be furnished by the group and that to be furnished by each member of the group;

- (b) The bid and the Contract must be signed in a way that is binding on all members of the group;
- (c) The nature of the group (joint or several) must be specified in the Special Regulations and justified with the production of a joint venture agreement in due form;
- (d) The member of the group designated as the representative will represent all the undertakings vis à vis the Project Owner and Contracting Authority with regard to the execution of the Contract;
- (e) In case of joint co-Contracting, the co-Contractors shall share the sums which are paid by the Project Owner into a single account. On the other hand, each undertaking is paid into its own account by the Project Owner where it is joint co-Contracting.
- 6.3 Bidders must equally present sufficiently detailed proposals to demonstrate that they comply with the technical specifications and execution time-limits set in the Special Regulations of the Invitation to Tender.
- 6.4 Bidders requesting to benefit from the margin of preference must furnish all the necessary information to prove that they satisfy the eligibility criteria set in article 33 of the General Regulations of the Invitation to Tender.

#### Article 7: Visit of works site

- 7.1 The bidder is advised to visit and inspect the site and its environs and obtain by himself and under his own responsibility, all the information which may be necessary for the preparation of the bid and the execution of the works. The related cost of the visit of the site shall be borne by the bidder.
- 7.2 The Project Owner shall authorise the bidder and his employees or agents to enter the premises and the land for the said visit but only on the express condition that the bidder, his employees and agents free the Project Owner, his employees and agents of any responsibility that may ensue and indemnify them if necessary and that they shall remain responsible for any deadly or corporal accident, loss or material damages, costs and fees incurred from this visit.
- 7.3 The Project Owner may organise a visit of the site of the works during the preparatory meeting to establishing the bids mentioned in article 19 of the General Regulations of the Invitation to Tender.

#### B. Tender File

#### Article 8: Content of Tender File

- 8.1 The Tender File describes the works forming the subject of the Contract, sets the consultation procedure of Contractors and specifies the terms of the Contract. Besides the addendum (addenda) published in accordance with article 10 of the General Regulations of the Invitation to Tender, it includes the following documents:
  - Document No. 1. The Tender Notice;
  - Document No. 2. The General Regulations of the Invitation to Tender;
  - Document No. 3. The Special Regulations of the Invitation to Tender;
  - Document No. 4. The Special Administrative Conditions;
  - Document No. 5. The Special Technical Conditions;
  - Document No. 6. The schedule of unit prices;
  - Document No. 7. The bill of quantities and estimates;
  - Document No. 8. The sub details of unit prices;
  - Document No. 9. Model documents of the Contract:
    - a. The execution schedule;
    - b. Model of forms presenting the equipment, personnel and references;
    - c. Model bidding letter;
    - d. Model bid bond;
    - e. Model final bond;
    - f. Model of bond of start-off advance;
    - g. Model of guarantee in replacement of the retention fund;
    - h. Model Contract;

Document  $N^{\circ}$ . 10. Models to be used by bidders;

a. Model Contract;

Document No. 11. Justifications of preliminary studies; to be filled by the Project Owner or Delegated Project Owner:

Document No. 12. List of first grade banking establishments or financial institutions approved by the Minister in charge of Finance authorised to issue bonds for Public Contracts to be inserted by the Contracting Authority.

8.2 The bidder must examine all the regulations, forms, conditions and specifications contained in the Tender File. It is up to him to furnish all the information requested and prepare a bid in compliance with

Article 9: Clarifications on the Tender File and complaints

9.1 Any bidder who wants to obtain clarifications on the Tender File may request them from the Contracting Authority in writing or by electronic mail (fax or e-mail) at the Contracting Authority's address indicated in the Special Regulations of the Invitation to Tender and send a copy to the Project Owner. The Contracting Authority replies in writing to any request for clarification received at least fourteen (14) days prior to the deadline for the submission of bids.

A copy of the Contracting Authority's response, indicating the question posed but not mentioning the author, is addressed to all bidders who bought the Tender File.

- 9.2 Between the Publication of the tender notice including the pre-qualification phase of candidates and the opening of bids, any bidder who feels aggrieved in the Public Contracts award procedure may lodge a complaint to the Minister in charge of Public Contracts.
- 9.3 A copy of the complaint should be addressed to the Contracting Authority and to the body in charge of the Regulation of Public Contracts and the chairperson of the Tenders Board.
- 9.4 The Contracting Authority has five (5) days to react. A copy of the reaction shall be forwarded to MINMAP and the body in charge of the regulation of Public Contracts.

## Article 10: Amendment of the Tender File

10.1 The Contracting Authority may at any moment, prior to the deadline for the submission of bids and for any reason, be it at his initiative or in reply to a request for clarification formulated by a bidder, amend the Tender File by publishing an addendum.

10.2 Any published addendum shall be an integral part of the Tender File, in accordance with article 8.1 of the General Regulations of the Invitation to Tender and must be communicated in writing or made known by a traceable means to all bidders who bought the Tender File.

In order to give bidders sufficient time to take account of the addendum in the preparation of their bids, the Contracting Authority may postpone as is necessary, the deadline for the submission of bids, in accordance with provisions of article 22 of the General Regulations of the Invitation to Tender.

#### C Preparation of bids

#### Article 11: Tender costs

The candidate shall bear the costs related to the preparation and presentation of his bid and the Contracting Authority and the Project Owner shall in no case be responsible for these costs nor pay for them whatever the evolution or outcome of the Invitation to Tender procedure.

#### Article 12: Language of bid

The bid as well as any correspondence and any document exchanged between the bidder and the Contracting Authority shall be written in English or French. Complementary documents and the forms

provided by the bidder may be written in another language on condition that a precise translation into either English or French of the passages concerning the bid is included; in which case for reasons of interpretation, the translation shall be considered to be authentic.

#### Article 13: Constituent documents of the bid

13.1 The bid presented by the bidder shall include the documents detailed in the Special Regulations of the Invitation to Tender, duly filled and put together in three volumes:

#### a. Volume 1: Administrative file

It includes:

- i) all documents attesting that the bidder:
  - has subscribed to all declarations provided for by the laws and regulations in force;
  - paid all taxes, duties, contributions, fees or deductions of whatever nature;
  - is not winding up or bankrupt;
  - is not the subject of an exclusion order or forfeiture provided for by the law in force;
  - ii) The bid bond established in accordance with the provisions of article 17 of the General Regulations of the Invitation to Tender;
  - iii) the written confirmation empowering the signatory of the bid to commit the bidder, in accordance with the provisions of article 6(1) the General Regulations of Invitation to Tender.

#### b. Volume 2: Technical bid

b.1 Information on qualifications

The Special Regulations list the documents to be furnished by bidders to justify the qualification criteria mentioned in article 6(1) of the Special Regulations of the Invitation to Tender.

b.2 Methodology

The Special Conditions of the Invitation to Tender specifies the constituent elements of the technical bid of the bidders especially: a methodological statement on an analysis of the works and specifying the organisation and programme which the bidder intends to put in place or use to execute the works (installations, schedule, Quality Assurance Plan (QAP), sub-Contracting, attestation of visit of the site, where necessary, etc).

b.3 Proof of acceptance of conditions of the Contract

The bidder shall submit duly initialled copies of the administrative and technical documents relating to the Contract, namely:

- 1. The Special Administrative Conditions (SAC);
- 2. The Special Technical Conditions (STC).

b.4 Commentaries (optional)

A commentary on the technical choices of the project and possible proposals.

#### c. Volume 3: Financial bid

The Special Regulations specify the elements that will help in justifying the cost of the works, namely:

- 1. The signed and dated original bid prepared according to the attached model, stamped at the prevailing rate;
- 2. The duly filled Unit Price schedule;
- 3. The duly filled detailed estimates;
- 4. The sub-details of prices and/or breakdown of all-in prices;
- 5. The projected schedule of payments, where need be.

In this regard, the bidders will use the documents and models provided in the Tender File, subject to the provisions of article 17(2) of the General Regulations of the Invitation to Tender concerning the other possible forms of guarantees.

13.2 If in accordance with the provisions of the Special Regulations of the Invitation to Tender, the bidders present bids for several lots of the same Invitation to Tender, they could indicate rebates offered in case of award of more than one lot.

#### Article 14: Bid price

- 14.1 Except otherwise stated in the Tender File, the amount of the Contract shall cover all the works described in article 1.1 of the General Regulations of the Invitation to Tender, on the basis of the price schedule and the detailed bill of quantities and estimates presented by the bidder.
- 14.2 The bidder shall fill the unit prices and totals of all items on the schedule and bill of quantities and estimates.
- 14.3 Subject to contrary provisions provided for in the Special Regulations and in the Special Administrative Conditions, all dues, taxes and fees payable by the bidder on grounds of the Contract or on any other ground, thirty (30) days prior to the submission of the bids, shall be included in the prices and in the total amount of the bid presented by the bidder.
- 14.4 If a price revision/updating clause is provided for in the Contract, the date of establishment of the initial price, as well as the price revision/updating conditions for the said price must be specified. This is with the understanding that any Contract of duration less than one (1) year shall not be subject to price revision.
- 14.5 All unit prices must be justified by sub-details established in accordance with the structure proposed in document 8 of the Tender File.

#### Article 15: Currency of bid and payment

15.1 In case of international invitations to tender, the currencies of the bid shall follow the provisions of either Option A or Option B below, the applicable option being that retained in the Special Regulations of the Invitation to Tender.

**15.2 Option A**: The amount of the bid shall be entirely made in the national currency. The amount of the bid, unit prices of the price schedule and the prices of the bill of quantities and estimates are completely made in CFA francs in the following manner:

- a) Prices shall be entirely drawn in the national currency. The bidder who intends to commit expenditures in other currencies for the execution of the works shall indicate in the annex to the bid the percentage(s) of the amount of the bid necessary to cover the needs in foreign currencies, without exceeding the maximum of the three currencies of member countries of the funding institution of the Contract.
- b) The exchange rates used by the bidder to convert his bid into the national currency shall be specified by the bidder in an annex to the bid in compliance with the specifications of the Special Regulations. These rates shall be applied for any payment within the framework of the Contract so that the retained bidder does not bear any change in the exchange rate.

15.3 Option B: The amount of the bid shall be directly made in the national and foreign currency at the rates fixed in the Special Regulations.

The bidder shall draw the unit prices of the price schedule and the prices of the bill of quantities and estimates in the following manner:

(a) The prices of inputs necessary for the works which the bidder intends to procure in the Contracting Authority's country shall be in currency of the Contracting Authority's country specified in the Special Regulations and called "national currency";

(a) The prices of inputs necessary for works which bidder intends to procure out of the Contracting Authority's country shall be in the currency of the country of origin of the bidder or of the currency of an eligible member country widely used in international trade.

15.4 The Contracting Authority may request the bidders to explain the needs in national and foreign currencies and to justify that the amounts included in the unit and total prices and indicated in annex to the bids are reasonable; to this end, a detailed statement of their needs in foreign currencies shall be furnished by the bidder.

15.5 During the execution of the works, most of the foreign currency to be paid as part of Contract may be revised by mutual agreement between the Contracting Authority and the entrepreneur in a way as take account of any modification in the foreign currency needs within the context of the Contract.

#### Article 16: Validity of bids

- 16.1 Bids must remain valid during the period stated in the Special Regulations from the date of submission of the bids fixed by the Contracting Authority, in application of article 22 of the Special Regulations. A bid valid for a shorter period shall be rejected by the Contracting Authority or Contracting Authority as not being in compliance.
- 16.2 Under exceptional circumstances, the Contracting Authority may seek the approval of bidders to extend the validity time-limit. The request and the responses that will be given shall be in writing (or by fax). The validity of the bid bond provided for in article 17 of the General Regulations shall equally be extended for a corresponding duration. A bidder may refuse to extend the validity of his bid without losing his bid bond. A bidder who consents to an extension shall not be asked to modify his bid nor shall he be authorised to do so.
- 16.3 Where the Contract does not include a price revision clause and that the period of validity of bids is extended by more than sixty (60) days, the amounts payable to the bidder retained shall be updated by application of the related formula featuring in the request for extension that the Contracting Authority addressed to bidders.

The updating period shall run from the date of overrun of sixty (60) days to the date of notification of the Contract or the Administrative Order for start of execution of works by the retained bidder, as specified in the Special Administrative Conditions. The effect of updating shall not be taken into account for purposes of evaluation of bids.

#### Article 17: Bid bond

- 17.1 In application of article 13 of the General Regulations, the bidder shall furnish a bid bond of the amount specified in the Special Regulations and which bid bond shall be a full part of his bid.
- 17.2 The bid bond must conform to the model presented in the Tender File; other models may be authorised subject to the prior approval of the Contracting Authority. The bid bond will remain valid for thirty (30) days beyond the original date set for the validity of bids or any other validity time-limit requested by the Contracting Authority and accepted by the bidder, in accordance with the provisions of article 16 (2) of the General Regulations.
- 17.3 Any bid without an acceptable bid bond shall be rejected by the Tenders Board as not in conformity. The bid bond of associated enterprises must be established in the name of the group submitting the bid and mention each member of the associated grouping.
- 17.4 The bid bonds of bidders who are not retained shall be returned within fifteen (15) days after Publication of the award result.

- The bid bond of the successful bidder shall be released as soon as the latter would have signed the Contract and furnished the required final bond.
- The bid bond may be seized:
  - (a) if the bidder withdraws his bid during the period of validity;
  - (b) if the retained bidder:
    - i) fails in his obligation to register the Contract in application of article 38 of the General Regulations:
    - fails in his obligation to furnish the required final bond in application of article 38 of the General Regulations:
    - iii) refuses to receive notification of the Administrative Order to commence execution.

## Article 18: Varying proposals of bidders

- 18.1 Where the works can be executed within variable deadlines, the Special Regulations shall specify these deadlines and shall indicate the method retained for the evaluation of the completion deadline proposed by the bidder within the specified deadlines. Bids that propose deadlines beyond those specified shall be considered as not being in conformity.
- 18.2 Except in the case mentioned in article 18(3) below, bidders wishing to offer technical variants must first assess the basic solution of the Contracting Authority as described in the Tender File and furnish in addition all the information which the Contracting Authority needs for a complete evaluation of the proposed variant, including the plans, calculations, technical specifications, sub-details of prices and proposed construction methods and all other useful information. If necessary, the Contracting Authority will examine only the technical variants of the bidder whose bid is in compliance with the basic solution has been evaluated as the lowest bid.
- 18.3 When according to the Special Regulations the bidders are authorised to directly submit the technical variants for certain parts of the works, these parts of the works must be described in the technical specifications. Such variants shall be evaluated on their own merit in accordance with the provisions of article 31(2) (g) of the General Regulations.

## Article 19: Preparatory meeting to the establishment of bids

- Except otherwise stipulated in the Special Regulations, a bidder may be invited to take part in a preparatory meeting which will hold at the date and place indicated in the Special Regulations.
- 19.2 The subject of the preparatory meeting shall be to furnish clarifications and answer any questions which may be raised at this stage.
- As much as possible, the bidder is requested to submit any question in a way as to reach the 19.3 Contracting Authority at least one week before the meeting The Contracting Authority may not reply to questions received too late. In this case, the questions and answers shall be transmitted according to the methods set in article 19(4) below.
- The minutes of the meeting, including the text of the questions asked and the replies given, including questions prepared after the meeting, shall be forwarded immediately to everyone who bought the Tender File. Any modification of documents of the Tender File listed in article 8 of the General Regulations which may prove to be necessary at the end of the preparatory meeting shall be done by the Contracting Authority by publishing an addendum in accordance with the provisions of article 10 of the General Regulations and not through the minutes of the preparatory meeting.
- 19.5 The fact that a bidder does not attend a preparatory meeting for the establishment of bids shall not be a reason for disqualification.

Article 20: Form and signature of bid

- 20.1 The bidder shall prepare an original of the constituent documents described in article 13 of the General Regulations in a volume clearly indicated "ORIGINAL". In addition, the bidder shall submit the number required in the General Regulations, bearing "COPY". In case of discrepancy, the original shall be considered as authentic.
- 20.2 The original and copies of the bid must be typed or written in indelible ink (photocopies shall be accepted in the case of copies) and shall be signed by the person(s) duly empowered to sign on behalf of the bidder, in accordance with article 6(1a) or 6(2c) of the General Regulations, as the case may be. All the pages of the bid containing alterations or changes must be initialled by the signatory (ies) of the
- 20.3 The bid shall be bear no modification, suppression or alteration unless such corrections are initialled by the signatory(ies) of the bid.

#### D. SUBMISSION OF BIDS

Article 21: Sealing and marking of bids

21.1 The bidder shall seal the original and each copy of the bid in separate envelopes (internal envelopes) by marking on these envelopes "ORIGINAL" and "COPY", as the case may be. The envelopes shall then be placed in another envelope which will equally be sealed but which will not give any indication regarding the identity of the bidder.

21.2 The external and internal envelopes:

a) should be addressed to the Contracting Authority at the address indicated in the Special Regulations; b) should bear the name and identification number of the project as indicated in the Special Regulations

and bear the inscription "TO BE OPEN ONLY DURING THE BID-OPENING SESSION" as specified in the Special Regulations.

21.3 The internal envelopes should equally carry the name and address of the bidder in a way as to enable the Contracting Authority return the sealed bid if it is late in accordance with article 23 and 24 of the General Regulations.

21.4 If the external envelope is not sealed and marked as indicated in paragraphs 21(1) and 21(2) above, the Contracting Authority shall not be responsible if the bid is misplaced or OPEN prematurely.

## Article 22: Date and time-limit for submission of bids

22.1 The bids must be received by the Contracting Authority at the address specified in article 21(2) of the Special Regulations not later than the date and time stated in the Special Regulations.

22.2 The Contracting Authority may, at his discretion, postpone the deadline set for the submission of the bids by publishing an addendum in accordance with the provisions of article 10 of the General Regulations. In this case, all the rights and obligations of the Contracting Authority and bidders previously governed by the initial date will henceforth be governed by the new date.

#### Article 23: Late bids

Any bid received by the Contracting Authority beyond the deadline for the submission of bids in accordance with article 22 of the General Regulations shall be declared late and consequently rejected.

## Article 24: Modification, substitution and withdrawal of bids

- 24.1 A bidder may modify or withdraw his bid after submitting it, on condition that the written notification of the modification or withdrawal is received by the Contracting Authority prior to the end of the timelimit prescribed for the submission of the bids. The said notification must be signed by an authorised representative in application of article 20(2) of the General Regulations. The modification or the corresponding replacement bid must be attached to the written notification. As the case may be, the envelopes must bear the inscription "WITHDRAWAL", and "REPLACEMENT BID" or "MODIFICATION".
- 24.2 Notification of modification, replacement or withdrawal of the bid by the bidder should be prepared, sealed, marked and forwarded in accordance with the provisions of article 21 of the General Regulations. Withdrawal may equally be notified by telex but should in this case be confirmed by a

- duly signed written notification whose date, post mark being authentic, shall not be posterior to the time-limit set for the submission of bids.
- 24.3 In application of article 24(1), bids being requested to be withdrawn by bidders shall be returned to them un-open.
- 24.4 No bid may be withdrawn during the interval between the submission of bids and the expiry of the validity of bids specified by the model tender. The withdrawal of a bid by a bidder during this interval may lead to the confiscation of the bid bond in accordance with the provisions of article 17(6) of the General Regulations.

## E. Opening of envelopes and evaluation of bids

Article 25: Opening of envelopes and petitions

- 25.1 The regional Tenders Board shall OPEN the envelopes in single or double phases and in the presence of the representatives of bidders who wish to attend at the date, time and address specified in the Special Regulations. Representatives of bidders shall sign a register attesting to their presence.
- 25.2 Firstly, envelopes marked "withdrawal" shall be OPEN and the contents announced to the hearing of everyone, while the envelope containing the corresponding bid shall be returned to the bidder un OPEN. Withdrawal shall be allowed only if the corresponding notification contains a valid empowerment of the signatory to request this withdrawal and if this notification is read to the hearing of everyone. Then the envelopes marked "Replacement bid" are OPEN and announced to the hearing of everyone and the new corresponding bid substituted for the preceding one which will be sent to the bidder concerned unOPEN. The replacement of the bid shall only be allowed if the corresponding notification contains a valid empowerment of the signatory requesting the replacement and read to the hearing of everyone. Lastly, the envelopes marked "modification" shall be OPEN and their contents read to the hearing of everyone with the corresponding bid. The modification of the bid shall only be allowed if the corresponding notification contains a valid empowerment of the signatory requesting the modification and read to the hearing of everyone. Only bids which were OPEN and announced to the hearing of everyone during the opening of bids shall then be evaluated.
- 25.3 All envelopes shall be OPEN successively and the name of the bidder announced aloud as well as the possible modification mentioned, the price offered, including any rebates [in case of opening of financial bids] and any variant, where necessary, the existence of a guarantee of the bid if it is required and any other details which the Contracting Authority deems useful to be mentioned. Only rebates and variants of bids announced to the hearing of everyone during the opening of bids shall be submitted for evaluation.
- 25.4 Bids (and modifications received in accordance with the provisions of article 24 of the General Regulations) which were not OPEN and read to the hearing of everyone during the bid- opening session for whatever reason, shall not be submitted for evaluation.
- 25.5 Bid- opening minutes are recorded on the spot mentioning the admissibility of bids, their administrative regularity, prices, rebates and time-limits as well as the composition of the Evaluation sub-committee. A copy of the said minutes to which is attached the attendance sheet is handed over to all the participants at the end of the session.
- 25.6 At the end of each bid- opening session, the chairperson of the Tenders Board immediately hands over to the focal point designated by the body in charge of regulation of Public Contracts an initialled copy of the bids presented by bidders.
- 25.7 In case of petition as provided for by the Public Contracts Code, it should be addressed to the Minister Delegate in charge of Public Contracts with a copies to the body in charge of the regulation of Public Contracts, the head of structure to which is attached the Tenders Board concerned.

It must reach within a maximum deadline of three (3) working days after the opening of bids in the form of a letter to which is obligatorily attached a sheet of the petition form duly signed by the petitioner and possibly by the chairperson of the Tenders Board.

The Independent Observer attaches to his report the sheet that was handed to him, including any related commentaries or observations.

Article 26: Confidential nature of the procedure

- 26.1 No information relating to the examination, clarification, evaluation and comparison of bids and verification of the qualification of the bidders and the recommendation for the award shall be given to bidders or to any person not concerned with the said procedure as long as the preferred bidder has not been made Public, subject to the disqualification of the bid of the bidder and suspension of the authors from all activities in the domain of Public Contracts.
- 26.2 Any attempt by a bidder to influence the Tenders Board or the Evaluation sub-committee of bids or the Contracting Authority in its award decision may lead to the rejection of his bid.
- 26.3 Notwithstanding the provisions of paragraph 26.2 above, between the opening of bids and the award of the Contract, if a bidder wishes to enter into contact with the Contracting Authority for reasons having to with his bid may do so in writing.

Article 27: Clarifications on the bids and contact with the Contracting Authority

- 27.1 To ease the examination, evaluation and comparison of bids, the Tenders Board may, if it so desires, request any bidder to give clarifications on his bid. This request for clarification and the response thereto are formulated in writing but no change on the amount or content of the bid is sought, offered or authorised, except it is necessary to confirm the correction of calculation errors discovered by the Evaluation Sub-committee during the evaluation in accordance with the provisions of article 30 of the General Regulations.
- 27.2 Subject to the provisions of paragraph 1 above, bidders shall not contact members of the Tenders Board and the Evaluation Sub-committee for questions related to their bids, between the opening of envelopes and the award of the Contract.

Article 28: Determination of compliance of bids

- 28.1 The Evaluation sub-committee shall carry out a detailed examination of bids to determine if they are complete, if the required guarantees are furnished, if the documents were correctly signed and if generally the bids are in proper order.
- 28.2 The Evaluation sub-committee shall determine if the bid is essentially in compliance with the conditions fixed in the Tender File based on the content without recourse to external elements of proof.
- 28.3 A bid that complies with the Tender File shall essentially be a bid that respects all the terms, conditions and specifications of the Tender File, without substantial divergence or reservation. A substantial divergence or reservation is that:
  - i) which substantially limits the scope, quality or realisation of the works;
  - ii) which substantially limits, contrary to the Tender File, the rights of the Contracting Authority or his obligations in relation to the Contract;
  - iii) Whose correction would unjustly affect the competitiveness of the other bidders who presented bids that essentially complied with the Tender File.
- 28.4 If a bid is essentially not in compliance, it shall be rejected by the competent Tenders Board and shall not subsequently be rendered in compliance.

28.5 The Contracting Authority reserves the right to accept or reject any modification, divergence or reservation. Modifications, divergences, variants and other factors which are beyond the requirements of the Tender File shall not be considered during the evaluation of bids.

#### Article 29: Qualification of the bidder

The Evaluation sub-committee shall ensure that the successful bidder retained for having submitted a bid substantially in compliance with the provisions of the Tender File, fulfils the qualification criteria stipulated in article 6 of the Special Regulations. It is essential to avoid any arbitrariness in determining qualification.

#### Article 30: Correction of errors

- 30.1 The Evaluation sub-committee shall verify bids considered essentially in compliance with the Tender File to correct the possible calculation errors. The Evaluation sub-committee shall correct the errors in the following manner:
  - (a) where there is an incoherence between the unit price and the total obtained by multiplying the unit price by the quantity, the unit price being authentic, the total price shall be corrected, unless the Evaluation sub-committee judges that it is a gross error of decimal point in the unit price in which case the total price as presented shall be authentic and the unit price corrected.
  - (b) if the total obtained by addition or subtraction of the totals is not exact, the sub totals shall be considered authentic and the total corrected.
  - (c) where there is a difference between the price indicated in letters and in figures, the amount in letters shall be considered authentic, unless the amount is linked to an arithmetical error confirmed by the sub-detail of the said price, in which case the amount in figures shall prevail subject to paragraphs (a) and (b) above.
- 30.2 The amount featuring in the bid shall be corrected by the Evaluation sub-committee, in accordance with the error correction procedure above and with confirmation by the bidder, the said amount shall be deemed to commit him.
- 30.3 If the bidder who presented the bid evaluated as the lowest refuses the correction thus carried out, his bid shall be rejected and the bid bond may be seized.

## Article 31: Conversion into a single currency

31.1 To facilitate the evaluation and comparison of bids, the Evaluation sub-committee shall convert the prices of bids expressed in various currencies into those in which the bid is payable in CFA francs.

31.2 The conversion shall be done using the selling rate fixed by the Bank of Central African States (BEAC) under the conditions defined by the Special Regulations.

## Article 32: Evaluation and comparison of financial bids

- Only bids considered as being in compliance, as per the provisions of article 28 of the General Regulations, shall be evaluated and compared by the Evaluation sub-committee.
- 32.2 By evaluating the bids, the Evaluation Sub-committee shall determine for each bid the evaluated amount of the bid by rectifying the amount as follows:
  - a) By correcting any possible error in accordance with the provisions of article 30.2 of the General Regulations;
  - b) By excluding projected sums and where necessary provisions for unforeseen occurrences featuring in the bill of quantities and estimates but by adding the amount of works done under

State supervision where they are costed in a competitive manner as specified in the Special Regulations.

c) By converting into a single currency the amount resulting from the rectifications (a) and (b) above, in accordance with the provisions of article 31(2) of the General Regulations;

d) By appropriately adjusting any other modification, divergence or quantifiable reservation on technical or financial basis.

e)By taking into consideration the various execution time-limits proposed by the bidders, if they are authorised by the Special Regulations;

f) If need be, in accordance with the provisions of article 13(2) of the General Regulations and the Special Regulations by applying the rebates offered by the bidder for the award of more than one lot, if this Invitation to Tender is launched simultaneously for several lots.

g) If need be, in accordance with the provisions of article 18(3) of the Special Regulations and the Technical Specifications, the proposed technical variants, if they are permitted, shall be evaluated on their own merit and independently of the fact that the bidder offered or not a price for the technical solution specified by the Contracting Authority in the Special Regulations.

32.3 The estimated effect of price revision formulae featuring in the GAC and SAC applied during the period of execution of the Contract shall not be considered during the evaluation of bids.

32.4 If the bid judged the lowest bid is considered abnormally low or strongly unbalanced in relation to the estimates of the Project Owner for the works to be executed in this Contract, the Tenders Board may, from the sub-details of prices furnished by the bidder for any element or all the elements of the bill of quantities and estimates, verify if these prices are compatible with the construction methods and proposed calendar. In the case where the justifications presented by the bidder are not satisfactory, the Contracting Authority may reject the bid after the technical opinion of the Public Contracts Regulatory Agency.

#### Article 33: Preference granted national bidders

National Contractors shall benefit from a margin of national preference during the evaluation of bids as provided for in the Public Contracts Code.

#### Article 34: Award

34.1 The Contracting Authority shall award the Contract to the bidder whose bid was judged essentially in compliance with the Tender File and who has the required technical and financial capacities to execute the Contract satisfactorily and whose bid was evaluated as the lowest by including, where necessary, proposed rebates

34.2 If, according to article 13(2) of the General Regulations, the Invitation to Tender comprises several lots, the lowest bid shall be determined by evaluating this Contract with other lots to be awarded concurrently, by taking into account the rebates offered by the bidders in the case of more than one lot.

Any award of Contract shall be made to the bidder fulfilling the technical and financial capacities required resulting from the evaluation criteria and presenting the bid evaluated as the lowest.

## Article 35: The right by the Contracting Authority to declare an Invitation to Tender unsuccessful or cancel a procedure

The Contracting Authority reserves the right to cancel a procedure of Invitation to Tender after the authorisation of the Minister Delegate at the Presidency in charge of Public Contracts where the bids have been OPEN or to declare an Invitation to Tender unsuccessful after the advice of the competent Tenders Board, without any claims being entertained.

#### Article 36: Notification of award of the Contract

Before the expiry of the validity of the bids set in the Special Regulations, the Contracting Authority shall notify the preferred bidder by telecopy confirmed by registered mail or by any other means that his bid was retained. This letter will indicate the amount the Project Owner will pay the Contractor to execute the works and the execution time-limit.

Article 37: Publication of results of award and petitions

37.1 The Contracting Authority shall communicate to any bidder or administration concerned, upon request addressed to it within a maximum deadline of five (5) days after Publication of the award results, the Independent Observer's report as well as the minutes of the award session of the related Contract to which shall be attached the evaluation report of the bids.

- 37.2 The Contracting Authority is bound to communicate the reasons for the rejection of bids of the bidders concerned who so request.
- 37.3 After Publication of the award results, bids that are not withdrawn within fifteen (15) days shall be destroyed, without any claims for compensation being entertained. Only the copy destined for the body in charge of regulation shall be kept.
- 37.4 In case of petition, it should be addressed to the Public Contracts Authority, with copies to the body in charge of the regulation of Public Contracts, the Contracting Authority and the chairperson of the Tenders Board concerned.

It must take place within a maximum deadline of five (5) working days after the Publication of the results.

Article 38: Signing of the Contract

- 38.1 After Publication of the results, the draft Contract subscribed by the successful bidder is submitted to the Tenders Board for examination and where applicable, to the Minister in charge of Public Contracts for prior endorsement.
- 38.2 The Contracting Authority has a deadline of seven (7) days to sign the Contract from the date of reception of the draft Contract examined by the competent Tenders Board and subscribed by the successful bidder and where applicable, the endorsement of the Minister in charge of Public Contracts.
- 38.3 The Contract must be notified to the successful bidder within five (5) days of its date of signature.

#### Article 39: Final Bond

- 39.1 Within twenty (20) days of the notification by the Contracting Authority, the Contractor shall furnish the Project Owner with a final bond, to guarantee the complete execution of the works.
- 39.2 The bond whose rate varies between 2 and 5 percent of the amount of the Contract inclusive of all taxes, may be replaced by a guarantee from a banking establishment approved according to the instruments in force with the Project Owner as beneficiary or by a joint or several guarantee.
- 39.3 Small and medium-sized enterprises (SME) constituted of national capital and managed by nationals may, in lieu of the guarantee, provide a statutory lien or a bond issued by a banking establishment or first rate financial institution approved in accordance with the instruments in force.
- Failure to produce the final bond within the prescribed time limit shall likely cause the termination of the Contract under the terms laid down in the General Administrative Conditions.

# Document N°. 3 SPECIAL REGULATIONS OF THE INVITATION TO TENDER

## Special regulations of the Invitation to Tender

References of the General regulations	General
1	Definition of works:  FOR THE CONSTRUCTION OF A RETAINING WALL AT NKONYI TO PROTECT THE ROAD SECTION BOYUI PK 49 + 200 ON THE BAMBUI - FUNDONG ROAD << BY EMERGENCY PROCEDURE>> Name and address of the Contracting Authority: The President of the North West Regional Assembly  Reference of Invitation to Tender: N°/ONIT/NWRA/ITB/2024 of/2024
2	Execution deadline: Seven (07) Months
3	Source of financing Works which form the subject of this Invitation to Tender shall be financed by the 2024 Road Fund assigned to the North West Regional Assembly.
4	List of pre-qualified candidates. Not applicable
5	Origin of building materials, equipment, and supplies: The materials will generally be from local materials in Cameroon or imported.

#### 6.1 Evaluation criteria

The bids shall be evaluated according to the main criteria as follows:

#### C. Eliminatory criteria

- Absence or non-conformity of an element in the administrative file not regularized within 48 hours after opening of bids
- 2. Execution deadline higher than prescribed in the Tender File;
- 3. False declaration or falsified documents;
- 4. Absence or insufficient bid bond at the opening of the bids;
- 5. A bid with the external envelope carrying a sign leading to the identification of the bidder;
- 6. Incomplete financial file;
- 7. Non respect of 75% of essential criteria;
- 8. Suspended by MINMAP for 2024.
- 9. Submission of insufficient number of copies of bids
- 10. Average annual turnover of at least the tendering amount (Average annual turnover calculated as total certified payments received for contracts in progress or completed, within the last five (5) years (from 2019). This should be justified by copies of past contracts (completed or ongoing). Final reception minutes for all completed contracts before 2023 and provisional reception minutes for contracts completed in 2024 should be presented..

#### D. Essential criteria

- 1- General presentation of the bids;
- 2- Financial capacity;
- 3- References of the company in similar achievements visa by the competent administrative authority;
- 4- Quality of the personnel;
- 5- Technical organization of the works;
- 6- Safety measures on the site;
- 7- Logistics;

- 8- Attestation of site visit duly signed on honour by the bidder and report of site visit with pictures;
- 9- Special Technical Clauses initialed in all the pages, signed and dated at the last page;
- 10- Special Administrative Clauses completed and initialed in all the pages, signed and dated at the last page.

The criteria relating to the qualification of candidates could be indicative on the following: The essential criteria are subjected to minima whose detail is given in the Special Tender Regulation (RPAO).

This evaluation will be done in a purely positive way (yes) or negative (no) with an acceptable minimum score of at least 75% of the essential criteria taken in account.

The Contract will be awarded to the bidder who would have proposed the offer with the lowest amount, in conformity with the regulations of the Tender Documents and having satisfied 100% of the eliminatory criteria and at least 75% of the essential criteria.

#### ARTICLE 6: Language of the bids:

The offer like any correspondence and all documents concerning the tender, exchanged between the tenderer and the Project Owner will be written in French or English. The complementary documents and the printed forms provided by the Bidder can be written in another language in condition of being accompanied by a precise translation in French or English; in which case and for purposes of interpretation of the offer, the translation will be taken.

#### PRESENTATION OF THE TENDER

The bids prepared in English or French and in seven (07) copies with one (01) original and six (06) copies marked thus, shall be presented in three (03) volumes as follows:

- A) Administrative Documents
- B) Technical Documents
- C) Financial Documents

#### 5.1 External envelope.

Each bidder shall seal these three (03) envelopes (A, B and C) in one common envelope on which shall be written.

<<OPEN NATIONAL INVITATION TO TENDER N° \_\_\_/ONIT/NWRA/ITB/2024 OF \_\_/\_/2024
FOR THE CONSTRUCTION OF A RETAINING WALL AT NKONYI TO PROTECT THE ROAD SECTION BOYUI PK 49 + 200 ON THE BAMBUI - FUNDONG ROAD "TO BE OPEN ONLY DURING THE BID-OPENING SESSION"
</p>

N.B: The external envelope should not carry any mark or sign that can lead to the identification of the bidder.

#### 8.2 Internal envelopes

Three (03) internal envelopes must be sealed in an external envelope. The first internal envelope shall be labeled:

<<ENVELOPE A: ADMINISTRATIVE DOCUMENTS>> and shall contain the administrative documents of the enterprise. These documents shall be original or copies certified by competent authorities not more than three months old.

ADMINISTTRATIVE DOCUMENTS

OCUMENT N°	TRATIVE DOCUMENTS.  DESCRIPTION
A.1	Declaration of intention to tender stamped with the tariff in force (written by the bidder) with a fiscal stamp.
A.2	Certified Copy of the Business Registration, not more than three months old.
A.3	Commerce, Industry and Trade of the place of residence of the bidder, not more than three (03) months.
A.4	Attestation of bank account of the bidder, issued by a first rate-bank approved by the Ministry in charge of Finance. (See list of approved banks on document no 12 of this tender file)
A.5	Purchase receipt of Tender File issued by the Treasury of the North West Regional Assembly.
A.6	A bid bond issued by a first rate-financial institution or insurance establishment approved by the Ministry in charge of Finance in conformity with COBAC conditions as of the table above.
A.7	An attestation of non-exclusion from Public Contracts issued by the Public Contracts Regulatory Board (ARMP)
A.8	An Attestation of the National Social Insurance Fund stating that the bidder has met all hi obligations vis a vis the Fund; the attestation valid within the given time.
	A Clearance Certificate (Attestation de conformité fiscal) signed by the chief of Centre of Taxes that the bidder has met all the statutory declarations in issues of taxes in the current financial year; this certificate should be less than three months old.
A.10	Copy of a valid taxpayer's card, delivered by the chief of center of Taxes.
A.11	Plan and attestation of location of the Company signed by the bidder on honour
A.12	Power of attorney if necessary
A.13	Group agreement where applicable
A.14	Special Technical Clauses initialed on all the pages and signed, dated and stamped on the ast page.
A 15	Special Administrative Clauses completed and initialed on all the pages, signed, dated and stamped on the last page.

The absence or insufficient bid bond will result to the elimination of the offer
The second Internal Envelope shall be labeled <<ENVELOPE B: TECHNICAL DOCUMENT>> and shall contain the following:

- Presence of all documents	
- Properly bound	yes/r
- Table of content	yes/n
- Separators in colour apart from white	yes/n
- Separators in colour apart from white Order prescribed respected	yes/n
- Clearness of the documents	yes/n
- Clearness of the documents	yes/n
B. The company references	/6
References of the company in similar works for the past ten (10) years:	
- 01 certified copy of similar contract visa and legalized by a competent administrative authority equal or above the contract amount FCFA ATI (1 <sup>st</sup> and last pages) and PV of final reception for works realized before 2023 and provisional reception for works realized in 2023.	yes/no
01 certified copy of similar contract visa and legalized by a competent administrative authority equal to or more than 250 million CFA ATI (1st and last pages) and PV of final ecception for works realized before 2023 and provisional reception for works realized in 2023.	yes/no
01 certified copy of similar contract visa and legalized by a competent administrative uthority below 250 million and above 50 million (1 <sup>st</sup> and last pages) and PV of final reception or works realized before 2023 and provisional reception for works realized in 2023.	yes/no
TOTAL 2	/3
. Equipment	
Proof of ownership or rental of an Excavator	yes/no
Proof of ownership or Rental of a front head loader	yes/no
Proof of ownership or hired of a dump truck	yes/no
Proof of ownership or hired of a 4x4 pick-up vehicle in good operating condition	yes/110
	yes/no
Proof of ownership of a vibrator in good operating condition (1)	yes/no
Proof of ownership of a vibrator in good operating condition (with road worthiness rtificate)  Proof of ownership or hired of a concrete mixer of at least 0.5m <sup>3</sup> volume  Proof of ownership of masonry tool kids	Yes/no

. The methodology of intervention and execution of work  Attestation of site visit signed by the bidder on honour.	yes/no
TOTAL 4	/23
- Attestation of availability of chief electrician sign and dated	Yes/no
- CV signed and dated by chief electrician	yes/no
- Attestation of presentation of original diploma of chief electrician *.	yes/no
- Certified copy of diploma of chief electrician	yes/no
Chief Electrician: BAC in Electricity with at least three years of working experience	
- Attestation of availability of Chief Carpenter sign and dated	Yes/no
- CV signed and dated by Chief Carpenter	yes/no
- Attestation of presentation of original diploma of Chief Carpenter*	yes/no
- Certified copy of diploma of chief carpenter	yes/no
Chief carpenter: BAC in wood work with at least three years of working experience	
- Attestation of availability of Chief Builder sign and dated*	Yes/no
- CV signed and dated by Chief Builder	yes/no
- Attestation of presentation of original diploma of Chief Builder*	yes/no
- Certified copy of diploma of chief builder*	yes/no
Chief builder: BAC in Civil Engineering with at least three years of working experience	
- Attestation of availability of site foreman sign and dated	yes/no
- Professional experience of site foreman above five years*	yes/no
- CV signed and dated by site foreman*	yes/no
- Attestation of presentation of original diploma of site foreman*	yes/no yes/no
Site foreman: Senior Civil Engineering technician with at least 05 years of working experience  - Certified copy of certificate of site foreman*	
- Attestation of availability duly signed by the works director*	yes/no
- Professional experience of works Director above ten years*	yes/no
- CV signed and dated by works Director	yes/no
- Attestation of presentation of original diploma works director	
- Certified Diploma of work Director	yes/no
Works Director: Civil Engineer with at least 10 years of working experience	
- Organizational Chart of site with comments	yes/no
- Organizational Chart of the enterprise	yes/ne
D. Qualification of site personnel	
TOTAL 3	/8
- Prof of ownership of carpentry tool kids	yes/no
	yes/n

TOTAL = TOTAL1 + TOTAL2+ TOTAL3+ TOTAL4+ TOTAL5 + TOTAL6	/52
TOTAL = TOTAL 1 + TOTAL 2 + TOTAL 6	/1
Attestation of credibility shall be at least 80% of the bid price	yes/no
F- Pre-financing	
TOTAL 5	/11
- CCTP dully initialled on each page, signed and dated on the last page	yes/no
lan of supply of constructional materials and storage conditions	
- Coherence in the organization of the site	yes/no
- Coherence in the methodology of execution of works	yes/no
- Description of the socio - environment measures for site protection	yes/no
- Coherence of the General Security and Safety Plan (GSSP) within the building site	yes/no
- Coherence of Individual Protection Plan (IPP) within the building site	yes/no
- Coherence synchronized planning of execution of works	yes/no
- Detailed technical note on the organization and execution of works	yes/no
- Site Visit report signed and dated by bidder or duly authorised representative with pictures	yes/no

#### ENVELOPE C- FINANCIAL FILE

No.	DESIGNATION.
C1	A submission letter, signed, dated and stamped.(see ANNEX 3)
C2	Completed and signed frame work of unit prices.
C3	Signed Bills of quantities and cost estimates indicating the total amount without taxes (HT) and with taxes (TTC)
	Sub details of unit prices

- The bidders will use for this purpose the documents and models envisaged in the Tender Documents, subject to the provisions of Article 19.2 of the GAC concerning the other possible forms of bid bond.
- The various parts of the same file must be separated with colour guides in the original as in the copies, so as to facilitate its examination

#### Supply price

## ARTICLE 8: Currency of payment

This National Invitation to tender is awarded on total and Contractual price, inclusive of all taxes, firm and non-revisable for the works and the equipment defined in the present Invitation to Tender.

The corresponding amount will be calculated inclusive of all taxes and the prices will be obligatorily expressed in francs CFA.

The unit price schedule is expressed in figures and letters and in seven (07) copies will be joined to the offer. In the event of error between the prices in figures and letters, the latter will precede and be used as a basis of calculation of the amount of the offer.

The establishment of the prices will be done on the basis of economic condition into force in Republic of Cameroon at the date of submission of bids.

## ARTICLE 9: Transport and delivery

The materials for work must be protected during transportation through packaging whether by air, railway or road accordingly as the case may be. The conditions of storage must be of tropical type.

## ARTICLE 10: Guarantee and retention guarantee

#### 10.1 Provisional guarantee

The amount of the provisional guarantee or guarantee of tender is fixed as of the table above.

The time of validity of this guarantee is one hundred and twenty (120) days as from the date of submission of the offers.

#### 10.2 Final Bond

The final Bond is fixed at two percent (2%) maximum of the initial amount of the services envisaged in the country.

It could be replaced by a guarantee personal and interdependent of a banking house approved by the Ministry of Finances following COBAC conditions.

It will have to be made up in twenty (20) days following the notification of the signature of the Contract from a bank approved by the Minister in charge of Finances.

#### 10.3 Retention Guarantee

Guarantee Retention of ten percent (10%) will be operated on amount inclusive of all taxes of the Contract. The corresponding sum will be paid or the released guarantee, with the final acceptance of work.

## ARTICLE 11: Period of validity of the offers

The bidder will remain committed to his offer for Ninety (90) days as from the date of submission of bids date of the offers.

If at the end of this period, the Contract is not notified to him, the bidder will be able, either to cancel his offer, or to ask for a new negotiation of the unit prices.

## ARTICLE 12: Number of copies of the offer which must be submitted

The bid, as all the parts accompanying it will have to be given in seven (07) copies, including one (01) original and six (06) copies. The bidder will present his document inside a sealed outer envelope being the label:

«OPEN NATIONAL INVITATION TO TENDER N° \_\_\_/ONIT/NWRA/ITB/2024 OF \_\_/\_/2024
FOR THE CONSTRUCTION OF A RETAINING WALL AT NKONYI TO PROTECT THE
ROAD SECTION BOYUI PK 49 + 200 ON THE BAMBUI - FUNDONG ROAD

## "TO BE OPEN ONLY DURING THE OPENING SESSION"

## ARTICLE 13: Date and latest time of submission of bids

The offers will arrive under closed and seal fold latest \_\_/\_/2024 at 10:00am, by mail registered with acknowledgement of delivery or by deposit against receipt to the following address: The Office of the Director of General Affaires of the North West Regional Assembly (Tel N° 2 33 36 00 92). Beyond this time no offer will be received nor accepted.

## ARTICLE 14: Opening of the tenders

The opening of the bids will be carried out in the conference room of Internal Tenders Board of the North West Regional Assembly on \_/\_/2024 as from 11: 00am, by the Regional Tender Board sitting in the presence of the duly elected bidders or their representatives and having a good knowledge of the file.

#### AWARD OF THE CONTRACT

#### ARTICLE 15: Award of the Contract

The Tenders Board will propose to the Contracting Authority to award the Contract to the bidder who will have presented the offer with the lowest amount, essentially conforming to the regulations of the Tender File, having satisfied 100% of all the eliminatory criteria and at least 75% of the essential criteria taken into account ..

The decision carrying attribution of the Contract will be published by way of press release or any other means of Publication of use in the Administration.

If the Contract passed on the basis of technical alternative suggested by the bidder, the Contracting Authority reserves the right to introduce all the provisions there allowing him to guarantee itself against the real overrun costs of the alternative compared to his estimate of origin. In the absence of these last precise details, any additional charge due to an alternative will be inadmissible.

To this end, it is specified that a bidder cannot claim to be compensated, if it is not taken action on his offer.

The Contracting Authority reserves the right not to take action on an Invitation to Tender, if it did not obtain a proposal which appears acceptable to him.

#### ARTICLE 16: SITE INSTALLATION

Before the commencement of works, the Contractor must be installed on the site by the following:

- \* The President of the North West Regional Assembly or his representative (Chairman)
- ❖ The Contract Engineer, The Regional Delegate MINTP North West or his representative;
- The Contract Manager or his representative, The Director of General Affairs NWRA
- The Representative of MINMAP;
- Beneficiary
- Contractor
- ❖ The Commissioner of Economic Development at the North West Regional Assembly

# Document N°. 4 SPECIAL ADMINISTRATIVE CONDITIONS (SAC)

Table of contents	
Chapter I: General	
Article 1 - Subject of the Contract	
Article 2 - Award procedure	
Article 3 - Definitions and duties (article 2 of GAC supplemented)	
Article 4 - Language, applicable law and regulations	
Article 5 - Constituent documents of the Contract (article 4 of GAC)	
Article 6 - General applicable instruments	
Article 8 - Communication (GAC articles 6 and 10 supplemented)	
Article 8 - Administrative Orders (article 8 of GAC supplemented)	
Article 9 - Contracts with conditional phases (article 15 of GAC)	
Article 10 - Contractor's personnel (article 15 of GAC)  Chapter H. Financial and Italy  Chapter H. Financial and Italy	
Chapter II: Financial conditions	
Article 11 - Guarantees and bonds (articles 29 and 41 of GAC supplemented	
Article 12 - Amount of Contract (articles 18 and 19 supplemented)	1)
Article 13 - Place and method of payment	
Article 14 - Price variation (article 20 of GAC)	
Article 15 - Price revision formulas	
Article 16 - Price updating formulas (article 21 of GAC)	
Article 17 - Work under State grown in (article 21 of GAC)	
Article 17 - Work under State supervision (article 22 of GAC supplemented)	)
Lyandaloll of Works (article 73 supplemented)	
Article 19 - Evaluation of supplies (article 24 of GAC) supplemented)	
Authore 20 - Advances (afficie /x of (74(1)	
Article 21 - Payments for the works (articles 26, 27 and 30 of GAC supplemental 22 - Interests on avoiding the	ented)
interests on overque payments (article 3) of CAC and 1	)
There 25 I charties for delay (affice 3) of (AC cumplements 1)	
Article 24 - Payment in case of a group of enterprises (article 33 of GAC)	
There 25 - I mai detailed account (article 35 of GAC)	
Article 26 - General detailed account (article 35 of GAC)	
Article 27 - Tax and customs schedule (article 36 of GAC)	
Article 28 - Stamp duty and registration (article 37 of GAC)	
Chapter III: Execution of the works	
Article 29 - Nature of works	
Article 31 - Obligations of the Project Owner (GAC supplemented)	
Title of - Execution deadline of Contract (article 20 of CAC)	
- Roles and responsibilities of the Contractor (article 40 of CAC)	
There is a real factor of the conduction of the	
THE COLUMN TO THE PROPERTY OF	)
	ented)
Samsation and Schiller of the Lattice of the	
Article 57 - Implantation of structures (article 52 of GAC)	
Afficie 38 - Sub-Contracting (article 54 of GAC)	
Afficie 39 - Site laboratory and trials (article 55 of GAC)	
Article 40 - Site logbook (article 56 of GAC supplements 4)	
Afficie 41 - Use of explosives (article 60 of GAC)	
Chapter IV: Acceptance	
Article 42 - Provisional acceptance (article 67 of GAC)	
Article 43 - Documents to be furnished after execution (article 68 of CAC)	
There is a Guarantee time-innit (article //) of (AAC)	
Afficie 45 - Final acceptance (article 72 of GAC)	
Chapter V: Miscellaneous provisions	
Article 46 - Termination of the Contract (article 74 of GAC)	
Afficie 47 - Force majeure (article 75 of GAC)	
Article 48 - Differences and disputes (article 79 of GAC)	
Afficie 49 - Drafting and dissemination of this Contract	
Article 50 and last: Entry into force of the Contract	

### **CHAPTER I: GENERAL**

Article 1: Subject of Contract

The subject of this Contract shall be the FOR THE CONSTRUCTION OF A RETAINING WALL AT NKONYI TO PROTECT THE ROAD SECTION BOYUI PK 49 + 200 ON THE BAMBUI - FUNDONG ROAD

Article 2: Contract award procedure

This Contract is be awarded by Open National Invitation to Tender No \_\_\_/ONIT/NWRA/ITB/2024 of

# Article 3: Definitions and duties (article 2 of GAC supplemented)

3.1 General definitions (cf. Code)

- ✓ The Contracting Authority shall be The President of the North West Regional Assembly; in this respect he preserves the original documents relating to the contract and transmits copies to the Public Contract Regulatory Agency.
- ✓ The Contract Manager shall be The Director of General Affairs at the North West Regional Assembly. In this capacity, he shall respect the administrative, technical and financial clauses of
- The Contract Engineer shall be The Regional Delegate of MINTP for the North-West. He shall validate the different crucial phases of work done, from the installation of the Contractor to the Provisional Technical Reception.
- ✓ The Regional Delegation of MINMAP North-West shall carry out unannounced control for the execution of this project
- The Divisional/Sub-Divisional Peace and Development Committees (P.D.C) shall carryout Social Control and report to the President of the Regional Executive Council, North West.

The Contractor shall be [to be specified].

### 3.2 Security

This Contract may be used as security subject to any form of transfer of the debt. In this case:

- The authority in charge of ordering payment shall be The President of the North West Regional Assembly.
- The body or official in charge of payment shall be The Regional Treasurer North West Regional Assembly.
- The official competent to furnish information within the context of execution of this Contract shall be The Director of General Affairs at the North West Regional Assembly.
- The authority in charge of clearance shall be The Specialised Finance Controller of the North West Regional Assembly.
- 3.3 Duties of the Control Mission, Project Manager (Not applicable)
- 3.3.1 Control Missions [to be specified].

Article 4: Language, law and regulation applicable

- 1.2 The language to be used shall be [English and/or French].
- 1.3 The Contractor shall be bound to observe the law, regulations and ordinances in force in Cameroon both within his own organization and in the execution of the Contract.

If the laws and regulations in force at the date of signature of this Contract are amended after the signature of the Contract, the possible direct resulting costs shall be taken into account without gain or loss for either

# Article 5: Constituent documents of the Contract (Article 4 of GAC)

The constituent Contractual documents of this Contract are in order of priority:

- 1) The tender or commitment letter;
- 2) The bidder's tender and its annexes in all provisions not contrary to the Special Administrative Conditions (GAC) and the Special Technical Conditions (STC) hereunder;
- 3) The Special Administrative Conditions (SAC);
- 4) The Special Technical Conditions (STC);
- 5) The particular elements necessary for the determination of the Contract price, such as, in order of priority: the unit price schedule, the statement of all-in prices, detailed estimates, the breakdown of all-in prices and the sub-details of unit prices;
- 6) Plans, calculation notes, trial documents, geotechnical documents;
- 7) The General Administrative Conditions applicable on Public works Contracts that went into effect by Order No. 033/CAB/PM of 13 February 2007;
- 8) The General Technical Condition(s) applicable on the services forming the subject of the Contract.

### Article 6: General instruments in force

This Contract shall be governed by the following general instruments [to be adapted according to the case]:

- 1. Law No 2018/011 of 11 July, 2018 on the Code of Transparency and Good Governance in the management of Public Finances in Cameroon;
- 2. Law No 2018/012 of July 11, 2018 on the financial regime of the state and other public entities;
- 3. Law No 2019/024 of December 24, 2019 on the General code of Regional and Local Authorities;
- 4. Law No. 96/12 of 5<sup>th</sup> August 1996 on the management of the environment;
- 5. Law No. 2023/019 of 19 December, 2023 on the Financial Regime of the State of Cameroon for the 2024 Financial Year
- 6. Law No. 2019/024 of December, 2019 on the General Code of Decentralized Territorial Communities.
- 7. Decree No. 2013/159 of 15 May, 2013 putting in place a special regime on Administrative Control of Public
- 8. Law No 2016/017 of 14 December 2016 instituting the Mining Code;
- 9. Decree No. 2018/366 of 20th June 2018 to institute the Public Contracts Code and its texts of application;
- 10. Decree No. 2018/4992/PM of 21 June, 2018 putting in place the General Rules regulating the maturation of Public Investment projects;
- 11. Decree No. 2020/375 of 07 July, 2020 on the General Regulations of Public Accounting.
- 12. Instruments governing the various professional bodies;
- 13. Decree No. 2001/048 of 23rd February 2001 relating to the Setting up, Organization and Functioning of the Public Contracts Regulatory Agency
- 14. Decree No. 2003/651/PM of 16th April 2003 to lay down the Procedure for Implementing the Tax and Customs System applicable to Public Contracts;
- 15. Decree No. 2012/075 of 8<sup>th</sup> March 2012 to organise the Ministry in charge of Public Contracts;
- 16. Order No 212/A/MINMAP of September 28, 2021 organizing the operation of internal structures for the administrative management of Public contracts;
- 17. Order No. 000007/MINMAP of 01 January..... laying down the procedures for awarding and executing framework agreements
- 18. Order No. 168/A/MINMAP of August 11, 2021 setting the terms and conditions for the award and execution of design-build contracts:
- 19. Circular Letter No. 000010/LC/MINMAP/CAB of 22 September 2020, the clarifying the payment documents of the Administrative co-contractors to be submitted for visa prior to the Ministry in charge of Public Procurement
- 20. Order No. 001/CAB/PR of 19<sup>th</sup> June 2012 relating to the Award and Control of Execution of Public
- 21. Letter No 00006/LC/PR/MINMAP/CAB of 17 August, 2021 clarifying the control of public procurement and specifying the procedures for its exercise to project owners and delegated project owners circular.
- 22. Circular Nº 00000026/C/MINFI of 29/12/2023 on instructions relating to the execution of finance laws, the monitoring and control of the execution of the budget of the state and other public entities, for the 2024 financial year;
- 23. Circular No. 0001/PR/MINMAP/CAB of 25 April, 2022 relating to the application of the Public Procurement Code

24. The MINCOMMERCE Decree setting the Price List

25. Order No 402/A/MINMAP/CAP of 21 October 2019 setting the nature and threshold of markets reserved for craftsmen, mall and medium-sized enterprises, grassroots communities and civil society organisations, and the modalities of their application:

26. Circular letter No. 00000002/LC/MINMAP/CAB of 12 May 2022 relating to the continuity of the public procurement service in the event of a sanction by a Project Owner or Delegated Project Owners or members of a commission public procurement in accordance with the provision of articles 195 of the code of public contracts.

27. Unified Technical Documents (DTU) for building works;

28. Applicable standards:

Other instruments specific to the domain concerned with the Contract.

# Article 7: Communication (Articles 6 and 10 supplemented)

- 7.1 All notifications and written communication within the framework of this Contract shall be sent to the following address:
- a) In the case where the contractor is the addressed: beyond the time-limit of 15 days fixed in Article 6 (1) of the GAC to make his domicile known to the Contract Manager and immediately after completion of the works, correspondences shall be validly address to council where the Contractor Resides.
- b) In case where the Contracting Authority is the addressee: correspondences shall be addressed to:
  The President of the North West Regional Assembly with copies addressed to the Contract
  Manager, the Engineer and the Regional Delegation of Public Contract North West.
- 7.2 The contractor shall address all written notifications or correspondences to the Engineer with a copy to the Contract Manager and the Regional Delegation of Public Contract North West.

### Article 8: Administrative Orders (Article 8 of GAC)

The various Administrative Orders shall be established and notified as follows:

- 8.1 The Administrative Order to start execution of works shall be signed by the Contracting Authority and notified to the Contractor by the Contract Manager with a copy to the Contracting Authority, the Regional Delegation of Public Contract North West, the Contract Engineer and the Paying Body, where applicable.
- 8.2 Upon proposal by the Contract Manager, Administrative Orders with an incidence on the objective, the amount and execution deadline shall be signed by Contracting Authority and notified by the Contract Manager to the Contractor with a copy to the Contracting Authority, the Regional Delegation of Public Contract North West, the Contract Engineer, and the Paying Body. The prior endorsement of the Paying Body shall possibly be required before the signature of those that have an incidence on the amount.
- 8.3 Administrative Orders of a technical nature linked to the normal progress of the work and without financial incidence shall be signed directly by Contract Manager and notified to the Contractor by the Contract Engineer or Project Manager (where applicable) with a copy to the Contracting Authority, the Regional Delegation of Public Contract North West and Contract Manager.
- 8.4 Administrative Orders serving as warnings shall be signed by the Contracting Authority and notified to the Contractor by the Contract Engineer with a copy to the Contract Manager, the Regional Delegation of Public Contract North West.
- 8.5 Administrative Orders for suspension or resumption of work as a result of the weather or any other case of force majeure shall be signed by the Contracting Authority and notified by the Contract Engineer to the Contractor with a copy to the Contract Manager the Regional Delegation of Public Contract North West.

- Administrative Orders prescribing works necessary to remedy disorders which could appear on 8.6 structures during the guarantee period and not related to normal usage shall be signed by the Contract Manager upon the proposal of the Contract Engineer and notified to the Contractor by the
- 8.7 The Contractor has a time-limit of fifteen (15) days to issue reservations on any Administrative Order received. Having reservations shall not free the enterprise of executing the Administrative
- Concerning Administrative Order signed by the Contracting Authority and notified by the Contract 8.8 Manager, the notification must be done within a maximum of 30 days from the date of transmission by the Contracting Authority to the Contract Manager. Beyond this deadline, the Contracting Authority shall establish the default of the Contract Manager, take over from him and carry out the said notification.

Article 9: Contracts with conditional phases (Article 9 of GAC) Not applicable

- This Contract has only one phase for 2024 financial year. At the end of phase one, the Project Owner shall carry out the acceptance of the works and issue an attestation of proper execution to the Contractor. This attestation shall condition the start of the following conditional phase.
- 9.2 The time-limit granted for notification of the Administrative Order to start execution of a conditional

Article 10: Contractor's equipment and personnel (Article 15 of GAC supplemented)

- Any modification, even partial, made on the technical bid shall only occur after the written approval of the Contract Manager. In case of modification, the personnel replaced shall be a member of staff of equal competence (qualifications and experiences).
- In any case, the lists of supervisory staff to be used shall be subject to the approval of the Project Owner in the days following notification of the Administrative Order to start execution. The contract Manager has 5 (five) days to notify his opinion in writing with a copy sent to the Contract Engineer. Beyond this time-limit, the staff list shall be considered as approved.
- 10.3 Any unilateral modification on the supervisory staff made in the technical bid prior to and during the works shall be a reason for termination of the Contract as mentioned in article 45 below or the

# CHAPTER II: FINANCIAL CONDITIONS

The final bond shall be set at 2 % of the amount of the Contract, inclusive of all taxes.
It is constituted and transmitted to the Contract Manager within a maximum deadline of twenty (20) days of the notification of the Contract.
The bond shall be returned or the guarantee released within one month following the date of provisional acceptance of the works, following a release issued by the Contracting Authority upon request by the Contractor.
11.2 Performance bond  The retention fund shall be set at 10 % of the amount of the Contract, inclusive of all taxes.  The return or release of the retention fund or security shall be done within one month after final acceptance by release issued by the Contracting Authority upon request by the Contractor.
11.3 Guarantee of start-off advance The contractor may be granted a start off amount of 20% of the contract amount (inclusive of taxes) upon request.
The start-off payment shall be guaranteed at 100% by a Cameroonian bank recognized by the Ministry in charge of Finance.
Article 12: Amount of the Contract (Articles 18 and 19 of GAC supplemented)  The amount of this Contract as indicated by the attached [detail or estimates] is (in letters) CFA francs Inclusive of All Taxes; that is:  - Amount exclusive of VAT: (
Article 13: Place and method of payment The Project Owner shall release the sums due in the following manner:
a. For payments in CFA francs (amount in figures and letters exclusive of taxes) by credit to account No OPEN in the name of the Contractor in the bank.
b. For payments in foreign currencies (amount in figures and letters exclusive of taxes) by credit to account N° OPEN in the name of the Contractor in bank.
Article 14: Price variation (Article 20 of GAC)  28.1 Prices shall be firm.
<ul><li>a. Payments on account made to the Contractor as advances shall not be revisable.</li><li>b. Revision shall be "frozen" upon expiry of the Contractual time-limit, except in the case of price reductions.</li></ul>
28.2 Price updating modalities (Not applicable)
Article 15: Price revision formulae (article 21 of GAC) (Not applicable)
Article 16: Price updating formulae (article 21 of the GAC) (Not applicable)
Article 17: Works under State supervision (Article 22 of GAC supplemented)

- 17.1 The percentage of works under State supervision shall *not exceed 2%* of the amount of the Contract and its additional clauses, where applicable.
- 17.2 In the case where the Contractor were invited to execute works under State supervision, the submitted and duly justified expenditures shall be reimbursed to him under the following conditions:
  - The quantities considered shall be the hours used or the quantities of building materials and materials used that was the subject of joint job cost sheets;
  - The remunerations and salaries effectively paid to local labour shall be increased by forty percent (40 %) to take account of social benefits;
  - The hours put in by the heavy equipment shall be counted at the rate featuring in the sub-detail of prices;
  - building materials and materials shall be reimbursed at cost price duly justified at the place of use, marked up by ten percent for loss, stocking and handling;
  - The amount for services thus calculated, including the hours put by heavy equipment shall be marked up by 25% to take into account the overheads, profits and the Contractor's unforeseen.

# Article 18: Evaluation of works (article 23 of the GAC)

The work done shall be evaluated using the unit price.

# Article 19: Evaluation of supplies (article 24 of the GAC supplemented)

19.1 [indicate, where applicable, the modalities for payment of supplies].

19.2 No security shall be requested for payments on account on supplies.

# Article 20: Advances (article 28 of the GAC)

20.1 The Contracting Authority may grant a start-off advance equal to 20 % of the amount of the Contract.

- 20.2 This advance whose value cannot exceed twenty (20) percent of the initial amount inclusive of all taxes shall be guaranteed at one hundred (100) percent by a financial establishment governed by Cameroon law or a first-rate financial institution in accordance with the instruments in force and reimbursed by deduction of the payments on accounts to be paid to the Contractor during the execution of the Contract according to the modalities laid down in the Special Administrative Conditions.
- 20.3 The total amount of the advance must be reimbursed not later than when the value in basic price of the works reaches eighty (80) percent of the amount of the Contract.

20.4 As the reimbursement advances, the Project Owner shall issue the release of the corresponding part of the guarantee upon the express request by the Contractor.

20.5 The possibility of granting start-off advance or advance for supplies must be expressly stipulated in the Tender File.

# Article 21: Payment for works (articles 26, 27 and 30 of the GAC supplemented) 21.1 Establishment of works executed

Before the 30<sup>th</sup> of each month, the Contractor and the Project Manager shall jointly establish a job cost sheet which summarises and fixes the quantities executed and established for each item on the schedule during the month and capable of giving entitlement to payment.

### 21.2 Monthly detailed account

No later than the fifth (5<sup>th</sup>) of the month following the month of the services, the Contractor shall hand over to the Project Manager two draft provisional monthly detailed accounts in seven copies (one detailed account exclusive of VAT and the other inclusive of taxes), according to the agreed model and establishing

the total amount of the sums to which he may lay claim as a result of the execution of the Contract since the start of the Contract.

Only the detailed account exclusive of VAT shall be paid to the Contractor. The detailed account of the amount of the taxes shall be the subject of an entry into the budgets of the Ministry in charge of Finance

Only the amount exclusive of VAT shall be paid to the Contractor as follows:

- [100-2.2 or 5.5% paid directly into the account of the Contractor;
- 2.2 Or 5.5 % paid to the Public treasury as AIR due by the Contractor.

The amount of payment on account shall not exceed the value of the technical execution phases carried out.

Payment on account may be spread over the duration of the execution of the Contract according to technical execution phases as defined in the Contract.

Payment on account shall take place within thirty (30) days from the date of transmission to the competent accounting officer, of the documents giving entitlement to payment.

The contractor shall transmit seven (7) copies of the partial invoices to the Engineer for approval before the 5th of the month following the works executed.

The Engineer shall within a time-limit of seven (7) days forward the approved partial invoices to the Chief

The Chief of Service has a maximum time-limit of twenty-one (21) days to sign the partial invoice and to produce the documents giving entitlement to payment on account and transmit same to the competent accounting officer.

21.3 Detailed account of start-off account (specify).

# Article 22: Interest on overdue payments (Article 31 of the GAC)

Possible interests on overdue payments are paid by statement of sums due in accordance with Decree No. 2018/366 of 20 June 2018 to institute the Public Contracts Code.

# Article 23: Penalties (Article 32 of the GAC supplemented)

### A. Penalties for delay

- 23.1 The amount set for penalties for delays shall be set as follows:
  - a) One two thousandth (1/2000<sup>th)</sup> of the initial Contract amount all taxes inclusive per calendar day of delay from the first to the 30<sup>th</sup> day beyond the Contractual time-limit;
  - b) One thousandth (1/1000<sup>th)</sup> of the initial amount of the Contract inclusive of all taxes per calendar day beyond the 30<sup>th</sup> day.
- 23.2The cumulated amounts of penalties for delay shall be limited to ten percent (10 %) of the initial Contract inclusive of all taxes.

### B. Specific penalties

- 23.3Independently of penalties for overrun of Contractual time-limit, the Contractor shall be liable for the following special penalties for the non-observation of the provisions of the Contract, especially:
  - Late submission of final bond;
  - Late submission of insurances, shall be one five thousandth (1/5000th) of the initial Contract amount all taxes inclusive per calendar day of delay from the first to the 30th day beyond the Contractual time-limit;
  - Late submission of the draft execution schedule if the lateness is caused by the Contractor shall be one five thousandth (1/5000th) of the initial Contract amount all taxes inclusive per calendar day of delay from the first to the 30th day beyond the Contractual time-limit;

# Article 24: Payment in case of a group of enterprises (article 33 of the GAC)

- 1. In the case of a group of enterprises, indicate the method of payment of co- and sub-Contractors, where need be.
- 2. Indicate the method of payment of sub-Contractors, where need be.

# Article 25: Final detailed account (article 34 of the GAC)

- 25.1 After completion of the works and within a maximum time-limit of fourteen (14) days after the date of provisional acceptance, the Contractor shall establish, based on joint reports, the draft final detailed account of works executed and which detailed account summarises the total sums to which the Contractor may be entitled as a result of the execution of the whole Contract.
- 25.2 The Contract Engineer has up to thirty (30) days to notify the corrected and approved draft to the Project owner.
- 25.3 The Contractor has up to thirty (30) days to return the corrected and approved final detailed account to the competent accounting officer.

### Article 26: General and final detailed account (article 35 of the GAC)

26.1 The Contract Manager or the Project Manager has up to thirty (30) days to establish the general detailed account and forward to the Contractor after final acceptance.

At the end of the guarantee period which results in the final acceptance of the works, the Authorising Officer draws up the general and final detailed accounts of the Contract which he had signed jointly by the Contractor and the Contracting Authority. This detailed account includes:

- the final detailed account,
- the balance
- the summary of monthly payments on account.

The signing of the general and final detailed account without reservation by the Contractor definitely binds the two parties, puts an end to the Contract, except with regard to interest on overdue payments.

26.2 The Contractor has up to thirty (30) days to return the signed final detailed account.

### Article 27: Tax and customs regulations (article 36 of the GAC)

Decree No. 2003/651/PM of 16 April 2003 lays down the Terms and Conditions for Implementing the Tax regulations and Customs Procedures applicable to Public Contracts. The taxes applicable to this Contract include notably:

- Taxes and dues relating to industrial and commercial profits, including the IAR which is a deduction on company taxes;
- Registration dues in accordance with the Tax Code;
- Dues and taxes attached to the execution of services provided for in the Contract;
  - o Duties and taxes of entry into Cameroonian territory (customs duties, VAT, computer tax);
  - o Council dues and taxes;
  - o Dues and taxes relating to the extraction of building materials and water.

These elements must be included in the costs which the undertaking imputes on its running costs and constitute one of the elements of the sub-details of prices exclusive of taxes.

All taxes inclusive prices means VAT included.

### Article 28: Stamp duty and registration of Contracts (article 37 of GAC)

Seven (7) original copies of the Contract shall be stamped by and at the cost of the Contractor, in accordance with the applicable regulations.

# CHAPTER III: EXECUTION OF WORKS

# Article 29: Nature of the works (article 46 of GAC)

The works shall include especially: (position or volume of works)

(To be specified cf. Special Technical Conditions)

Article 30: Roles and responsibilities of the Project Owner (GAC supplemented)

30.1 The Project Owner shall be bound to furnish the Contractor with information necessary for the execution of his mission and to guarantee, at the cost of the Contractor, access to sites of projects.

30.2 The Project Owner shall ensure the Contractor of protection against threats, insults, violence, assault and battery, slander or defamation of which he could be victim by reason of or during the exercise of his mission.

# Article 31: Execution time-limit of the Contract (article 38 of the GAC)

31.1 The time-limit for the execution of the works forming the subject of this Contract shall be Seven months (07) Months.

31.2 This time-limit shall run from the date of notification of the Administrative Order to commence execution of the works.

# Article 32: Roles and responsibilities of the Contractor (article 40 of the CAG)

The detailed and general plan of progress of the works shall be communicated to the Contract Engineer in *five (05)* copies at the beginning of each.

# Article 33: Provision of documents and site (article 42 of the GAC)

A reproducible copy of the plans featuring in the Tender File shall be submitted by the Contract Manager.

The Project Owner shall make available the site and access ways to the Contractor at the appropriate time as the works progress.

# Article 34: Insurance of structures and civil liabilities (article 45 of GAC)

The Contractor shall take out a third party risk insurance concerning persons, property or liabilities from an insurance company governed by the "CIMA" insurance code.

# Article 35: Documents to be furnished by the Contractor (Article 49 of the GAC supplemented)

# 35.1 Programme of works, Quality Assurance Plan and pegging map.

a) Within a maximum deadline of *fifteen* (15) days from the date of notification of the Administrative Order to commence execution, the Contractor shall submit in six (6) copies for the approval of project owner after the endorsement of the Contact Engineer the execution programme of the works, his supply calendar, his draft Quality Assurance Plan and the Environment Management Plan, where applicable and the electricity network pegging map at scale 1/2500.

This programme shall be exclusively presented according to the furnished models.

Two (2) copies of these documents will be returned to him within a deadline of fifteen (15) days from the date of reception with:

- Either the indication "GOOD FOR EXECUTION";
- Or the indication of their rejection including the reasons for the said rejection.

The Contractor has eight (8) days to present a new draft. The Contract Manager or the Project Manager then has a deadline of five (5) days to give his approval or possibly make comments. Delay in approving the draft execution schedule shall stay the execution deadline.

The approval given by the Project Owner does not in any way release the Contractor of his responsibilities. Meanwhile, works executed before the approval of the programme shall neither be ascertained nor paid for. The updated and approved schedule will become the Contractual schedule.

The Contractor shall constantly update on site, a schedule that will take account of real progress of the site. Significant modifications may only be made on the Contractual programme upon receiving the approval of the Project engineer. After approval of the execution schedule by the Contract Manager, the latter shall transmit it within five (5) days to the Contracting Authority without staying its execution. However, if important modifications alter the objective of the Contract or the nature of the works, the Contracting Authority shall return the execution schedule accompanied by reservations to be lifted within fifteen (15) days of the date of reception.

- b) The Environment Management Plan should bring out notably the choice technical conditions of the site and basic life, conditions of the backfill of the extraction sites and conditions for reinstating the works and installation sites.
- c) The Contractor shall indicate in this schedule the equipment and methods which he intends to use as well as the personnel he intends to employ.
- d) The approval granted by the Contract Engineer shall in no way diminish the responsibility of the Contractor with regard to the harmful consequences which their implementation may cause both towards third parties and the respect of clauses of the Contract.

### 35.2 Execution draft

- a) The execution plan documents (calculations and drawings) necessary for the realisation of all the parts of the structure must be submitted for the endorsement of the Contract Engineer at most fifteen (15) days prior to the date provided for the commencement of execution of the corresponding part of the structure.
- b) The Contract Engineer has a deadline of *five (05) days* to examine and make known his observations. The Contractor then has a deadline of (04) four *days* to present a new file including the said observations.
- 35.3 In case of the non-observance of the approval deadlines of the above documents by the Administration, these documents shall be deemed to have been approved.

# Article 36: Organisation and safety of sites (article 50 of the GAC)

- 36.1 Signboards at the beginning and end of each section must be placed within a maximum deadline of fifteen days after the notification of the Administrative Order to commence work. It must have the following characteristics: Height = 2.80m, width=1.20m, board thickness=2.5cm at 1.20m above the ground level. The Contract Engineer shall put at the Contractors' disposal the text to be used.
- 36.2 The services to inform in case of interruption of traffic or along the deviated itinerary: [To be specified in accordance with article 50(2) of the GAC].
- 36.3 Indicate the special measures demanded of the Contractor, other than those provided for in the GAC, for rules of hygiene and safety and for circulation around or in the site.

### Article 37: Implantation of structures

The Project Owner shall notify within [five] days following the date of notification of the Administrative Order to commence work, the basic points and levels of the project.

### Article 38: Sub-Contracting (article 54 of the GAC)

The part of the works to be sub-Contracted shall not exceed 30 % of the initial amount of the Contract and its additional clauses.

Article 39: Site laboratory and trials (article 55 of GAC)

- 39.1 Indicate if necessary the modalities for carrying out the trials and geotechnical studies provided for in the Special Technical Conditions.
- 39.2 The Contract Manager has a deadline of three days to approve the Contractor's personnel and laboratory as soon as the request is made.

Article 40: Site logbook (article 56 of the GAC supplemented)

- 40.1 The Site logbook must be systematically jointly signed by the Project Manager or Engineer, where need be and the Contractor's representative each day.
- 40.2 It is a joint document in a single copy. Its pages must be numbered and initialled. No page should be removed. The erased or cancelled parts must be mentioned on the margin for validation.

Article 41: Use of explosives (article 60 of the GAC) (specify)

### CHAPTER IV: ACCEPTANCE

### Article 42: PROVISIONAL ACCEPTANCE

# 42.1 PRE- ACCEPTANCE OPERATIONS

Before the acceptance of the works the Contractor shall ask in writing to the Contract Engineer, to organize a technical visit for pre-acceptance. This visit shall include the following operations.

- > Qualitative and quantitative evaluations of the different works that have been executed.
- Findings and statement of the unexecuted task envisaged in the present contract.
- > Findings relative to the completion of the work
- > Findings on the quantity of works that have been effectively realized

These operations shall be subject to a site report drawn up on the field, signed by the following.

- Contract Manager;
- Contract Engineer;
- Representative of MINMAP (Observer)
- Beneficiary
- Contractor.

During this pre-reception, the Engineer shall eventually specify the reserves to be lifted and the corresponding works to be effected before the reception. The Engineer shall fix the reception date in collaboration with the chief of service for the Contract.

### 42.2 Acceptance

The acceptance commission shall comprise:

- 1- The President of the North West Regional Assembly or his representative ......(Chairman)
- The Contract Engineer...... (Secretary)
- The Contract Manager or his representative. ...... (Member) 3-
- 4- The Stores Accountant of North West Regional Assembly..... (Member)
- The Beneficiary ...... (Member)
- The commissioner of Economic Development at the North West Regional Assembly ..... (Observer)

The commission shall examine the report of the pre-acceptance including a video from the Contractor showing the stages of works executed. This shall proceed with the acceptance. An acceptance report (process - verbal) of the works shall be prepared by the Contract Engineer and sign by all the commission members.

# ARTICLE 43: DOCUMENTS TO BE FURNISHED AFTER EXECUTION

43.1 The contractor shall furnish within one (1) month after completion of the works five (5) copies of all working documents and drawings as executed, especially those relevant to the exploitation and maintenance of the works. (for lots 2,3,4)

43.2 A penalty of 30% of the guarantee retention shall be retained in the event where the contractor fails to comply with Article 43.1 above.

### Article 44: GUARANTEE PERIOD.

The guarantee period is one (01) year from the date of the provisional acceptance.

# Article 45: Final acceptance (article 72 of the GAC)

Final acceptance shall take place within a maximum deadline of fifteen (15) days from the date of expiry of the guarantee.

The procedure for final acceptance shall be the same as for provisional acceptance

### CHAPTER V: SUNDRY PROVISIONS

# Article 46: Termination of the Contract (article 74 of the GAC)

The Contract may be terminated as provided for in Decree No. 2018/366 of 20 June 2018 and equally under the conditions laid down in articles 74, 75 and 76 of the GAC especially in one of the following cases:

- Delay of more than fifteen (15) calendar days in the execution of an Administrative Order or unjustified stoppage of more than seven (7) calendar days;
- Delay in work resulting in penalties of more than 10 % of the amount of the works;
- Refusal to repeat poorly executed works;
- Default by the Contractor;
- Persistent non-payment for services.

### Article 47: Case of force majeure (article 75 of the GAC)

If the Contractor were to raise the issue of force majeure, the thresholds below which claims shall not be admitted are:

- Rainfall: 200 millimetres in 24 hours;
- Wind: 40 metres per second;
- Flood: decennial flood frequency.

# Article 48: Disagreements and disputes (article 79 of the GAC)

Disagreements and disputes resulting from the execution of this Contract may be settled amicably.

Where no amicable solution can be found for a disagreement, it is brought before the competent court in the North-West Region of the Republic of Cameroon.

# Article 49: Production and dissemination of this Contract

Twenty (20)] copies of this Contract shall be produced at the cost of the Contractor and furnished to the Contract Manager.

# Article 50 and last: Entry into force of the Contract

This Contract shall be final only upon its signature by the Contracting Authority. It shall enter into force as soon as it is notified to the Contractor by the Contracting Authority.

# Document N°. 5 SPECIAL TECHNICAL CONDITIONS (STC)

### TECHNICAL SPECIFICATIONS

- 1. GENERAL
- 2. PREPARATORY WORKS
- 3. ORIGIN, QUALITY AND PREPARATION OF MATERIALS
- 4. MODE OF EXECUTION OF THE VARIOUS TASKS
  - ✓ 001 Site Installation
  - ✓ 002 Mobilization and demobilization of equipment
  - ✓ 002 Geotechnical

### Series 100- Site Preparation

- ✓ 101 Website Clearance
- √ 102 Felling of trees
- ✓ 103 Traffic flow (Diversion of water course/road)
- √ 105 Setting out of the bridge

# Series 200 – General Earth Works

- ✓ 201 Excavation of trenches
- √ 202 Bakfill of excavation
- ✓ 203 Opening complete of the right of way 10m wide of the access road on both sides of the bridge and molding of the road to 7m wide
- ✓ 204 Concrete gutters
- ✓ 205 Foundation layer in laterite
- ✓ 206 Base course
- ✓ 207 Three-layer surface dressing
- √ 208 Concreting of steep slopes

# Series 300-Foundations-Abutment-deck-wing walls

- ✓ 301 Hard-core
- ✓ 302 Stone masonry works for foundation, abutment, and wing walls
- ✓ 303 Mass concrete dosed at 400kg/m3 as for base of the joggings
- ✓ 304 Lean concrete floor dosed at 150kg/m3
- 7 305 Reinforced concrete dosed at 400kg/m3 for the footings and other parts of the bridge
- √ 306 Reinforced concrete 20cm thick dosed at 350kg/m3 for raft
- ✓ 307 IPE 300 for rib beams
- √ 308 IPE 350 for beams including all subjections
- √ 309 Archor of rods HA25 to a rock
- ✓ 310 Drainage material behind the abutment Series 400-Equipment

# ✓ 401 Mixed guard rails (RC+iron tubes 60)

- ✓ 402 Weepholes
- ✓ 403 Drainage pipes

1 – GENERAL: This present special technical specification concerns the:

FOR THE URGENT REMOVAL OF GROUND AT NKOYNI AND CONSTRUCTION OF A RETAINING WALL TO PROTECT THE LANDSLIDE AT THE DOWNER SECTION OF BOYUI PK49+200 ON THE BAMBUI - FUNDONG ROAD, FUNDONG SUB DIVISION, BOYO DIVISION, NORTH WEST REGION. It is the duty of the contractor to realize the structure as per the execution plans that shall be approved by the competent authority and sample models of equipment and furniture provided by the project owner. Through the Project Engineer, the contractor shall furnish the owner of the project and other project team members within the shortest possible time with an execution plan showing clearly how he intends to run the work site. A fence in local materials shall enclose the entire work site to avoid trespassing.

**SIGN-POSTS:** The contractor shall put in place at his expense signposts indicating work in conformity with the plans put at his disposal by the authority that signed the contract.

**Hygiene and safety:** The contractor shall ensure total hygiene and security of the site by constructing a temporal pit latrine and putting up a temporal fence around the project site if that be the case.

The contractor shall be responsible for the protection of the structures before final reception. He shall be equally responsible for all tools and materials present at the work site. He shall seek an insurance policy to cover theft and fire incidence.

The contractor shall take all preventive measures against accidents. The owner of the project reserves the right to intervene in case of any emergency without necessary interfering with the responsibilities of the contractor.

The contractor shall verify all dimensions on the plans. For execution no dimension shall be measured with a scale rule from the plans. The contractor shall check in-situ the possibility of translating the dimensions on plans to the structure before work begins. He shall refer to the Project Engineer in case of any doubt. He shall not on his own modify anything on the structure and shall inform the Project Engineer of any changes that he considers necessary.

All modifications accepted by the contractor shall be accomplished in a specified duration and at its cost without modification of the contract amount. The owner of the project shall have the right to the final choice in case of any modification.

2 - PREPARATORY WORKS - SETTING OUT: These works concern the clearing of the site and evacuation of the rubbles to the public discharge, the clearing and levelling of the site where necessary.

The setting out will be in respect to the technical plans.

The setting out profile boards will be at least 1.20 m from the outside axes, this to facilitate trenching and other earthworks and good circulation. The commencement of excavation will be accepted by the Project The minimum of the conformity of the setting.

The minimum depth of the excavation trenches shall be of as will be specified by the geotechnical studies to be carried out by the contractor before the commencement of works to specify the soil bearing capacity.

Where there is black cotton soil or soil with low bearing capacity at the bottom of the trench, the contractor shall continue excavation up to a depth as will be approved by the Project Engineer. The excavations will be done manually or mechanically, and no concrete or mortar shall be laid on the bottom of the trench without the acceptance of the trench bottom of excavation by the Project Engineer.

The descriptive notice completes or confirms the indications on the execution plans. In the case of contradictions between the plans and the descriptive notice, the project team shall be contacted for examination, elaboration, and conclusion.

These technical specifications have as objective the definition of the consistency of works to be executed in accordance with the plans and according to technical norms for the construction of classroom buildings. **ORIGIN, QUALITY AND PREPARATION OF MATERIALS:** The fine and coarse aggregates may either be from the river or quarry crushed and must be approved by the Project Engineer before any use on the site. The sand (0/5) shall have very fine elements settlement of less than 4%. The gravels (5/15 and 15/25) shall be clean and well graded with very fine elements settlement of less than 2%. The cement shall be CPA 325 class from CEMENCAM or from an approved factory.

The reinforcement steel for reinforced concrete shall be of type HA FeE400 for the main reinforcement steel rods and round-smooth RL E235 for the stirrup rings. Any fill material for the foundation and the surrounding structures shall have no particle dimension above 50mm and with plasticity index of less than 35. Fill materials shall also be free from organic elements and shall have a good granularity grading. No black vegetable soil shall be accepted for backfilling.

Stones for masonry works shall be of basalt, gneiss or granite type, be aesthetic and should be obtained from the quarry or deposits approved by the Project Engineer with dimension sizes of not less than 20cm.

### 1) CONCRETE:

-Ordinary concrete: specifically lean concrete shall be 5cm thick and laid all-round the excavated foundation trenches before the stone/block work is carried out and dosed at 150kg/m3.

- Concrete for the Raft: shall be 15cm thick laid on the entire floor of the bridge between the 02 abutments and dosed at 350kg/m3 over the entire surface.

NB: The inlet to the bridge shall be excavated at a depth of 60cm below the natural soil and concreted along the width of the bridge between the wings at 01m to the 02 abutments so as to resist the scouring by water upfront. The raft will receive a longitudinal slope of 2%, sloping towards the outlet of the bridge (flow-of water).

-Reinforced concrete: shall be specifically for the footings, beams seatings and the slab of the bridge, kerbs and pillars of the mixed guard rails and their mixture shall be in a proportion of 350kg/m3.

NB: All concrete works should be properly cured (ie water three times a day for seven days)

NOTE: Reinforcement Schedule.

N O	STRUCTURE	SIZE S	Trans verse ROD S	Longi tudin al ROD S	tudin al ROD STIRR UP	CONCRE TE DOSAGE	KIND
		Our	ф	Torsø	Spacing s		
1	Jogging		10mm	8mm	20cm	350kg/m3	Fe-E-400
3	Beam seating		12mm	10mm	20cm	400kg/m3	Fe-E-400
4	Bridge slab	4	12mm	10mm	15cm	400kg/m3	Fe-E-400
5	Bridge raft	4	8mm	8mm	20cm	350kg/m3	Fe-E-400
	Curb		8mm	8mm	20cm	350kg/m3	Fe-E-400
	Pillar guard rails		8mm	8mm	20cm	350kg/m3	Fe-E-400

NB: All rods should preferably be imported.

### Aggregate

- Sand: Will be free from oxide, organic material of animals or plant origin. Sieving shall vary from vary from 0.16 5mm. It shall be a mix of river and crushed sand mixed to the proportion as designed.
- **Gravel:** shall consist of natural and homogeneous materials or crushed stones. Tiny layer of grave (dust) shall be removed by sieving, blowing, or washing. It shall be a mix of 5/15 and 15/25.

### Water:

 To be used for the mixture mortar, concrete and washing of aggregates. Shall be clean and free from impurities, meaning drinking water.

### Cement:

To be used mostly for cement mortar, all concrete mixtures shall satisfy the general conditions laid down by regulation in force. It will be typeCPA325Portland cement and shall not show any trace of uneven mixture. Storage on the building site shall be done on a dry and ventilated floor. Any stock presenting an unsatisfactory pulverulent condition will be discarded and cleared away within four (04) days.

### Rods

Shall be mild steel reinforcement, Tor or Steel in accordance with the R/C &3 rules. The steel shall be perfectly clean without any trace of rust, non-adhesive to paint or grease.

### Shuttering:

Hard wood, to bear without any noticeable distortion, the load and pressure of concrete, the effect of vibration and weight of workers involved in setting it up.

### MASONRY:

Stones-shall be as specified above

### Wood - Material:

The wood must be pure and should not have knots, foreign bodies or fractures due to sawing. This shall be locally sawn eucalyptus.

### MODE OF EXECUTION OF THE VARIOUS TASKS

### 1) TR001.1 - Installation site

### Description of works

These works consist of the mobilization of materials and personnel, the realization of geotechnical and technical studies for the project as well as the performance program and final report, the construction of a hut for site meeting, Etc...

# 2) TR001.2- Project information sign post

### Description of works

This consists of manufacturing information boards in wood, the supply to the sites at the extremes of the various roads and eventually at the post of works (bridge) so as to furnish the populations with all information concerning the project.

The boards will carry the following information:

North-West Region	Republic of Cameroon
*****	Peace-Work-Fatherland ******
Project name	FOR THE URGENT REMOVAL OF GROUND AT
	NKOYNI AND CONSTRUCTION OF A RETAINING
	WALL TO PROTECT THE LANDSLIDE AT THE
	DOWNER SECTION OF BOYUI PK49+200 ON THE
	BAMBUI - FUNDONG ROAD, FUNDONG SUB
	DIVISION, BOYO DIVISION, NORTHWEST REGION.
Owner of the project	
Funding body	2024
Chief of service	
Project Engineer	
Duration of the contract	Seven (07) months
Direct Labor	

# 3) TM002 - Mobilization and folding up of equipment

### Description of works

This task consists of the mobilization of equipment to the site through a loader and at the end of the works the folding up of the equipment by same means and the realization of all the works necessary to reestablish the place to their initial state.

### 4) 101 - BUSH CLEARING

### Description of works

These works consist of removing vegetation and cleaning the edges of the road as well as on its immediate surroundings, felling trees and/ or trimming tree branches obstructing visibility, etc.

### Mode of execution of works

This consists of clearing all vegetation at a width of two meters form the outer edge of the gutter and scraping and discarding vegetative soil from the road surface. These are labor intensive works carried out by groups of workers recruited from the community and equipped with the necessary tools to carry out the job.

# 5) 102 - Setting out of the structure

### Description of works

This consists of carrying out activities geared at positioning the bridge at the coordinates such that its axis will align with that of the access road from the both sides. Also, the characteristics of the structure as designed should be respected.

### Mode of execution of works

This consists of using pegs and lines and with the help of a levels position the bridge such it should be at right angle relative to the road with the wing walls at 45 degrees relative to the road or front walls of the bridge. Equally, the position of the areas to be excavated for the abutment including the working space should be materialized. As such the length and span of the bridge as well as the wing walls, the front wall and the abutment will be positioned. After the excavation these parameters will be verified first before the bridge works proper starts

So done, the following data will be verified before the excavation.

S/N	Item to verify	Expected result	Person	Person t	
1	Setting out	Respect of specifications	responsible	approve	
2	Alignment of axis	Aligned			
3	Distance in to in between the 2 joggings	4			
4	Distance in to in between the 2 front walls of the abutments	4.4			
5	Footings (front wall and wing-walls)	7.4	,		
5.1	Width	2.00			
5.2	Thickness	2.00m			
6	Length of the wing walls	50cm			
6.1	Upstream Upstream		Works	Project Manager – Person to	
5.2	Downstream	4.0m	Manager		
		3.0m			
7	Stone masonry (front wall and wing walls)				
S/N	Item to verify	Expected result	Person		
7.1	Big base of stone masonry part of the abutment and wings (down iein contact with footing)	1.8m	responsible	approve	
.2	Small base of stone masonry part of the abutment and wings (top ie, beam seating support)	1.1m			
3	Height of the stone masonry abutment + wings (same height)No difference in the heights of the front wall and wing walls will be tolerated	4.00 m			

8	Deck of the bridge			
8.1	Beam seating inLform (RC) – horizontal part			
8.1.1	Thickness of the base of the beam seating	40cm		
8.1.2	Thickness shock absorbers on base beam seating	08cm		n V
8.1.3	Height of the vertical part of the beam seating	10+60+25=95cm	Works	Project
8.1.4	Thickness slab	25cm	Manager	Manager –
8.2	beams			
8.2.1	Height I beam	50cm		
8.2.2	Height rib beam			
9	Fittings			
9.1	Curb base=20cm height=10cm	20x10cm		
9.2	Guard rails		13	
9.2.1	RC pillars spaced at 1m	10cmx10cm		
9.2.2	Iron tubes	Diam. 60mm		
10	Expected height of the bridge from the jogging	4.00+0.6+0.05+0.10+0.25 =5m		
11	Expected span of the bridge	6m		
12	Expected length of the bridge (span+thickness vertical parts of			
	the beam seatings	6m		
13	Expected carriage way of the bridge (width slab-widths of kerbs)	-	2	
		05m		
14	Width of slab of the bridge	5.5m		

NB: These works, and this, at every stage must be received by the Contract Engineer before the next phase can continue.

# 6) 203.1 - Excavation in ordinary terrain for the abutments and for the deviation of the existing river bed

### Description of works

This consists of digging to free the space set for the construction of the bridge. The various parameters set out will be respected in the excavation. Also, the depth of the foundation as per the results of geotechnical studies should be respected i.e. 1.6m from the bed of the river

### Mode of execution of works

This consists of excavating in ordinary terrain for the abutments and for the deviation of the existing river bed and also for the creation of a bed off stream to deviate the existing stream to join the main bed Length=50m, width=1m depth=1m.

# NB: The excavation must be received by the Project Manager before the next phase can continue

### 7) Foundation layer lateriting


This is to be done mechanically. The areas where fills are to be executed will be watered prior to the dump trucks bringing in the laterite material from the borrow pits. The equipment that we use during the exercise are a grader, a backhoe or frontend loader, a bulldozer, dump trucks, compactors, and water tanks. The foundation layer shall have a thickness of 40 cm in total with two layer of compaction of 20 cm each prior to the insertion of the base layer.

### 8) Concrete gutters

Concrete V-shaped gutters shall be inserted at the side of the roads to act as drainage shannels for surface and vertical water that seeps into it. The concrete used for these concrete gutters shall be dosed at 350 kg/m3 and the plan is as seen in the appendices.

### 9) Base layer

The base layer shall be made up of aggregate with diameters 0/31.5 and shall have a thickness of 30 cm. the aggregate shall be placed in two sets, with each set having a thickness of 15cm, bitumen and compaction shall be done two times for each set placed. The aggregate to be used for the base course shall be procured from any nearby quarry.




### 10) Three-layer surface dressing

After the base course has been placed, treated, and compacted, a three-layer surface dressing shall be done to preserve the strength, durability, and usability of the road. The three layers shall be of the following thicknesses and harbour aggregate of the following sizes.

Layer	Aggregate size	Layer thickness (cm)
1 <sup>st</sup> layer	15/25	10
2 <sup>nd</sup> layer	5/15	10
3 <sup>rd</sup> layer	0/5	10
	. 0/3	5

The diagrammatical representation of the different thicknesses is as shown below.



### 11) Concrete of steep slopes

Concrete dosed at 400 kg/m3 will used in the concreting of steep slopes with gradients greater than 15% on the road stretch around this area.

# 12)205-207 Backfilling of the bridge and filling and resurfacing of the accesses to the bridge Description of works

This involves realization of the technical bloc and the linking to the existing carriage way (road)

These works shall be executed mechanically and manually with material extracted from a borrow pit approved by the project manager. The soil used for the fill shall present the following characteristics:

- CBR at 95% of OPM after four days of immersion≥40
- Maximum dry density at 95% OPM (T/M3)≥1.8
- Plasticity index (PI)≤25
- Percentage of fine grains<0.08mmF5≤F≤30</li>
- Module of plasticityF.IP<500</li>
- Linear inflation%<1</li>
- Maximum diameter of grains mm40

- % Passing through a sieve of 10mm <10 35 90</li>
- % Passing through a sieve of 5mm<5 20 60</li>
- Residue at a sieve of  $2 \text{mm} > 2 \cdot 10 40$

The selected material from the borrow pit shall be laid on a trench and plate form previously shaped and compacted at a dry density of at least 90% OPM. The material shall be laid in horizontal layers of 20cm thick and having a water content equal to that of OPM before compaction ( $\pm 2\%$ ).

The fill is compacted methodically up to 95% of the dry density of OPM. The rate of compaction shall be verified in-situ with a membrane densitometer at every 1000m2. A sample compaction test shall be carried out to determine of passes necessary to obtain the required compaction rate.

### 13) 305 – Stone masonry

### Description of works

This consists of realizing the parts of the bridge with well-shaped and assembled stones according to the aesthetic and type of the structure (form, dimension of stones, joints, Etc...) while respecting the works of arts.

The mortar will be dosed at three hundred and fifty (350) kg of cement per m3 of sand.

The visible faces of the stone masonry should be regular. The minimum height of the shaped stones should not be less than fifteen (15) cm.

The finishing of the external joints will be realized with done with mortar M450.

### Mode of execution of works

This consists of

### Mode of execution of works

These works shall be done exclusively manually (shaping of stones, humidification, elevation, bonding, pointing)

14) 309a, 309b, 309c and 309d - Lean concrete dosed at 150Kg/m3, Mass concrete dosed at 350Kg/m3, Reinforced concrete dosed at 400Kg/m3 and Reinforced concrete dosed at 350Kg/m2 for the bridge's raft

### Description of works

These works consist of the supply and putting in place of concrete 150Kg/m3 for the lean concrete, at 350Kg/m3 for the mass concrete and 400Kg/m3 for the reinforced concrete.

The concretes A.400 for the reinforced concrete must have a minimum compression resistance of 270 bars at 28 days.

This task includes notably the: • supply including the transport to the site of materials (cement, sand, gravel etc) and the tools necessary for the precast of the slabs; • form works with planed planks; • transport and the putting in place of the stones including all contingencies; • Execution of all contingencies related to traffic flow and to the respect of environmental prescriptions; • and all other contingencies.

## Formwork - Form work

This operation consists of casing the different surfaces when necessary, before concreting. Parts of the work requiring formwork will be approved by the Project Manager. The formworks will be of robust construction because they are called upon to support, depending on the case, the thrust of the fresh concrete or the weight of the construction until the structure is unbent.

The different parts will be assembled in a simple manner to allow stripping of the formwork without spalling the concrete. This simplicity will, however, not allow any negligence in the distribution of joints. Panels already used will be warped and the edges will peel.

It will be used for certain categories of formwork for fatty or plastic release products. These products must be approved by the Project Manager.

The construction of the formworks will also be specified as prescribed by the CCTP, according to the category, in order to preserve, among other things, the homogeneous coating of the reinforcements and the final dimensions of the works.

The fixings of the interior formwork to the concrete must only be those which appear on the working drawings approved by the project manager.

To keep the reinforcements at a fixed distance from the formwork, concrete wedges (or any other material approved by the Project Manager, plastic for example) can be used in which wire ties have previously been embedded. In no case will any metallic element be located at a distance less than the minimum cover provided for the reinforcements.

# 504b - Putting in place of metallic I beam 400 including the bracing

### Description of works

# Steel beams: IPE - Metallic I beam 400 including the bracing

This work consists of installing IPE beams. Before any work begins, the project manager must define or approve the IPE beam to be installed. The new IPE beams will be directly protected against rust by a coat of anti-corrosive paint.

The steels used are commercial laminates, in weldable mild steel, the grade of which is subject to the approval of the Project Manager. They must meet the requirements of chapter III of fascicle 4 of the French CCTG. In particular, the mechanical characteristics of these profiles must meet the NF A 35-501 or NF A 36-201 standards.

# 15) 601a and 601b - Anti-rust paint and Oil Paint

### Paints

The protective paints to be applied on the metal profiles previously brushed white, are of the glycerophthalic type, and must be subject to the prior approval of the Delegated Project Manager.

In all cases an anti-rust undercoat of a different color will be put in place beforehand.

# 16) 901c - Mix guard rails (concrete pillars and metallic pipes)

### Guardrail - Mix guard rails

This operation includes the replacement or supply and installation of bodyguards on the structure. This work will be defined when the development plans are drawn up. The guardrail elements will be installed and adjusted in alignment and altitude. It will be verified that the amounts will be vertical. The sealing of the uprights will be made with concrete dosed at 400 kg/m3 and must comply with the standard plan. The sealing of the uprights will only take place after verification by the Project Manager of the perfect alignment of the guardrail. The surfacing of the sealing concrete will be careful so that water cannot remain where the uprights are embedded.

Depending on their condition, and after approval by the Project Manager, the guardrails may receive protective anti-corrosive paint.

# 17) 902a - Triangular sign posts type A or AB

### Triangular sign posts type A or AB

The danger signs will be placed 150m from the point at the start of the zone to be signposted in open countryside and 50m in the built-up area.

Prescription signs, except for certain signs, notably mandatory ones, which must be installed as danger signs.

Direction signs will be placed 100m from the point at the start of the zone to be reported in the case of open country and 40m in built-up areas.

Vertical signage includes retro-flexing galvanized sheet metal signs, pre-signage, location or directional signs. The location of the different panels is designated by the Delegate Project Manager. The work

consists of placing signs, pre-signaling, location or directional signs along the roadway in the shoulder, in the locations provided by the project manager.

The panels and their installation will comply with the technical requirements.

### 905b - Wooden post markers

### Tags - Wooden post markers

The turn markers are J1 type 2 markers with a circular section (diameter 150 mm) and a height of 80 cm from the level of the shoulder. The markers are made of fiber cement, enameled or galvanized sheet metal, plastic, B 300 concrete, or wood. Among the Cameroonian wood species possessing these required characteristics, we can cite: Doussie, Moabi, Tali, Azobé,

Iroko and Bibinga. (See § 11.13 above)

They are located on the outer shoulder of the bend, the axis one meter from the outer edge of the wearing course. The spacing between two consecutive markers is equal to 10 meters, unless an exemption is granted by the Delegated Project Manager. The beacons carry a retro-reflective device consisting of a strip 100 mm high placed 150 mm from the head of the beacon.

### 909 - Weep holes

### Barbicans - Weep holes

This operation consists of installing barbicans made of  $\phi$  40 PVC pipe for drainage of materials located behind the abutments or retaining walls. The work consists of placing, in accordance with the technical specifications and the plans of the technical file, barbicans made of PVC pipe  $\phi\,40$ 

### 20) 910 - Drainage pipes

### Gargoyle - Drainage pipes

This operation consists of installing gargoyles in PVC pipe  $\phi$  100 for the evacuation of water from the deck. The work consisting of placing, in accordance with the technical requirements and the plans of the technical file, gargoyles made of PVC pipe  $\phi\,100$ 

# 1001 - Deviation- pedestrians crossing of the bridge Maintain the traffic - Deviation - pedestrians crossing of the bridge

This task is envisaged in the event that it is necessary for the construction and maintenance of temporary works and a track for possible diversion necessary to maintain traffic.

### SAFETY AND ENVIRONMENTAL PROTECTION 22)

Safety measures shall be put in place to safeguard the health of the workers. They shall be

Equipped with personal protective equipment like helmets, boots, gloves, goggles, rain coats etc. a first aid box shall be provided on the site to render first aid services in case of any accident. Before the start of each task, workers shall be reminded of the potential hazards associated with that task and the safety measures to be taken to avoid possible accidents. Working points shall be well signalized to road users using sign boards placed at adequate positions that can be visible to everyone.

Every area from which soil is to be extracted shall be covered with vegetative soil at the end of the job to facilitate the growth of vegetation and to avoid erosion.

# Document N°. 6 SCHEDULE OF UNIT PRICES

C101 C102 C103 C104 C105 C106 C106 C106 C201 C202 C203 C204 OT 300: FC	PRELIMINARY WORKS  Site clearance Site installation Implantation Geotechnical studies Environmental Mitigation Mobilisation and folding of equipment Follow-up and Supervision of the	m² FF FF FF	1590	FIGURES	WORD
C102 C103 C104 C105 C106 C106 C106 C200: E C201 C202 C203 C204 OT 300: FC C301	Site installation Implantation Geotechnical studies Environmental Mitigation Mobilisation and folding of equipment	FF FF FF	1	*	
C103 C104 C105 C106 C106 C106 C200: E C201 C202 C203 C204 C204 C301 I	Implantation Geotechnical studies Environmental Mitigation Mobilisation and folding of equipment	FF FF	1		
C104 C105 C106 C106 C106 C200: E C201 C202 C203 C204 OT 300: FC C301	Geotechnical studies Environmental Mitigation Mobilisation and folding of equipment	FF			
C105 C106 C106 C106 C200: E C201 C202 C203 C204 OT 300: FC C301	Environmental Mitigation  Mobilisation and folding of equipment		1		
C106  C106  C106  C106  C200: E  C201  C202  C203  C204  C204  C301 I	Mobilisation and folding of equipment		1		
C106  C200: E  C201  C202  C203  C204  OT 300: FC  C301	Mobilisation and folding of equipment	17	1		
C201 C202 C203 C204 OT 300: FC	Follow-up and Supervision of the	LS	1		
C201 C202 C203 C204 OT 300: FC	Adhoc Team (3% of the project amount)	LS	1		
C201 C202 C203 C204 OT 300: FC	SUB TOTAL C100				
C202 C203 C204 OT 300: FC	EARTH WORKS				
C203 C204 OT 300: FC	Removal of earth coused by the landslide	m³	3180		
C204 OT 300: FC	Excavation of foundation trench	m³	636		
OT 300: FO	Back filling of the foundation trench	m³	477.00		
C301 I	Back filling of the stone masory wall	m³	3,922.00		
C301 I	SUB TOTAL C200				
	OUNDATIONS				
C302 I	Lean concrete	m³	31.8		
C302 I	Hard core	m <sup>3</sup>			
1	Reinforced concrete dosed at 350kg/m3 for footing	m <sup>3</sup>	77.1		
C304 R	Reinforced concrete dosed at 350kg/m3 for beam	m³	19.44		
	SUB TOTAL C300				
T 400: RE	ETAINING WALL IN GABIONS PAK	INC OF	(I - 50 13 ID xx		
401	in ee layers surface	ING OF	(L=50 AND H	= 20)	
dı	dressing(25cmthick)	m³	31.8		
	Base course (30cm thick)	m²	106		
C403 Fo	oundation layer (40cm thick)	m²	106		
10	deinforced concrete dosed at 350kg/m3 or footings	m³	31.8		***
101	einforced concrete dosed at 350kg/m3 or beam	m³	31.8		
406 Ga	abion parking for protection of earth	m³	400		
	SUB TOTAL C400				
500: PLA	ANTING OF TREES				
501 Pla	anting of enviromental friendly trees	No	53		
	SUB TOTAL C500		33		
	GRAND TOTAL DOWNER SECTIO	N			
	ANTITIES AND COST ESTIMATES F	. 1			

	BOYO DIVISION	N NORT	H WEST F	REGION		
LOT 10	0: PRELIMINARY WORKS					
C101	Site clearance	m <sup>2</sup>	3390			
C102	Site installation	FF	1			
C103	Implantation	FF	1			
C104	Geotechnical studies	FF	1		-	
C105	Environmental Mitigation	FF	1			
C106	Mobilisation and folding of equipment	LS				
	SUB TOTAL C100	LS	1			
LOT 200	): EARTH WORKS					
C201	Removal of earth coused by the landslide	m³	3390		_ 10	
C202	Excavation of foundation trench	m³	68			
C203	Back filling of the foundation trench	m <sup>3</sup>	50.85			
C204	Back filling of the stone masory wall	m <sup>3</sup>	1,807.00			
	SUB TOTAL C200		1,007.00			
LOT 300	: FOUNDATIONS					
C301	Lean concrete	m³	33.9			
C302	Hard core	m <sup>3</sup>				
C303	Reinforced concrete dosed at 350kg/m3	III	66			
	for footing  Reinforced concrete dosed at 350kg/m3	m³	66			
C304	for beam	m³	66			
	SUB TOTAL C300					
LOT 400:	RETAINING WALL IN GABIONS PAR	KING O	F (L=113 A	ND H= 19 15	10 and 7	m)
C401	dressing(25cmthick)	m³	66	17,13	, To and 71	111)
C402	Base course (30cm thick)	m <sup>2</sup>	226			
C403	Foundation layer (40cm thick)	m²	226			
C404	Reinforced concrete dosed at 350kg/m3 for footings	m³	66			
C405	Reinforced concrete dosed at 350kg/m3 for beam	m³	66		-	
C406	Gabion parking for protection of earth	m³	995.5			
0.00	SUB TOTAL C400					
LOT 500	Concreting on highslops and V	gutters				
C501	Concrete dosed at 400kg/m3 for highslops	m³	100			
C502	V gutters (135X65)	MI	123.083			
C503 OT 600:	SUB TOTAL C500					
LANTING F TREES	Planting of environmental friendly trees	No	113			
C601	SUB TOTAL C600					
	GRAND TOTAL UPPER SECTION	N				
12	MONTANT TOTAL HT					
	MONTANT TVA (MTHT X 19.25%)					
	MONTANT AIR (MTHTX5.5%)					
	TOTAL TAXES			- 7		
	NET A PAYER					
	NETAPAYER					

Document N°. 7
BILL OF QUANTITIES AND ESTIMATES

NO	DESIGNATION	UNI T	QUAN TITY	UNINT PRICE	TOTAL
LOT 100	: PRELIMINARY WORKS			THEE	
·C101	Site clearance	m <sup>2</sup>	1590	I	
C102	Site installation	FF	1		
C103	Implantation	FF	1		
C104	Geotechnical studies	FF	1		
C105	Environmental Mitigation	FF	1		
C106	Mobilisation and folding of equipment	LS	1		
C106	Follow-up and Supervision of the Adhoc Team (3% of the project amount)	LS	1		
	SUB TOTAL C100				
LOT 200:	EARTH WORKS			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
C201	Removal of earth coused by the landslide	m³	3180		9 5
C202	Excavation of foundation trench	m³	636		
C203	Back filling of the foundation trench	m³	477.00		
C204	Back filling of the stone masory wall	m <sup>3</sup>			
	SUB TOTAL C200	III	3,922.00	-	
LOT 300.	FOUNDATIONS				
C301	Lean concrete	1	-		
C302	Hard core	m³	31.8		
		m³	106		
C303	Reinforced concrete dosed at 350kg/m3 for footing	m³	77.1		
C304	Reinforced concrete dosed at 350kg/m3 for beam	m³	19.44		
	SUB TOTAL C300				
LOT 400:	RETAINING WALL IN GABIONS PAKIN	NG OF (	I =50 AND H	I- 20)	
C401	Three layers surface dressing(25cmthick)	m <sup>3</sup>	31.8	1- 20)	
C402	Base course (30cm thick)	m <sup>2</sup>	106		
C403	Foundation layer (40cm thick)	m <sup>2</sup>	106		
C404	Reinforced concrete dosed at 350kg/m3 for footings	m <sup>3</sup>	31.8		
C405	Reinforced concrete dosed at 350kg/m3 for beam	m³	31.8		-5.70
C406	Gabion parking for protection of earth	m³	400		
	SUB TOTAL C400				
OT 500: P	PLANTING OF TREES				
C501	Planting of environmental friendly trees	No	53		
	SUB TOTAL C500				
	GRAND TOTAL DOWNER SECTIO	N			
	,				
			_		

101	F QUANTITIES AND COST ESTIMATES PROTECT THE LANDSLIDE AT NKOYN BOYO DIVISION	UPPE	R SECTIO	NINFIND	OF RETAINING WA
LOT 10	BOYO DIVISION I 0: PRELIMINARY WORKS	VORTE	WEST RE	GION	
C101	Site clearance	m <sup>2</sup>	2200		
C102	Site installation	FF	3390		
C103	Implantation	-	1		
C104	Geotechnical studies	FF	1		
C105	Environmental Mitigation	FF	1		
C106	Mobilisation and folding of equipment	FF	1		
0100	SUB TOTAL C100	LS	1		
LOT 200	: EARTH WORKS				
C201	Removal of earth coused by the landslide	3	2200		
C202	Excavation of foundation-trench	m³	3390		
C203	Back filling of the foundation trench	m³	68		
C204	Back filling of the stone masory wall	m³	50.85		
0201		m <sup>3</sup>	1,807.00		
OT 200	SUB TOTAL C200 : FOUNDATIONS				
C301	The state of the s				
	Lean concrete	m³	33.9		
C302	Hard core	m³	66		
C303	Reinforced concrete dosed at 350kg/m3 for footing	m³	66		
C304	Reinforced concrete dosed at 350kg/m3 for beam	m <sup>3</sup>	66		
	SUB TOTAL C300				
OT 400:	RETAINING WALL IN GABIONS PAKE	NG OF	(L=113 AN	D H= 19.15.	(0 and 7m)
0101	TOI 1				
C401	Three layers surface dressing(25cmthick)	m³	66		lo and 7m)
C401 C402	Base course (30cm thick)				lo and 7m)
C401	Base course (30cm thick)  Foundation layer (40cm thick)	m³	66 226		and min
C401	Base course (30cm thick)	m³ m²	66		and /m/
C401 C402 C403	Base course (30cm thick) Foundation layer (40cm thick) Reinforced concrete dosed at 350kg/m3	m <sup>3</sup> m <sup>2</sup> m <sup>2</sup>	66 226 226		and /m/
C401 C402 C403 C404	Base course (30cm thick) Foundation layer (40cm thick) Reinforced concrete dosed at 350kg/m3 for footings Reinforced concrete dosed at 350kg/m3 for beam	m <sup>3</sup> m <sup>2</sup> m <sup>2</sup> m <sup>3</sup> m <sup>3</sup>	66 226 226 66 66		o and /mj
C401 C402 C403 C404 C405 C406	Foundation layer (40cm thick)  Reinforced concrete dosed at 350kg/m3 for footings  Reinforced concrete dosed at 350kg/m3	m <sup>3</sup> m <sup>2</sup> m <sup>2</sup> m <sup>3</sup>	66 226 226 66		and mil
C401 C402 C403 C404 C405 C406	Foundation layer (40cm thick)  Foundation layer (40cm thick)  Reinforced concrete dosed at 350kg/m3 for footings  Reinforced concrete dosed at 350kg/m3 for beam  Gabion parking for protection of earth  SUB TOTAL C400  Concreting on highslops and V	m <sup>3</sup> m <sup>2</sup> m <sup>2</sup> m <sup>3</sup> m <sup>3</sup> m <sup>3</sup>	66 226 226 66 66		
C401 C402 C403 C404 C405 C406 OT 500 C501	Base course (30cm thick) Foundation layer (40cm thick) Reinforced concrete dosed at 350kg/m3 for footings Reinforced concrete dosed at 350kg/m3 for beam Gabion parking for protection of earth SUB TOTAL C400	m <sup>3</sup> m <sup>2</sup> m <sup>2</sup> m <sup>3</sup> m <sup>3</sup> m <sup>3</sup>	66 226 226 66 66		
C401 C402 C403 C404 C405 C406	Foundation layer (40cm thick)  Foundation layer (40cm thick)  Reinforced concrete dosed at 350kg/m3 for footings  Reinforced concrete dosed at 350kg/m3 for beam  Gabion parking for protection of earth  SUB TOTAL C400  Concreting on highslops and V	m³ m² m² m³	66 226 226 66 66 995.5		
C401 C402 C403 C404 C405 C406 OT 500 C501	Base course (30cm thick) Foundation layer (40cm thick) Reinforced concrete dosed at 350kg/m3 for footings Reinforced concrete dosed at 350kg/m3 for beam Gabion parking for protection of earth SUB TOTAL C400 Concreting on highslops and V Concrete dosed at 400kg/m3 for highslops	m³ m² m² m³ m³ m³ m³ gutters	66 226 226 66 66 995.5		
C401 C402 C403 C404 C405 C406 OT 500 C501 C502 C503	Base course (30cm thick) Foundation layer (40cm thick) Reinforced concrete dosed at 350kg/m3 for footings Reinforced concrete dosed at 350kg/m3 for beam Gabion parking for protection of earth SUB TOTAL C400 Concreting on highslops and V Concrete dosed at 400kg/m3 for highslops V gutters (135X65) SUB TOTAL C500	m³ m² m² m³	66 226 226 66 66 995.5		
C401 C402 C403 C404 C405 C406 OT 500 C501 C502 C503 OT 600:	Base course (30cm thick) Foundation layer (40cm thick) Reinforced concrete dosed at 350kg/m3 for footings Reinforced concrete dosed at 350kg/m3 for beam Gabion parking for protection of earth SUB TOTAL C400 Concreting on highslops and V Concrete dosed at 400kg/m3 for highslops V gutters (135X65) SUB TOTAL C500 PLANTING OF TREES	m³ m² m² m³	66 226 226 66 66 995.5		
C401 C402 C403 C404 C405 C406 OT 500 C501 C502 C503 OT 600:	Base course (30cm thick) Foundation layer (40cm thick) Reinforced concrete dosed at 350kg/m3 for footings Reinforced concrete dosed at 350kg/m3 for beam Gabion parking for protection of earth  SUB TOTAL C400  Concreting on highslops and V Concrete dosed at 400kg/m3 for highslops V gutters (135X65)  SUB TOTAL C500  PLANTING OF TREES Planting of enviromental friendly trees	m³ m² m² m³	66 226 226 66 66 995.5		
C401 C402 C403 C404 C405 C406 OT 500 C501 C502 C503 OT 600:	Base course (30cm thick) Foundation layer (40cm thick) Reinforced concrete dosed at 350kg/m3 for footings Reinforced concrete dosed at 350kg/m3 for beam Gabion parking for protection of earth SUB TOTAL C400 Concreting on highslops and V Concrete dosed at 400kg/m3 for highslops V gutters (135X65) SUB TOTAL C500 PLANTING OF TREES Planting of enviromental friendly trees SUB TOTAL C600	m³ m² m² m³ m³ m³ m³ m³ M³	66 226 226 66 66 995.5		
C401 C402 C403 C404 C405 C406 OT 500 C501 C502 C503 OT 600:	Base course (30cm thick)  Foundation layer (40cm thick)  Reinforced concrete dosed at 350kg/m3 for footings  Reinforced concrete dosed at 350kg/m3 for beam  Gabion parking for protection of earth  SUB TOTAL C400  Concreting on highslops and V  Concrete dosed at 400kg/m3 for highslops  V gutters (135X65)  SUB TOTAL C500  PLANTING OF TREES  Planting of enviromental friendly trees  SUB TOTAL C600  GRAND TOTAL UPPER SECTION	m³ m² m² m³ m³ m³ m³ m³ M³	66 226 226 66 66 995.5		
C401 C402 C403 C404 C405 C406 OT 500 C501 C502 C503 OT 600:	Base course (30cm thick) Foundation layer (40cm thick) Reinforced concrete dosed at 350kg/m3 for footings Reinforced concrete dosed at 350kg/m3 for beam Gabion parking for protection of earth SUB TOTAL C400 Concreting on highslops and V Concrete dosed at 400kg/m3 for highslops V gutters (135X65) SUB TOTAL C500 PLANTING OF TREES Planting of environmental friendly trees SUB TOTAL C600 GRAND TOTAL UPPER SECTION MONTANT TOTAL HT	m³ m² m² m³ m³ m³ m³ m³ M³	66 226 226 66 66 995.5		
C401 C402 C403 C404 C405 C406 OT 500 C501 C502 C503 OT 600:	Base course (30cm thick) Foundation layer (40cm thick) Reinforced concrete dosed at 350kg/m3 for footings Reinforced concrete dosed at 350kg/m3 for beam Gabion parking for protection of earth SUB TOTAL C400 Concreting on highslops and V Concrete dosed at 400kg/m3 for highslops V gutters (135X65) SUB TOTAL C500 PLANTING OF TREES Planting of enviromental friendly trees SUB TOTAL C600 GRAND TOTAL UPPER SECTION MONTANT TOTAL HT MONTANT TVA (MTHT X 19.25%)	m³ m² m² m³ m³ m³ m³ m³ M³	66 226 226 66 66 995.5		
C401 C402 C403 C404 C405 C406 C7 500 C501 C502	Base course (30cm thick) Foundation layer (40cm thick) Reinforced concrete dosed at 350kg/m3 for footings Reinforced concrete dosed at 350kg/m3 for beam Gabion parking for protection of earth SUB TOTAL C400 Concreting on highslops and V Concrete dosed at 400kg/m3 for highslops V gutters (135X65) SUB TOTAL C500 PLANTING OF TREES Planting of environmental friendly trees SUB TOTAL C600 GRAND TOTAL UPPER SECTION MONTANT TOTAL HT	m³ m² m² m³ m³ m³ m³ m³ M³	66 226 226 66 66 995.5		

Document N°. 8
SUB-DETAIL OF PRICES

# SUBDETAILS OF PRICES

Price N°						
Designation of	of work	······································			****	
Unit						
Quantity						
Daily output						
Duration of e	execution					
DESIGNAT	FION:					
No	Daily out put		Total quantity	Unit	Duration o activity	
WORKMAN SHIP	Category	No	Daily wage	Days break up	Amount	
S						
<u> </u>					************	
Ş						
<b>X</b>						
WC WC						
	TOTAL A					
н				15		
AND EQUIPMENT/MECH INES	Туре	No	Daily rate	Days break up	Amount	
S						
MENT						
M						
TI.						
5	TOTAL					
	TOTAL B					
3	Type	Unit	Unit cost	Quantity	Amount	
4						
ns						
9						
ERIAL ELLANOUS						
ZZ I						
MATE						
IIS	TOTAL					
	TOTAL C			A+B+C		
D E		DIRECT TOTAL COST				
F	GENERAL SITE EXPEN			Dx%		
	GENERAL OFFICE EXP	ENSES		Dx%		
G	NET COST			D+E+F		
<u>H</u>	RISK + BENEFITS			Gx%		
P	TOTAL COST (HT)			G+H		
V	UNIT COST (HT)			P/O'TY		

# Document N°. 9 MODEL CONTRACT

REPUBLIC OF CAMEROON Peace-Work-Fatherland

NORTH-WEST REGIONAL ASSEMBLY

REGIONAL EXECUTIVE COUNCIL

PEACE-JUSTICE-UNITY-HARD WORK- SOLIDARITY ......



### REPUBLIQUE DU CAMEROUN Paix-Travail-Patrie

ASSEMBLEE REGIONALE DU NORD-OUEST

CONSEIL EXECUTIF REGIONAL

PAIX-JUSTICE-UNITE-TRAVAIL-SOLIDARITE

		RACT N <sup>o</sup>	C/MINDEVEL/NWRA/IT	TB/2024 OF2024
	N <sup>0</sup> /ONIT/N	WARDED AFTER OPEN	NATIONAL INVITATIO	M TO TEMPED
	WALLATN	KONVI TO PROTECT T	2024 FOR THE CONSTR	UCTION OF A RETAINING
	11 c. M. M. S. M.	RAMRI	THE ROAD SECTION BO II - FUNDONG ROAD	YUI PK 49 + 200 ON THE
		<< BY EME	RGENCY PROCEDURE>	>
	Project Owner: TH	IE PRESIDENT OF THE N	ORTH WEST REGIONAL	ASSEMBLY
985	HOLDER:			
	P.O. Box	, <u>Tel:</u> <u>Fax</u> :		
	Rusiness Registry	N10		
	Taxpayer's No	N°at		
	SUBJECT: Execut	tion ofwor	rks:	
			,	
	PLACE :			
	EXECUTION DE	ADLINE.		
	LALCO HON DE	ADLINE:	() months	
	AMOUNT IN CFA	AF:		1
	r			
		IAT		7
		EVAT		
	= 7. =	VAT (19.25%)		
	-	AIR (Income tax) (2.2%)		
	L	Net to be paid		
	FINANCING	: [indicate the source of fa	inancing]	
	BUDGET HEAD	: [to be completed]		
		CT 170 C CT 170 C		
		SUBSCRIBED OF	N:	
		SIGNED ON:		
		NOTIFIED ON:		
		REGISTERED OF	N:	

Between:

	Summary	
Part I: Specia	al Administrative Conditions (SAC)	
Part II: Specia	al Technical Conditions (STC)	
Part III: Sched	ule of Unit Prices (SUP)	
Part IV: Detail:	s or Estimates	
	and last of Contract N° 024 awarded after Open National Invitation to TR THE CONSTRUCTION OF A RETAINING ON BOYUI PK 49 + 200 ON THE BAMBUI - F	WALL AT NKONVITO PROTECT THE
With	_,	
For the execution	on ofworks	
EXECUTION	DEADLINE() months	
Amount of Con	tract in CFA F:	
	IAT	
	EVAT	
	VAT (19.25)	
	AIR (2.2 or 5.5 %)	
	Net to be paid	
Read and acce	pted by the Contractor	
	pred by the Contractor	
	(place of signature)(date)	
Signature of C	ontracting Authority	
	(place of signature)	
	(place of signature)(date)	
Registration		
		,
	1.5	

Document N°. 10
FORMS AND MODELS TO BE USED BY
BIDDERS

### TABLE OF MODELS

Annex N° 1: Model of declaration to Tender

Annex N° 2: Model Bid Letter

Annex N° 3: Model Bid Bond

Annex N° 4: Model Final Bond

Annex N° 5: Model Retention fund (Guarantee Retention)

Annex N° 6: Schedule framework

Annex N° 7: Model attestation of site visit

Annex N° 8: Model site visit report

Annex N° 9: Model table of reference

Annex  $N^{\circ}$  10: Model table of equipment

# Annex N° 1: MODEL OF DECLARATION TO TENDER

### DECLARATION OF THE INTENTION TO TENDER

I the undersigned,	(indicate the name and capacity
of signatory),	(indicate the name and capacity
Nationality	
Representing the	company or enterprise or group with head office at
	company or enterprise or group with head office at
	trade register of Under the number
In my capacity as	ofPO
dokumente in letter acknowledge	receipt of the file for ODENINI.
N <sup>0</sup> for the	receipt of the fiel of OPEN National Invitation to Tender
And hereby declare my intention to tender for the	he said contract.
Done at	
	Signature of
	In the capacity of
	Duly authorized to sign the tenders on behalf of

### Annex N° 2: MODEL BID LETTER

### Annex N° 3: MODEL BID BOND

Bank:
Reference No
Whereas the undertaking
We
The conditions of this commitment are as follows:  If the Bidder withdraws his offer during the validity period specified by the Bidder in the tender; or  If the Bidder, having been notified of the award of the contract by the Contracting Authority during the period of Bid validity:  • Fails or refuses to sign the contract, even though required to do so;  • Fails or refuses to furnish the final bond for the contract (final bond) as provided for by the
contract.  We undertake to pay the Contracting Authority an amount up to the maximum of the sum referred to above upon receipt of his first written demand, without the Contracting Authority having to substantiate his demand, provided that in its demand the Contracting Authority shall note that the amount claimed by him is due, because one or the other or both of the above condition(s) has (have) been fulfilled and he shall specify which condition(s) took effect.
This bond shall enter into force from the date of signature and from the date set by the Contracting Authority for the submission of tenders. It shall remain valid up till the thirtieth day inclusive following the end of the deadline for the validity of tenders. Any request by the Contracting Authority to cause it to take effect should reach the bank by registered mail with an acknowledgement of receipt before the end of this period of validity.
This bond shall, for purposes of its interpretation, be submitted to Cameroon law. Cameroon courts shall be the only jurisdictions competent to rule on this commitment and its consequences.
Signed and authenticated by the bank at, on

### Annex N° 4: MODEL FINAL BOND

Bank:
Addressed to The President of the North West Regional Assembly "Contracting Authority"
Whereas
Whereas we have agreed to provide the Contractor with this guarantee; We,
Represented by
We hereby agree that no change or addendum or any other amendment shall release us of any obligation incumbent onus by virtue of this bond and we hereby derogate by the present to the notification of any amendment, addendum or change.
This bond shall enter into force upon signature. It shall be released within thirty (30) days from the date of the Provisional Reception of the works.
After this date the caution shall no longer be valid and shall be returned to us without any request on our part.
Any request for payment formulated by the Contracting Authority by virtue of this bond should be done by registered mail with acknowledgement of receipt to reach the bank during the period of validity of this commitment.
This bond shall, for purposes of its interpretation and execution, be subject to Cameroon law. Cameroon courts shall be the only jurisdictions competent to rule on this pledge and its consequences.
Signed and authenticated by the bank at

# Annex N° 5: MODEL OF PERFORMANCE BOND (GUARANTEE RETENTION)

	Reference of the Bond No:
	Addressed to: The President of the North West Regional Assembly Hereinafter referred to as "The Contracting Authority"
	Whereas
	Whereas it is stipulated in the Contract that the Guarantee Retention fixed at ten percent (10%) of the amount of the Contract may be replaced by a joint guarantee;
	Whereas we have agreed to provide the Contractor with this guarantee; We,
	Hence, we hereby affirm that on behalf of the Contractor, we guarantee and are responsible to the Contracting Authority for a maximum amount of
	And we pledge to pay to the Contracting Authority within a maximum deadline of eight (8) weeks upon his simple written request declaring that the contractor has not fulfilled his contractual obligations or is indebted to the Contracting Authority within the meaning of the contract, amended where need be, by its additional clauses, without being able to defer the payment nor raise any contest for whatever reason, any sum(s) within the limits of the amount equal to ten percent (10%) of the total amount of the works featuring in the final detailed account, without the Contracting Authority having to prove or give the reasons nor the motive for the amount of the sum indicated above.
	We hereby agree that no change or addendum or any other amendment shall release us of any obligation incumbent onus by virtue of this bond and we hereby derogate by the present to the notification of any amendment, addendum or change.
1	This bond shall enter into force upon signature. It shall be released within thirty (30) days from the date of the final acceptance of the works and upon released issued by the Contracting Authority.
1	Any request for payment formulated by the Contracting Authority by virtue of this bond should be done by registered mail with acknowledgement of receipt to reach the bank during the period of validity of this commitment.  This bond shall, for purposes of its interpretation and execution, be subject to Cameroon law. Cameroon courts shall be the only jurisdictions competent to rule on this pledge and its consequences.
	Signed and authenticated by the bank at

### ANNEX N° 6: SCHEDULE FRAMEWORK

Note on the presentation of schedules

The quantities, daily outputs, the duration of execution of works and the slowdowns or even the due interruptions must be clearly brought out in the schedules.

The financial schedules resulting from the schedules of works must indicate month by month, the estimated amounts of the detailed accounts of works by item and cumulatively by taking into account the incidence of rainy seasons for the basic solution and possibly variant solution.

### Annex N° 7: MODEL ATTESTATION OF SITE VISIT

### LETTER HEAD HERE

TO WHOM IT MAY CONCERN

### ATTESTATION OF SITE VISIT

This is to testify that Mr	
Manager/Technical Director/Engineer of	
Has effectively visited the site for	
in view to tender for the said project.	
This attestation is issued to serve the purpose for which it is inten-	nded for.

# Annex N° 8: MODEL SITE VISIT REPORT

I) INTRODUCTION
TENDER N <sup>0</sup>
NAME OF THE ENTERPRISE:
DATE:
II) COMMENTARY
1- Nature of the project site:
2- Accessibility to the project site:
3- Vegetation:
4- Topography of the site:
III) AVAILABILITY OF SERVICES
IV)AVAILABILITY OF MATERIALS

V) DIFFICULTIES

VI)CONCLUSION

# Annex N° 9: MODEL TABLE OF REFERENCE LIST PROJECTS EXECUTED BY THE COMPANY

N o	YEAR	NAME OF THE PROJEC T	NAME OF THE PROJECT OWNER AND TELEPHONE NUMBER	CONTRAC T AMOUNT	CONTRAC T DURATIO N	DATE OF ACCEPTAN CE
					140	
		2				
		2				
_						
		-				

DONE ON	
DONE ON	ΛT
Ry	··················
Бу	
SIGNATURE	
5101011 ORL	••••

# Annex N° 10: MODEL TABLE OF EQUIPMENT

# LIST OF EQUIPMENT AND MATERIALS AVAILABLE FOR THE (project name).....

N <sup>o</sup>	DESIGNATION OF THE EQUIPMENT	DESCRIPTION, MARK	AGE AND STATE	NUMBER AVAILABLE	OWNER OR NOT
_					
1					
					*
		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	-		
		The state of the s			

DONE ON	A.T.
Ву	AT
SIGNATURE	A1
	**********************

# ANNEX No. 6: Framework of schedules

No	Daily out put		Total quantity	Unit	Duration of activity
N WORKMAN SHIP	Category	No	Daily wage	Days break up	Amoun
	TOTAL A				
EQUIPMENT/MACHIN ES	Туре	No	Daily rate	Days break up	Amount
	TOTAL B				
	Туре	Unit	Unit cost	Quantity	Amount
SAC					
LAN					
MISCELLANOUS					
	TOTAL C				-
	DIRECT TOTAL COST				
	GENERAL SITE EXPENSES		A+B+C		
	GENERAL OFFICE EXPENSES			Dx%	
	NET COST			Dx%	
RISK + BENEFITS				D+E+F Gx%	
_	TOTAL COST (HT)			G+H	
	UNIT COST (HT)			P/Q'TY	

# Document N°. 11 PRELIMINARY STUDIES

### Note on preliminary studies

In accordance with the Public Contracts Code, the Project Owner or Delegated Project Owner must, prior to commencing the procedure to award Contracts or refer to the competent Tenders Board, ensure that draft Tender Files are prepared based on preliminary studies.

These studies must be required during the examination of the Tender File (TF) by the Tenders Board.

The Project Owner is bound to fill the questionnaire in annex 1 accompanied by justifications of the said studies.

### Annex No. 7: Justification of preliminary studies

- 1. Attach the preliminary studies.
- 2. Indicate
  - 2.1. The date studies were carried out:
  - 2.2. The name of the Public or private Project Manager
  - 2.3. References of the Contract, if Private Manager carried it out;
- 2.4. If maintenance works
  - 2.4.1 Description of the studies;
  - 2.4.2 Attach the outline of the itinerary bringing out readings of degradations as well as the approved programming documents.
- 2.5 Rehabilitation or new works
  - 2.5.1 Are quantities in the quotations the same as those of the studies?
  - 2.5.2 Description of studies: Draft Preliminary Study, Detailed Preliminary Study;
  - 2.5.3 Attach the said studies.

N.B. For services of less scope, the Project Owner may furnish a justification of calculation of quantities of the Tender File.

- The chairperson of the Tenders Board may, before taking a decision, seek expert advice on the quality of the studies.

# Document N°.12

LIST OF BANKING ESTABLISHMENTS AND FINANCIAL BODIES AUTHORISED TO ISSUE BONDS FOR PUBLIC CONTRACTS

#### I- BANK

- 1. Afriland First Bank (First bank), B.P 11 834, Yaoundé;
- 2. Banque Atlantique Cameroun (BACM), B.P. 2 933, Douala;
- 3. Banque Camerounaise des Petites et Moyennes Entreprises (BC-PME), B.P. 12 962, Yaoundé;
- Banque Gabonaise pour le Financement International (BGFI BANK), B.P. 600 Douala;
- 5. Banque International du Cameroun pour l'Epargne et le Crédit (BICEC) B.P. 1 925, Douala ;
- 6. Bank Of Africa Cameroun (BOA Cameroun), B.P. 4 593, Douala;
- 7. CitiBank Cameroun (CITIGROUP), B.P. 4 571, Douala;
- 8. Commercial Bank Cameroon (CBC), B.P 4 004, Douala;
- 9. Ecobank Cameroun (ECOBANK), B.P 582, Douala;
- 10. National Financial Credit Bank (NFC-Bank), B.P. 6 578, Yaoundé;
- 11. Société Commerciale de Banques-Cameroun (SCB-Cameroun), B.P 300, Douala ;
- 12. Société Générale Cameroun (SGC), B.P. 4 042, Douala ;
- 13. Standard Chartered Bank Cameroon (SCBC) B.P. 1784, Douala;
- 14. Union Bank of Cameroon (UBC), B.P. 15 569, Douala;
- 15. United Bank for Africa (UBA), B.P. 2 088, Douala.
- 16. crédit communautaire d'afrique-bank (CCA Bank)

#### II- Insurance companies

- 17. Activa Assurances
- 18. AREA Assurances
- 19. Atlantique Assurances S.A.
- 20. Benefical General Insurance S.A.
- 21. Chanas assurances
- 22. CPA S.A.
- 23. NSIA Assurances SA
- 24. PRO-ASSUR S.A.
- 25. SAAR S.A.
- 26. SAHAM Assurances S.A.
- 27. Zenithe Insurance S.A.

### **PLANS**