

REPUBLIQUE DU CAMEROUN

Paix – Travail – Patrie

MINISTRE DES FORETS
ET DE LA FAUNE

REPUBLIC OF CAMEROON

Peace – Work – Fatherland

MINISTRY OF FORESTRY
AND WILDLIFE

AVIS DE CONSULTATION N° 220/DC/MINFOR/CIPM/2026 DU 22 Juin 2026
RELATIVE A LA REPARATION DES EQUIPEMENTS TECHNIQUES DU CENTRE DE
PROMOTION DU BOIS (CPB).
« EN PROCEDURE D'URGENCE »

1. Objet de la Demande de Cotation

Le Ministre des Forêts et de la Faune lance un Avis de Consultation en vue de la réparation des équipements techniques du Centre de Promotion du Bois (CPB).

2. Consistance des prestations

Les prestations comprennent notamment :

N°	Désignation	Unité	Quantité
I- Dépannage des machines de menuiserie			
Ponceuse à double bande de marque rue			
1	Réparer le moteur	u	1
2	Corriger le dispositif de protection	u	1
3	Réparer l'interrupteur mécanique	u	1
4	Mettre la courroie	u	1
5	Remplacer la bande	u	1
6	Mettre le câble 4/3 mm	u	1
7	Graissage	u	1
8	Peinture	u	1
9	Main d'œuvre	u	1
Raboteuse			
10	Mettre un nouveau jeu de lames	u	1
11	Corriger le dispositif de protection	u	1
12	Réparer le télémécanique	u	1
13	Remplacer les câbles et les fiches modulables	u	1
14	Mettre une nouvelle peinture	u	1
15	Faire le graissage	u	1
16	Main d'œuvre	u	1
Compresseur à air			

44	Main d'œuvre	u	1
Scie industrielle			
45	Dépanner le moteur (2HP)	u	1
46	Remplacer le contacteur (B60)	u	1
47	Réparer l'interrupteur triphasé mécanique (100A)	u	1
48	Remplacer l'ampoule indicateur	u	1
49	Remplacer la boîte complète de commande électrique	u	1
50	Arranger la marge à commande manuelle	u	1
51	Réparer le télémechanique	u	1
52	Mettre le réservoir pour huile de graissage	u	1
53	Arranger la scie	u	1
54	Refaire la peinture	u	1
55	Corriger le dispositif de protection	u	1
56	Faire le graissage	u	1
57	Main d'œuvre	u	1
Scie à ruban			
58	Dépanner le moteur (3HP)	u	1
59	Dépanner le moteur (15HP)	u	1
60	Corriger le dispositif de protection	u	1
61	Mettre le sac	u	5
62	Faire le graissage	u	1
63	Main d'œuvre	u	1
Raboteuse			
64	Réparer l'interrupteur triphasé mécanique (100A)	u	1
65	Réparer le télémechanique	u	1
66	Corriger le dispositif de protection	u	1
67	Acheter le jeu de lame	u	1

92	Dépanner la fonction d'inclinaison de la lame	u	1
93	Réparer le moteur aspirateur	u	1
94	Sac aspirateur	u	5
95	Corriger le dispositif de protection	u	1
96	Faire le graissage	u	1
97	Main d'œuvre	u	1
Mortaiseuse automatique			
98	Refaire le système d'air	u	1
99	Refaire la peinture	u	1
100	Mettre les mèches	u	2
101	Corriger le dispositif de protection	u	1
102	Acheter un jeu de mèches	u	1
103	Faire le graissage	u	1
104	Main d'œuvre	u	1
Scie à format			
105	Entretien mécanique de la scie up down	u	1
106	Réparation du système électrique et courroie à 5 off 6 dents	u	3
107	Moteur aspirateur	u	1
109	Sac aspirateur	u	5
110	Corriger le dispositif de protection	u	1
111	Faire le graissage	u	1
112	Main d'œuvre	u	1
Perceuse à colonne			
113	Acheter un jeu de mèches	u	1
114	Refaire la manche	u	1
115	Remplacer la courroie du ventilateur	u	1
116	Mettre la poulie	u	1

141	Faire le graissage	u	1
142	Main d'œuvre	u	1
Compresseur à air			
143	Dépanner le moteur	u	1
144	Réparer l'interrupteur mécanique	u	1
145	Réparer le télémécanique	u	1
146	Corriger le dispositif de protection	u	1
147	Remplacer le câble 4/3 mm	u	1
148	Faire le graissage	u	1
149	Refaire la peinture	u	1
150	Main d'œuvre	u	1
II- Dépannage des machines d'affûtage			
a. Restauration des machines			
Machine OB			
01	Meule diamantée 150*32*8*5	U	1
	Electropompe à eau 0.75 KVA	U	1
	Circuit d'éclairage 12W Led	U	1
	Barettes de connexion LGD	U	1
	Entretien général et peinture	Ens	Ens
	Main d'œuvre		
Machine WOLLMER			
2	Meule ordinaire 150*20*5*5 (Norton)	U	1
	Fabrication des bagues et flasques	U	14
	Entretien général et peinture	Ens	Ens
3	Machine WADKIN LTD	U	1
	Meule ordinaire 125*32*8 Norton	U	1
	Entretien général et peinture	Ens	Ens
	Bouton de démarrage	U	1
	Vis d'accroche du support lame	U	1
4	Machine AU TOUL GRINDERS	U	1
	Meule diamantée 100*20*5*5	U	1

14	Fraise à panneau O 140, allessage 50, largeur de coupe : 5,6,8,10,12,14 de couleur rouge	Nbre	
15	Contre-profil O 140, allessage 50, largeur de coupe : 5, 6,8,10,12,14	Nbre	
16	Fraise à feuillure O 140, allessage 50, largeur de coupe : 5, 6,8,10,12,14 de couleur rouge	Nbre	
17	Fraise à panneau O 160, allessage 50, largeur de coupe : 50 de couleur rouge	Nbre	
18	Chanfrein à moulure O 140, allessage 50, largeur de coupe : 25 e de couleur rouge	Nbre	
19	Quard de rond 4, 5, 5, 8, 10, 12	Nbre	
20	Congé N°4,5 : 5 : 8 : 10 : 12	Nbre	
21	Fraise griffe	Nbre	
22	Caisse des fraises à outil de coupe changeable	Nbre	
23	Calibreuse avec galet à bille	Nbre	
24	Caisse des mèches complet de 240 pièces N°5, 8, 10,12, 14, 16, 16, 18, 20, 22, 24, 30	ff	
25	Caisse des mèches à couteaux double tranchant N°5, 8, 10,12, 14, 16, 16, 18, 20, 22, 24, 30	ff	
26	Rouleaux de lames de scie à ruban bande large 6,5 cm (denture en alliage)	Nbre	
27	Demi arbre porte outil à 02 lames (12*3*0,4 cm) O 8	Nbre	
28	Dormants pour serrage long et court	Nbre	
29	Serre-joints d'angle de 1 m et 1,5 m	Nbre	
30	Presse d'établis de 30 cm à 80	Nbre	
31	Sangles (ceinture de serrage) largeur de 40 et 60	Nbre	
32	Courroie 12,5*1775 A68	Nbre	
33	Courroie 12,5*1750 A75	Nbre	
34	Courroie 12,5*1054 A81	Nbre	
35	Courroie 12,5*1300 A49	Nbre	
36	Courroie 12,5*1325 A50	Nbre	
37	Courroie 4PK 775	Nbre	
38	La soude	Sac	
39	L'eau soluble	Litre	
40	Comparteur	Nbre	
41	Règle de la table de dressage des lames	Nbre	

catégorie autorisé par le Ministère chargé des Finances à émettre des cautions dans le cadre des marchés publics, entraînera le rejet pur et simple de l'offre. Une caution de soumission produite mais n'ayant aucun rapport avec la consultation concernée est considérée comme absente. La caution de soumission présentée par un soumissionnaire au cours de la séance d'ouverture des plis est irrecevable.

10. Remise des Cotations

Chaque cotation est rédigée en français ou en anglais.

La cotation devra être transmise par le soumissionnaire sur la plateforme COLLEPS au plus tard le 20/07/2017 à 12 heures. Une copie de sauvegarde de la cotation enregistrée sur clé USB devra être transmise sous pli scellé avec l'indication claire et lisible « copie de sauvegarde », en plus de la mention ci-dessus dans les délais impartis.

- Nb Taille et format des fichiers

Pour la soumission en ligne, les tailles maximales des documents qui vont transiter sur la plateforme et constituant l'offre du soumissionnaire sont les suivantes :

- 5 MO pour l'Offre Administrative ;
- 15 MO pour l'Offre Technique ;
- 5 MO pour l'Offre Financière.

Les formats acceptés sont les suivants :

- Format PDF pour les documents textuels ;
- JPEG pour les images.

Le candidat veillera à utiliser des logiciels de compression afin de réduire éventuellement la taille des fichiers à transmettre.

11. Ouverture des plis

L'ouverture des plis se fait en un temps et aura lieu le 20/07/2017 à 13 heures par la Commission de Passation des Marchés du Maître d'Ouvrage dans la salle de conférences du Ministère des Forêts et de la Faune sise au 6^e étage, porte 635, de l'immeuble ministériel N°2.

Seuls les soumissionnaires peuvent assister à cette séance d'ouverture ou s'y faire représenter par une personne de leur choix dûment mandatée.

Sous peine de rejet, les pièces du dossier administratif requises doivent être produites en originaux ou en copies certifiées conformes par le service émetteur ou autorité administrative compétente, conformément aux stipulations du Règlement Particulier de la Cotation. Elles doivent dater de moins de trois (03) mois ou avoir été établies postérieurement à la date de signature de l'avis de Cotation.

En cas d'absence ou de non-conformité d'une pièce du dossier administratif lors de l'ouverture des plis, après un délai de 48 heure accordé par la Commission, l'offre sera rejetée.

12. Recevabilité des Cotations

Les pièces administratives, la cotation technique et la cotation financière contenues dans la clé de sauvegarde doivent être déposées dans une enveloppe sous pli scellé accompagnées de l'accusé de réception de dépôt sous peine de rejet.

Toute offre incomplète conformément aux prescriptions la DC sera déclarée irrecevable. Notamment l'absence de la caution de soumission délivrée par un organisme ou une institution financière agréée par le Ministre en charge des finances pour émettre les cautions dans le domaine des marchés publics ou le non-respect des modèles des pièces de la DC, entraînera le rejet pur et

16. Attribution

Le Maître d'Ouvrage attribuera la Lettre-Commande au soumissionnaire ayant présenté une offre remplissant les critères de qualification technique et financière requis et dont l'offre est évaluée la moins-disante.

17. Durée de validité des Cotations

Les soumissionnaires restent engagés par leurs Cotations pendant quatre-vingt-dix (90) jours à partir de la date limite fixée pour la remise des Cotations.

18. Renseignements complémentaires


Les renseignements complémentaires peuvent être obtenus aux heures ouvrables au Service des Marchés du Ministère des Forêts et de la Faune, 8^e étage, porte 807, de l'immeuble ministériel n°2 ou en ligne sur la plateforme COLEPS aux adresses <http://www.marchespublics.cm> et <http://www.publiccontracts.cm>.

19. Lutte contre la corruption et les mauvaises pratiques

Pour toute dénonciation pour des pratiques, faits ou actes, tentative de corruption ou faits de mauvaises pratiques, bien vouloir appeler la CONAC au numéro 1517, l'Autorité chargée des Marchés Publics (MINMAP) SMS ou appel aux numéros suivants : (+237) 673 20 57 25 et 699 37 07 48.

Yaoundé le 27 mai 2026

LE MINISTRE DES FORÊTS ET DE LA FAUNE



Copies :

- Autorité chargée des Marchés Publics (MINMAP) ;
- ARMP (pour information/publication) ;
- Président CIPM/MINEOF ;
- SIGAMP ;
- Affichage-chrona.

REPUBLIQUE DU CAMEROUN

Paix – Travail – Patrie

MINISTÈRE DES FORÊTS
ET DE LA FAUNE

REPUBLIC OF CAMEROON

Peace – Work – Fatherland

MINISTRY OF FORESTRY
AND WILDLIFE

REQUEST FOR QUOTATION NO. 0220/DC/MINFOR/CIPM/2026 OF JUL 2026 TO
REPAIR TECHNICAL EQUIPMENT OF THE WOOD PROMOTION CENTRE (CPB)
“UNDER EMERGENCY PROCEDURE”

1. Purpose of the Request for Quotation

The Minister of Forestry and Wildlife, Contracting Authority, hereby launches issues a Notice of Expression of Interest to repair technical equipment of the Wood Promotion Centre (CPB).

2. Scope of Services

The services shall include:

No.	Heading	Unit	Quantity
I-Troubleshooting Woodworking Machinery			
Double-belt sander, Rue brand			
1	Repair the engine	u	1
2	Repair the safety guard	u	1
3	Repair the safety guard	u	1
4	Install the belt	u	1
5	Replace the sanding belt	u	1
6	Install a 4 × 3 mm ² cable	u	1
7	Grease lubrication	u	1
8	Painting	u	1
9	Labour	u	1
Thickness planer			
10	Install a new set of blades	u	1
11	Repair the safety guard	u	1
12	Repair the Telemecanique control unit	u	1
13	Replace the cables and modular plugs	u	1
14	Apply a new coat of paint	u	1
15	Lubricate the machine	u	1
16	Labour	u	1
Air compressor			
17	Replace the belts	u	2

Industrial saw			
45	Troubleshoot the 2 HP motor	u	1
46	Replace the contactor (B60)	u	1
47	Repair the three-phase mechanical switch (100 A)	u	1
48	Replace the indicator bulb	u	1
49	Replace the complete electrical control box	u	1
50	Adjust the manual control margin	u	1
51	Repair the Telemecanique unit	u	1
52	Install the lubricating oil reservoir	u	1
53	Adjust the engine saw	u	1
54	Apply a new coat of paint	u	1
55	Repair the safety guard	u	1
56	Lubricate the machine	u	1
57	Labour	u	1
Band saw			
58	Repair the 3 HP engine	u	1
59	Repair the 15 HP engine	u	1
60	Repair the safety guard	u	1
61	Install the bag	u	5
62	Lubricate the machine	u	1
63	Labour	u	1
Thickness planer			
64	Repair the three-phase mechanical switch (100 A)	u	1
65	Repair the Telemecanique unit	u	1
66	Repair the safety guard	u	1
67	Buy a set of blades	u	1
68	Adjust the jointer fence	u	1

93	Repair the dust extractor motor	u	1
94	Vacuum bag	u	5
95	Repair the safety guard	u	1
96	Lubricate the machine	u	1
97	Labour	u	1
Automatic mortiser			
98	Repair the air system	u	1
99	Apply a new coat of paint	u	1
100	Install the drill bits	u	2
101	Repair the safety guard	u	1
102	Purchase a set of drill bits	u	1
103	Lubricate the machine	u	1
104	Labour	u	1
Panel saw			
105	Mechanical maintenance of the up-down saw	u	1
106	Repair of the electrical system and replacement of the 6-tooth belt	u	3
107	Dust extractor motor	u	1
109	Vacuum bag	u	5
110	Repair the safety guard	u	1
111	Lubricate the machine	u	1
112	Labour	u	1
Drill press			
113	Purchase a set of drill bits	u	1
114	Replace the handle	u	1
115	Replace the fan belt	u	1
116	Install the pulley	u	1
117	Repair the safety guard	u	1

142	Labour	u	1
Air compressor			
143	Repair the engine	u	1
144	Repair the safety guard	u	1
145	Repair the Telemecanique unit	u	1
146	Repair the safety guard	u	1
147	Replace the 4 × 3 mm ² cable	u	1
148	Lubricate the machine	u	1
149	Apply a new coat of paint	u	1
150	Labour	u	1
II. Troubleshooting Sharpening Machines			
a. Machine Restoration			
OB machine			
01	Diamond grinding wheel 150 × 32 × 8 × 5	U	1
	0.75 kVA electric water pump	U	1
	12 W LED lighting circuit	U	1
	UGD terminal blocks	U	1
	General maintenance and painting	Bar set, including all accessories	Bar set, including all accessories
	Labour		
WOLLMER machine			
2	Standard grinding wheel 150 × 20 × 5 × 5 (Norton)	U	1
	Manufacture of rings and flanges	U	14
	General maintenance and painting	Bar set, including all accessories	Bar set, including all accessories
3	WADKIN LTD machine	U	1
	Standard grinding wheel 125 × 32 × 8 (Norton)	U	1
	General maintenance and painting	Bar set, including all accessories	Bar set, including all accessories
	Start button	U	1
	Blade support mounting screw	U	1

10	Band saw rolls, 2 cm wide	Number	
11	Band saw wheels, 2.5 cm wide	Number	
12	Band saw wheels, 3.5 cm wide	Number	
13	Grooving cutters O 140 mm, 50 mm bore, cutting widths: 5, 6, 8, 10, 12, and 14 mm, red colour.	Number	
14	Grooving cutters O 140 mm, 50 mm bore, cutting widths: 5, 6, 8, 10, 12, and 14 mm, red colour.	Number	
15	Counter-profile cutter O 140 mm, 50 mm bore, cutting width: 5, 6, 8, 10, 12, 14	Number	
16	Rebate cutter O 140 mm, 50 mm bore, cutting width: 5, 6, 8, 10, 12, and 14 mm, red colour.	Number	
17	Grooving cutters O 160 mm, 50 mm bore, cutting widths: Red Paint	Number	
18	Chamfer moulding cutter O 140 mm, 50 mm bore, cutting width: 25 mm, red colour	Number	
19	Quarter-round cutters 4, 5, 5, 8, 10, and 12 mm.	Number	
20	Radius cutters No. 4, 5, 5, 8, 10, and 12.	Number	
21	Finger joint cutter	Number	
22	Box of interchangeable cutting tool cutters	Number	
23	Calibrating machine with ball-bearing roller	Number	
24	Complete set of 240 drill bits, sizes No. 5, 8, 10, 12, 14, 16, 18, 20, 22, 24, and 30.	ff	
25	Set of double-edged knife drill bits, sizes No. 5, 8, 10, 12, 14, 16, 18, 20, 22, 24, and 30.	ff	
26	Wide band saw blades, 6.5 cm wide, alloy-toothed.	Number	
27	Half tool-holder shaft for two blades (12 × 3 × 0.4 cm), O 8 mm.	Number	
28	Long and short clamping frames	Number	
29	Corner clamps, 1 m and 1.5 m	Number	
30	Bench vises from 30 cm to 80 cm	Number	
31	Clamping straps (straps for tightening), 40 mm and 60 mm wide	Number	
32	Belt 12.5 × 1775 A68	Number	
33	V-belt A75 (12.5 × 1750)	Number	
34	V-belt A81 (12.5 × 1054)	Number	
35	V belt A19 (12.5 × 1300)	Number	
36	V-belt A50 (12.5 × 1325)	Number	

stands at CFAF 900,000 (nine hundred thousand francs) and valid for thirty (30) days beyond the initial date of validity of the offers. Failure to provide a bid bond issued by a first-class bank or financial institution responsible to issue bonds, authorised by the Minister of Finance in connection with public contracts, the offer shall automatically be rejected. A bid bond that has been presented, but has no connection with the contract in question shall be considered null and void. A bid bond presented by a bidder during the bid opening session shall be automatically rejected.

10. Submission of Quotations

Each must be drafted in English or French.

Each tender, drafted in English or French, shall be submitted by the bidder on the COLEPS platform latest on 22/11/2022 at 12 noon. A back-up copy of the tender saved in a USB driver shall be forwarded in a sealed envelope clearly and legibly labelled "back-up copy", in addition to the above indication, within the given deadline.

- Note: File size and format

Concerning online submission, the maximum sizes of documents that shall be uploaded on the platform and represent the bidder's proposal shall be as follows:

- 5 MO for the Administrative Offer;
- 15 MO for the Technical Offer;
- 5 MO for the Financial Offer.

Accepted formats shall be:

- PDF format for text documents;
- JPEG for pictures.

Bidders shall use compression software to reduce the size of the files to be forwarded.

11. Opening of Bids

The opening of administrative, technical and financial offers shall hold on 22/11/2022 at 1 p.m., local time, by the Special Tenders Board of the Ministry of Forestry and Wildlife, 6th floor, Room 635, Government Building No. 2.

Only bidders shall be allowed to take part in this opening session, or their representatives duly delegated by them.

Under penalty of rejection, the required administrative documents shall be absolutely produced in original or certified true copies by the issuing service or relevant authorities in accordance with the provisions of the Special Quotation Regulations. They must be dated less than 3 (three) months and must have been issued after the date of signature of the request for quotation.

In the event of a document in the administrative file is missing or does not comply with the specifications when the bids shall be opened, after a period of 48 hours allowed by the Commission, the bid shall be rejected.

12. Submission of Quotations

The administrative documents, the technical quotation, and the financial quotation contained on the backup USB drive shall be submitted in a sealed envelope, together with the acknowledgement of receipt. Failure to comply with this requirement, the bid shall be rejected.

Any incomplete tender shall be declared inadmissible in accordance with the requirements of the Consultation File. The absence, notably, of a bid bond issued by a body or financial institution approved to issue bonds by the Minister of Finance in the field of public contract or failure to

17. Period of Validity of Quotations


Bidders shall be bound by their offers for 90 (ninety) days from the date of submission of their bids.

18. Additional Information

Further information may be obtained during working hours at the Ministry of Forestry and Wildlife, Department of General Affairs, Sub-Department of Budget and Maintenance, Procurement Service, Room 807, 8th floor, Government Building No. 2 or online on the COLEPS platform at <http://www.marchespublics.cm> and <http://www.publiccontracts.cm>.

19. Combatting Corruption and Shunning Unethical Behaviour

If you wish to report any practices, facts or corrupt acts, attempted corruption or unethical behaviour, please call CONAC on 1517, the Authority in charge of Public Contracts (MINMAP) through SMS or call the following numbers: (+237) 673 20 57 25 and 699 37 07 48.



Doret NDONGO
MINISTER OF FORESTRY AND WILDLIFE

Copies:

- The Authority in charge of Public Contracts (MINMAP);
- ARMP (For information/publication);
- MINFOF/CPM Chairperson;
- SIGAMP;
- Notice Board - Records (For information/publication).