

REPUBLIQUE DU CAMEROUN

PAIX-TRAVAIL-PATRIE

MINISTERE DE L'ADMINISTRATION TERRITORIALE

REGION DU NORD-OUEST

SERVICE DU GOUVERNEUR

REPUBLIC OF CAMEROON

PEACE-WORK-FATHERLAND

MINISTRY OF TERRITORIAL
ADMINISTRATION

NORTH-WEST REGION

GOVERNOR'S OFFICE

**THE NORTH WEST REGIONAL TENDERS BOARD
OPEN NATIONAL INVITATION TO TENDER**

TENDER NOTICE

OPEN NATIONAL INVITATION TO TENDER

N° ⁰²⁵...../ONIT/NWRTB/GOV-NW/2026 OF ²¹..... / ⁰⁸..... /2026 FOR THE CONSTRUCTION OF SOME BRIDGES
IN BAMENDA 1 AND 2 IN TWO LOTS

BY EMERGENCY PROCEDURE LOT 01(CONSTRUCTION OF THREE BRIDGES)A : 8ML BRIDGE AT BANGSHIE
(KENELAR BRIDGE) AND OPENING OF 2KM ACESS ROAD ON BOTHSIDES, A 3X3X9ML BOX CULVERT AT
BAPTIST CHURCH AKUMBELE TO CATHOLIC CHURCH BUJONG AND OPENING OF 2KM ACESS ROAD ,6 ML
BANGSHIEBRIDGE AND OPENING OF ACESS WAY IN BAMENDA I COUNCIL AREA
LOT 2 (CONSTRUCTION OF THREE BRIDGES) A 08 ML BRIDGE (LINKING NDZEMANBEAH TO NTANKAH AND
A REINFORCED CONCRETE BOX CULVERT OF 3.5M X4M X8M LINKING NDZEMANBEAH TO ALAMATU AND A
7ML BRIDGE LINKING MBINFIBIEH -AKOKIKANG QUATER IN BAMENDA II COUNCIL AREA.

DELEGATED CONTRACTING AUTHORITY: THE GOVERNOR OF THE NORTH WEST REGION

PROJECT OWNER: THE MINISTER OF PUBLIC WORKS

FUNDING: MINTP PUBLIC INVESTMENT BUDGET OF 2026 AND BEYOND

AUTHORISATION NO

IMPUTATION NO : 60 36 370 2 32000003 0451 523411

THE GOVERNOR OF THE NORTH WEST REGION; DELEGATED CONTRACTING AUTHORITY, initiates on the behalf of the Republic of Cameroon, an Open National Invitation to tender by emergency procedure for the realization of the operation mentioned above:

1. Subject of the invitation to Tender :

Within the framework of Construction/Reconstruction of Engineering Structures, the Delegated Project Owner hereby launches an Open National Invitation to tender for the

THE CONSTRUCTION OF SOME BRIDGES IN BAMENDA 1 AND 2 IN TWO LOTS

BY EMERGENCY PROCEDURE LOT 01(CONSTRUCTION OF THREE BRIDGES)A : 8ML BRIDGE AT BANGSHIE (KENELAR BRIDGE) AND OPENING OF 2KM ACCESS ROAD ON BOTH SIDES, A 3X3X9ML BOX CULVERT AT BAPTIST CHURCH AKUMBELE TO CATHOLIC CHURCH BUJONG AND OPENING OF 2KM ACCESS ROAD ,6 ML BANGSHIEBRIDGE AND OPENING OF ACCESS WAY IN BAMENDA I COUNCIL AREA

LOT 2 (CONSTRUCTION OF THREE BRIDGES) A 08 ML BRIDGE (LINKING NDZEMANBEAH TO NTANKAH AND A REINFORCED CONCRETE BOX CULVERT OF 3.5M X4M X8M LINKING NDZEMANBEAH TO ALAMATU AND A 7ML BRIDGE LINKING MBINFIBIEH -AKOKIKANG QUATER IN BAMENDA II COUNCIL AREA.

2. Nature of Works

Works comprise especially the items listed in the table below:

LOT 1 CONSTRUCTION OF SOME BRIDGES IN BAMENDA 1 COUNCIL AREA

1. CONSTRUCTION OF A 8ML BRIDGE AT BANGSHIE (KENELAR BRIDGE) IN BANSHE QUARTER I

S/No	DESCRIPTION
Series 000-Installation	
1	Site installations
2	mobilisation and demobilisation of equipment
3	Work execution program and as built plan
4	Geotechnical studies (evironmental studies inclusive)
Total installation	
Series 100: Site preparation	
101	Site clearance
102	Traffic flow (diversion of water course/road)
103	Setting out of the bridge
Total Site preparation	
Series 200: General Earth works	
201	Opening of 3km road on both side of the bridge
202	Excavation of trenches
203	Backfilling of excavation
204	Resurfacing of the filled accesses to the bridge with laterite from borrowed pit 1KM on both side
Total General Earth works	
Series 300 -FOUNDATION- ABUTMENT- DECK- WING WALL-GUTTERS	
301	Hard core
302	Lean concrete dosed at 150Kg/m3
303	Reinforced concrete dosed at 350Kg/m3 for the footings
304	reinforce concrete 15cm thick dosed at 350Kg/m3 for the bridge's raft
305	Reinforced concrete dosed at 400Kg/m3 for abutment and wing walls
306	Reinforced concrete dosed at 400Kg/m3 for the beam seat, slab and kerbs
307	Transitional Slab(1mx0.1x8)cm length on both sides of the bridge
308	Anchor of rods HA25 to a rock
309	Drainage material behind the abutment
Total Fondations- abutments- deck- wing wall	
Series 400 - EQUIPMENT	
401	Mix guard rails (concrete pillars and metallic pipes)
402	weep holes in PVC

403	Drainage pipes (PVC 100)
404	Metallic project information sign posts (type AB)
405	Round post markers (Balises) in treated Eucalyptus well seasoned wood

2. CONSTRUCTION OF A 6ML BRIDGE AT BANGSHIE IN BAMENDA I COUNCIL AREA

S/No	DESCRIPTION
Series 000-Installation	
1	Site installations
2	mobilisation and demobilisation of equipment
3	Work execution program and as built plan
4	Geotechnical studies (evironmental studies inclusive)
Total installation	
Series 100: Site preparation	
101	Site clearance
102	Traffic flow (diversion of water course/road)
103	Setting out of the bridge
Total Site preparation	
Series 200: General Earth works	
201	Opening of 1km road on both side of the bridge
202	Excavation of trenches
203	Backfilling of excavation
204	Resurfacing of the filled accesses to the bridge with laterite from borrowed pit
Total General Earth works	
Series 300 -FOUNDATION- ABUTMENT- DECK- WING WALL-GUTTERS	
301	Hard core
302	Lean concrete dosed at 150Kg/m3
303	Reinforced concrete dosed at 350Kg/m3 for the footings
304	reinforce concrete 15cm thick dosed at 350Kg/m3 for the bridge's raft
305	Reinforced concrete dosed at 400Kg/m3 for abutment and wing walls
306	Reinforced concrete dosed at 400Kg/m3 for the beam seat, slab and kerbs
307	Transitional Slab(1mx0.1x8)cm length on both sides of the bridge
308	Anchor of rods HA25 to a rock
309	Drainage material behind the abutment
Total Fondations- abutments- deck- wing wall	
Series 400 - EQUIPMENT	
401	Mix guard rails (concrete pillars and metallic pipes)
402	weep holes in PVC
403	Drainage pipes (PVC 100)
404	Metallic project information sign posts (type AB)
405	Round post markers (Balises) in treated Eucalyptus well seasoned wood
Total Equipment	

3. CONSTRUCTION OF A 3X3X9 REINFORCED CONCRETE BRIDGE LINKING BAPTIST TO CATHOLIC CHURCH BUJONG QUARTER IN BAMENDA I SUBDIVISION, MEZAM DIVISION OF THE NORTH WEST REGION.

Series 100-Preparatory works

101	Site installation (construction site hut, mobilisation, Etc...)
102	Geotechnical studies
103	Execution Program and as built plan
	Total installation
	Series 200: Site preparation
201	Bush clearing
203	Cleaning of the river bed
204	Setting out of the structure
	Total Site preparation
	Series 300: Earth works
	Opening of 2km road on both side of the bridge
301	Excavation in ordinary terrain
302	Drainage material behind the abutments
303	Backfilling of the excavation
304	Fill and resurfacing of the accesses to the bridge 300m on both side
	Total Earth works
	Series 400 - Foundations- abutments- Piles- beams-deck
401	Hard core
402	Demolition
403	Lean concrete dosed at 150Kg/m3
404	Reinforced concrete box culvert of 3m x3m x9m
405	construction of stone masonry v gutters 135x65cm

LOT 2 : CONSTRUCTION OF THREE BRIDGES IN BAMENDA II

1. CONSTRUCTION OF A REINFORCED CONCRETE LINKING NDZEMAMBEAH - NTANKAH 08M SPAN

S/No	DESCRIPTION
	Series 000-Installation
1	Site installations
2	mobilisation and demobilisation of equipment
3	Work execution program and as built plan
4	Geotechnical studies (environmental studies inclusive)
	Total installation
	Series 100: Site preparation
101	Site clearance
102	Traffic flow (diversion of water course/road)
103	Setting out of the bridge
	Total Site preparation
	Series 200: General Earth works
201	Excavation of trenches
202	Backfilling of excavation
203	Resurfacing of the filled accesses to the bridge with laterite from borrowed pit 1KM on both side
	Total General Earth works
	Series 300 -FOUNDATION- ABUTMENT- DECK- WING WALL-GUTTERS
301	Hard core
302	Lean concrete dosed at 150Kg/m3
303	Reinforced concrete dosed at 350Kg/m3 for the footings

304	reinforce concrete 15cm thick dosed at 350Kg/m3 for the bridge's raft
305	Reinforced concrete dosed at 400Kg/m3 for abutment and wing walls
306	Reinforced concrete dosed at 400Kg/m3 for the beam seat, slab and kerbs
307	Transitional Slab on both sides of the bridge
308	Anchor of rods HA25 to a rock
309	Drainage material behind the abutment
310	Construction of stone trapezoidal gutters of 100x70x30m
	Total Foundations- abutments- deck- wing wall
	Series 400 - EQUIPMENT
401	Mix guard rails (concrete pillars and metallic pipes)
402	weep holes in PVC
403	Drainage pipes (PVC 100)
404	Metallic project information sign posts (type AB)
405	Round post markers (Balises) in treated Eucalyptus well seasoned wood

2. CONSTRUCTION OF A 7ML BRIDGE LINKING MBINFIBIEH -AKOKIKANG QUATER IN BAMENDA II COUNCIL AREA

S/No	DESCRIPTION
	Series 000-Installation
1	Site installations
2	mobilisation and demobilisation of equipment
3	Work execution program and as built plan
4	Geotechnical studies (evironmental studies inclusive)
	Total installation
	Series 100: Site preparation
101	Site clearance
102	Traffic flow (diversion of water course/road)
103	Setting out of the bridge
	Total Site preparation
	Series 200: General Earth works
201	Excavation of trenches
202	Backfilling of excavation
203	Resurfacing of the filled accesses to the bridge with laterite from borrowed pit
	Total General Earth works
	Series 300 -FOUNDATION- ABUTMENT- DECK- WING WALL-GUTTERS
301	Hard core
302	Lean concrete dosed at 150Kg/m3
303	Reinforced concrete dosed at 350Kg/m3 for the footings
304	reinforce concrete 15cm thick dosed at 350Kg/m3 for the bridge's raft
305	Reinforced concrete dosed at 400Kg/m3 for abutment and wing walls

306	Reinforced concrete dosed at 400Kg/m3 for the beam seat, slab and kerbs
307	Transitional Slab on both sides of the bridge
308	Anchor of rods HA25 to a rock
309	Drainage material behind the abutment
	Total Foundations- abutments- deck- wing wall
	Series 400 - EQUIPMENT
401	Mix guard rails (concrete pillars and metallic pipes)
402	weep holes in PVC
403	Drainage pipes (PVC 100)
404	Metallic project information sign posts (type AB)
405	Round post markers (Balises) in treated Eucalyptus well seasoned wood

3. CONSTRUCTION OF A 3.5x4x8M REINFORCED CONCRETE BOX CULVERT LINKING NDZEMAMBEAH - ALAMATU IN BAMENDA II COUNCIL AREA

S/No	Description
	Series 100-Preparatory works
101	Site installation (construction site hut, mobilisation, Etc...)
102	Geotechnical studies
103	Execution Program and as built plan
	Total installation
	Series 200: Site preparation
201	Bush clearing
202	Maintainance of trafic flow
203	Cleaning of the river bed
204	Setting out of the structure
	Total Site preparation
	Series 300: Earth works
301	Excavation in ordinary terrain
302	Drainage material behind the abutmmments
303	Backfilling of the excavation
304	Fill and resurfacing of the accesses to the bridge 600m on both side
	Total Earth works
	Series 400 - Fondations- abutments- Piles- beams-deck
401	Hard core
402	Demolition
403	Lean concrete dosed at 150Kg/m3
404	Reinforced concrete box culvert of 3.5m x4m x8m
405	Reinforced concrete dose at 400kg/m3 for the 4 heads
406	Construction of stone trapezoidal gutters of 100x70x30m
	Total Foundations- abutments- Piles- beams-deck
	Series 500 - Paint

	Series 500 - Equipment
501	Metallic guard rails
502	Triangular sign posts type A ou AB
503	Wooden post markers
504	Drainage pipes
	Total Equipment

3. Tranches/Allotment:

The works are presented in TWO(02) lots and enterprises will submit bids for just one lot .

4. Estimated Cost :

N°	Project Name	Type of Structure	Span (lm)	Estimated Cost including (TTC) in Fcfa
LOT 1	- A : 8ML BRIDGE AT BANGSHIE (KENELAR BRIDGE) AND OPENING OF 2KM ACESS ROAD ON BOTHSIDES, - A 3X3X9ML BOX CULVERT AT BAPTIST CHURCH AKUMBELE TO CATHOLIC CHURCH BUJONG AND OPENING OF 2KM ACESS ROAD , - A 6 ML BANGSHIE BRIDGE AND OPENING OF ACESS WAY IN BAMENDA I COUNCIL AREA	Bridge	Varied according to area	245,610,000
LOT 02	- A 08 ML BRIDGE (LINKING NDZEMANBEAH TO NTANKAH - A REINFORCED CONCRETE BOX CULVERT OF 3.5M X4M X8M LINKING NDZEMANBEAH TO ALAMATU AND - A 7ML BRIDGE LINKING MBINFIBIEH - AKOKIKANG QUATER IN BAMENDA II COUNCIL AREA.	Bridge	Varied according to area	245,610,000

The estimated cost of the operation following preliminary studies is **Four Hundred and ninety one million two hundred and twenty thousand (491 220 000) Francs CFA all taxes included.**

5. Estimated execution deadline

The maximum time frame provided for by the Delegated Project Owner for the execution of works subject of this open national invitation to tender is Five (05) calendar months. This time frame shall run from the date of notification of the administrative order to commence the services.

6. Participation And Origin Of Bidders:

Participation in this invitation to tender is open to all registered, categorised and qualified companies or groups of companies based in the Republic of Cameroon.

7. FUNDING :

The Works on this tender are funded by the budget of the **2026 MINTP BUDGET AND BEYOND** , The previewed cost of the entire works of this Open National Invitation to tender is: **Four Hundred and ninety one Million two hundred and twenty thousand (491 220 000) Francs CFa** all taxes included.

8. Bidding Method :

The mode of submission selected for this consultation is online.

9. ADMINISTRATION CHARGED WITH THE SIGNING OF THE CONTRACT

After the examination of the bidding documents of the various bidders, and the choice of the successful bidder by the Delegated contracting authority, the contract will be signed between the latter and the delegated Contracting Authority who is the **Governor of the North West Region.**

10. BID BOND (TENDER GUARANTEE) :

Each bidder must include in his administrative documents, a bid bond in line with the prescription of Caisse des Depots et Consignations (CDEC) approved by the Ministry in charge of finance and whose list is found in this Consultation File, and valid for ninety (90) days beyond the date of validity of bids. The amount of the bid bond is indicated in the table below:

N°	Amount in Figures(FCFA)	Amount in Words(FCFA)
Lot 01	500 000	FIVE HUNDRED THOUSAND
Lot 02	500 000	FIVE HUNDRED THOUSAND

To avoid reject, the bid bond has to be an original copy which is less than three months.

The bid bond will released for unsuccessful bidders once the publication of the award is done. In case the bidder is attributed the contract, the bid bond will be released only when the final bond has been produced. Bank cheques (even certified) will not be accepted in place of the bid bond. The Bid bond will be validated by a receipt of deposit at CDEC.

11. CONSULTATION OF TENDER FILE :

The hard copy of the file may be consulted free of charge during working hours in the services of the Delegated Contracting Authority - the office of the Governor of the Northwest region premises as soon as this notice is published. It may equally be consulted online on the COLEPS platform at the following addresses: <http://www.marchespublics.cm> and <http://www.publiccontracts.cm> on the ARMP website (www.amp.cm)

12. Acquisition Of The Tender File :

This receipt should be able to identify the buyer as the representative of the bidder, wishing to participate in the consultation.

The hard copy of the Tender file may be obtained from the office of the Governor of the Northwest region premises as soon as this notice is published against payment of a non-refundable sum of **One Hundred and thirty six Thousand (136,000) Francs CFA**, payable at the Regional Treasury.

During the acquisition of the tender file, the bidder will fill in the register indicating his complete address (PO Box, Telephone number, fax, Email).

It is equally possible to obtain the electronic version of the Tender File by downloading it free of charge through the addresses indicated above. However, online submission is subject to the payment of Tender File purchase fees.

13. PRESENTATION OF THE BIDS

The bid documents will be presented in three envelopes as illustrated below:

Envelope A containing Administrative documents (volume 1);

Envelope B containing Technical documents (Volume 2);

Envelope C containing financial documents (Volume 3).

The three (03) volumes shall then be enclosed in a folder bearing only the reference of the Open National Invitation to Tender in question.

The various documents in each bid will be numbered in the order of the tender file and with separators of different colors other than white.

14. SUBMISSION OF BIDS :

Each offer drafted in English or French will be submitted online in the MINMAP/COLEPS platform www.publiccontracts.com not later than 16 / 09 /2026 at 11 AM local time. A backup copy of the Tender saved in a USB key or a CD/DVD must be sent in a sealed envelope with a clear and legible indication "backup copy" within the time limit and should carry the inscription

N°...../ONIT/NWRTB/GOV-NW/2026 OF / /2026 FOR THE CONSTRUCTION OF SOME BRIDGES IN BAMENDA 1 AND 2 IN TWO LOTS
BY EMERGENCY PROCEDURE LOT 01(CONSTRUCTION OF THREE BRIDGES)A : 8ML BRIDGE AT BANGSHIE (KENELAR BRIDGE) AND OPENING OF 2KM ACCESS ROAD ON BOTH SIDES, A 3X3X9ML BOX CULVERT AT BAPTIST CHURCH AKUMBELE TO CATHOLIC CHURCH BUJONG AND OPENING OF 2KM ACCESS ROAD ,6 ML BANGSHIE BRIDGE AND OPENING OF ACCESS WAY IN BAMENDA I COUNCIL AREA
To be opened only during session
<<Soft Copy and original copy of Bid Bond>>
N°...../ONIT/NWRTB/GOV-NW/2026 OF / /2026 FOR THE CONSTRUCTION OF SOME BRIDGES IN BAMENDA 1 AND 2 IN TWO LOTS
BY EMERGENCY PROCEDURE LOT 2 (CONSTRUCTION OF THREE BRIDGES) A 08 ML BRIDGE (LINKING NDZEMANBEAH TO NTANKAH AND A REINFORCED CONCRETE BOX CULVERT OF 3.5M X4M X8M LINKING NDZEMANBEAH TO ALAMATU AND A 7ML BRIDGE LINKING MBINFIBIEH - AKOKIKANG QUATER IN BAMENDA II COUNCIL AREA.
To be opened only during session
<<Soft Copy and original copy of Bid Bond>>

Size and Format of Files

The maximum size of the different volumes cited above (Volume 1, Volume 2 and Volume 3) or the files to transmit through the platform and make up the tender file of the bidder are as follows:

- 5MB for Administrative documents(Volume 1)
- 15MB for Technical offer(Volume 2)
- 5MB for Financial documents(Volume 3)

The accepted formats are the following:

- PDF Format for documents
- JPEG for images

The bidder will have to use compression software to reduce the sizes of each volume to fall in line with the specifications.

15. ACCEPTABILITY OF BIDS :

Bids that will be submitted after the date and time mentioned above or those that will not respect the separation model indicated in the different documents in each bid shall not be accepted.

All the bids that are not conform to the prescriptions of this tender file shall not be accepted.

The absence of the stamped bid bond drawn up using the model proposed in the tender file and issued by a bank or an insurance company accredited to issue bonds within the framework of public contracts, valid within **Ninety (90)** days.

To avoid being rejected, the required Administrative documents will be imperatively produced in original or in certified true copies by the issuing service, in conformity with the stipulation of the rules and regulations of this tender.

These Administrative documents have a validity period of three (03) months. This validity period has to begin after the date of the launching of the tender.

16. OPENNING OF BIDS :

The bids shall be opened in a single phase. The opening of the administrative documents, the Technical and Financial offers will take place online in the MINMAP/COLEPS platform www.publiccontracts.com on the 16/09/2026 at 12 noon local time, in the conference hall of the Regional Tenders' Board, by its competent Members. Only bidders may attend or be represented by duly mandated persons of their choice who has a perfect mastery of the tender file. The bids will be evaluated exclusively of value added tax (EVAT) and all taxes inclusive (ATI) and accompanied by a signed model submission

To avoid being rejected, the required Administrative documents will be imperatively produced in original or in certified true copies by the issuing service, in conformity with the stipulation of the rules and regulations of this tender. These Administrative documents have a validity period of three (03) months. This validity period has to begin after the date of the launching of the tender.

In case of absence or non-conformity of an administrative document during the opening session, after **a deadline of 48 hours given by the commission, the offer will be rejected.**

17. MAIN CRITERIA OF EVALUATION OF THE BIDS :

17-1- : ELIMINATORY CRITERIA:

A-Administrative Documents

- a) Absence during bid opening session the original copy of bid bond issued by a first-class financial organisation authorized by the Ministry of Finance to issue Bid Bonds within the framework of public Contracts;
- b) Non-conformity after a period of 48 hours following the deposit of bids, of at least one Administrative document;

B-Technical Documents

- a) Absence of the declaration by the bidder attesting that the latter has not abandoned any contract within the last three (03) years, and that he does not future in in the list of non-performant companies established by MINMAP.
- b) Absence of integrity chart dated and signed.
- c) Absence of declaration on the engagement to respect environmental clauses;
- d) Absence of financial capacity drafted with respect to the COBAC model issued by first class bank approved by the Minister of Finance;

N°	Amount in figures Fcfa	Amount in Words Fcfa
1	150,000,000	One hundred and fifty Million

- e) Did not validate 2/3 of the essential criteria and obligatorily the equipment criteria;
- f) Did not have the minimum required equipment
 - An excavator
 - A dump Truck
 - Two(02) concrete Mixers
 - Two(02) concrete Vibrators
 - Two(02) motor pumps
 - Two(02) manual compactors

- A Pick Up 4 x 4

- g) Absence of attestation of site visit dated, stamped and signed by the bidder;
- h) Absence of categorization certificate issued by MINMAP
- i) Proof of acceptance of clauses within the contract

C-Incomplete financial bid for absence of one of the following documents:

- a) Unit Price breakdown non-conform with that of the tender file ;
- b) The unit price schedule non-conform with that of the tender file;
- c) Absence of a quantified price in the financial offer;
- d) Absence of an element in the financial offer (the tender letter, the Unit Price Schedule, the Bill of Quantities and cost Estimates).

D-General Eliminary Criteria:

- a) Absence of the soft copy of the bid or non -respect of the format for the files
- b) Absence of original copy of bid bond
- c) False declaration, falsified documents or non authentic, fraudulent practices
- d) Using COLEPS certificate of another Enterprise to submit

17-2 : Essential criteria :

The technical bids will be evaluated according to the following ten (10) main criteria:

- a. Key personnel of the enterprise on **three (03)** criteria ;
- b. The site equipment to be mobilized on **five (05)** criteria ;
- c. The Enterprise references on **two (02)** criteria.

NB: A civil servant without any justification of secondment from the public service will not be evaluated;

18. Award of contract :

The contract will be awarded to the lowest bidder, fulfilling the required administrative, technical, and financial criteria.

The Delegated Contracting Authority has the discretion not to award the contract to a bidder who has an ongoing contract within the zone, having non satisfactory performances (cancelled or abandoned) or a bit satisfactory (Formal notice with evaluation being unsatisfactory or a notified evaluation of non-compliance within six months of award or contract cancellation underway).

19. Maximum Number of Lots:

A bidder can be attributed just One (01) lot given that the bid is for a single lot.

20. Validity of Bids

The bidders remain engaged to their offer within Ninety (90) days from the submission date of the bids.

21. Additional information

Additional information in relation to technical details can be obtained at the office of the Delegated Contracting Authority, notably The Governor of the North West Region.

22. Fight against Corruption and Malpractices

For all reports on practice, acts of corruption or malpractice, you can contact the National Anti-Corruption Agency on 1517, Authority in charge of Public Contracts(MINMAP) (SMS or call) on: (+237) 673 20 57 25 and 699 37 07 48 or the Ministry of Public Works on 88002042.

Copy:

- RD MINTP/NW/B'DA
- RD MINMAP NW
- ARMP BAMEIDA
- CHAIRPERSON RTB
- NOTICE BOARD
- FILE/CHRONO



21 AOÛT 2026
The Governor of the North West Region
AND BY DELEGATION
FOR THE GOVERNOR

Saïdouna Ali
Administrateur Civil Principal
Classe Exceptionnelle

REPUBLIQUE DU CAMEROUN

PAIX-TRAVAIL-PATRIE

MINISTERE DE L'ADMINISTRATION
TERRITORIALE

REGION DU NORD-OUEST

REPUBLIC OF CAMEROON

PEACE-WORK-FATHERLAND

MINISTRY OF TERRITORIAL ADMINISTRATION

NORTH-WEST REGION

AVIS D'APPEL D'OFFRE NATIONAL OUVERTE

N° AVIS D'APPEL D'OFFRE NATIONAL OUVERTE N°.....⁰²⁵/ONIT/NWRTB/GOV-NW/2026
DU²¹ /.....⁰⁸ /2026 POUR LA CONSTRUCTION DE CERTAINS PONTS DANS LES
ARRONDISSEMENTS DE BAMENDA 1 ET 2 EN DEUX LOTS
EN PROCEDURE D'URGENCE

LOT 01(CONSTRUCTION DE TROIS PONTS) A : PONT DE 8ML A BANGSHIE (KENELAR
BRIDGE) ET OUVERTURE DES ACCESS DE 2KM DE PART ET D'AUTRE DU PONT, UN DALOT
DE 3X3X9ML A L'EGLISE BAPTIST DE AKUMBELE POUR RELIER L'EGLISE CATHOLIC
BUJONG ET OUVERTURE DE LA ROUTE 2KM DE PART ET D'AUTRE DU PONT, UN PONT DE
6 ML BANGSHIE ET OUVERTURE DES VOIES D'ACCESS DU PONTS DE PART ET D'AUTRE
DANS LA COMMUNE DE BAMENDA I

LOT 2 (CONSTRUCTION DE TROIS PONTS) UN PONT DE 08 ML (RELIER NDZEMANBEAH A
NTANKAH UN DALOT DE 3.5X4X8M RELIER NDZEMANBEAH A ALAMATU ET UN PONT DE
7ML RELIER MBINFIBIEH -AKOKIKANG QUATER DANS L'ARONDISSEMENT BAMENDA II.

AUTORITE CONTRACTANTE DELEGUEE: LE GOUVERNEUR DE LA REGION DU NORD OUEST
MAITRE D'OUVRAGE LE MINISTRE DES TRAVAUX PUBLICS
FINANCEMENT: BUDGET D'INVESTISSEMENT PUBLICS DU MINTP POUR 2026 ET SUIVANTS
AUTHORISATION NO
IMPUTATION NO : 60 36 370 2 32000003 0451 523411

LE GOUVERNEUR DE LA REGION DU NORD OUEST; AUTORITE CONTRACTANTE DELEGUE, lance pour l'état du
Cameroun, un Appel d'offres National Ouverte pour l'objet mentionnées ci-dessus:

1. Objet de l'Appel d'Offres

Dans le cadre de construction/ reconstruction des ouvrages d'art écoulées, le Maître d'Ouvrage ou le Maître d'Ouvrage
Délégué lance un Appel d'Offres National Ouverte **POUR LA CONSTRUCTION DE CERTAINS PONTS**
DANS LES ARRONDISSEMENTS DE BAMENDA 1 ET 2 EN DEUX LOTS

EN PROCEDURE D'URGENCE

LOT 01(CONSTRUCTION DE TROIS PONTS) A : PONT DE 8ML A BANGSHIE (KENELAR
BRIDGE) ET OUVERTURE DES ACCESS DE 2KM DE PART ET D'AUTRE DU PONT, UN DALOT
DE 3X3X9ML A L'EGLISE BAPTIST DE AKUMBELE POUR RELIER L'EGLISE CATHOLIC
BUJONG ET OUVERTURE DE LA ROUTE 2KM DE PART ET D'AUTRE DU PONT, UN PONT DE
6 ML BANGSHIE ET OUVERTURE DES VOIES D'ACCESS DU PONTS DE PART ET D'AUTRE
DANS LA COMMUNE DE BAMENDA I

LOT 2 (CONSTRUCTION DE TROIS PONTS) UN DALOT DE 3.5X4X8M (RELIER
NDZEMANBEAH A NTANKAH UN PONTS DE 8ML RELIER NDZEMANBEAH A ALAMATU ET

UN PONT DE 7ML RELIER MBINFIBIEH -AKOKIKANG QUATER DANS L'ARONDISSEMENT BAMENDA II.

2. Consistance des travaux

Les travaux comprennent notamment

LOT 1 CONSTRUCTION OF SOME BRIDGES IN BAMENDA 1 COUNCIL AREA

1. CONSTRUCTION DE UN PONTS DE 8M EN BETON ARME KENELARE BRIDGE DANS BANSHE QUARTER I

S/No	DESCRIPTION
	Series 000-Installation
1	Installation du Chantier
2	mobilisation et demobilisation des equipment
3	Projet d'exécution et Plan de Récolement
4	Etudes Géotechniques (evironmental studies inclusive)
	Total installation
	Series 100: preparation DU SITE
101	débroussaillage
102	nettoyage du lits d'eaux et maintien de circulation et deviation
103	Implantation de la structure
	Total Site preparation
	Series 200: TERASSEMENT
201	Ouverture de 1km de route de part et d'autre du ponts
202	Excavations des tranches
203	remblayage de las fouille
204	Ramblais et refection de la chaussee des access au pont sur avec la laterite provenant d'emprunt
	Total General Earth works
	Series 300 - FOUNDATION- CULEE- DALLE- AILE ,CARNIVEAUX
301	Enrochement
302	Beton de propriete dose a 150Kg/m3
303	Beton arme dose a 350Kg/m3 pour semelle
304	Beton arme 15cm épaisseur dose a 350Kg/m3 pour radier du ponts
305	Beton arme dose a 400Kg/m3 culee et murs en aile
306	Beton arme dose a 400Kg/m3 pour poutre dalle et bordure du ponts
307	Dalle transitionnelle (1mx0.1x8)cm de part et d'autre du ponts
308	Encrage avec le fer des HA25 a la roche
309	matériaux drainante derriere les culees
	Series 400 - EQUIPMENT
401	Mix Garde Corps (béton arme pour poteaux et tuyaux metallique)
402	Barbacanes en PVC
403	Tuyaux pour drains (PVC 100)
404	Tableaux metallique pour information (type AB)

405	Balise en Eucalyptus bien saisonne et traite
-----	--

2. CONSTRUCTION DE UN PONTS DE 6 ML A BANGSHIE DANS BAMENDA I COUNCIL AREA

S/No	DESCRIPTION
Series 000-Installation	
1	Installation du Chantier
2	mobilisation et demobilisation des equipment
3	Projet d'exécution et Plan de Récolement
4	Etudes Géotechniques (evironmental studies inclusive)
Total installation	
Series 100 preparation DU SITE	
101	débroussaillage
102	nettoyage du lits d'eaux et maintien de circulation et deviation
103	Implantation de la structure
Total Site preparation	
Series 200: TERASSEMENT	
201	Ouverture de 1km de route de part et d'autre du ponts
202	Excavations des tranches
203	remblayage de las fouille
204	Ramblais et refection de la chaussee des access au pont sur avec la laterite provenant d'emprunt
Total General Earth works	
Series 300 -FOUNDATION- CULEE- DALLE- AILE ,CARNIVEAUX	
301	Enrochement
302	Beton de propriete dose a 150Kg/m3
303	Beton arme dose a 350Kg/m3 pour semelle
304	Beton arme 15cm épaisseur dose a 350Kg/m3 pour radier du ponts
305	Beton arme dose a 400Kg/m3 culee et murs en aile
306	Beton arme dose a 400Kg/m3 pour poutre dalle et bordure du ponts
307	Dalle transitionnelle (1mx0.1x8)cm de part et d'autre du ponts
308	Enrage avec le fer des HA25 a la roche
309	materiaux drainante derriere les culees
Series 400 - EQUIPMENT	
401	Mix Garde Corps (béton arme pour poteaux et tuyaux metallique)
402	Barbacanes en PVC
403	Tuyaux pour drains (PVC 100)
404	Tablaux metallique pour information (type AB)
405	Balise en Eucalyptus bien saisonne et traite
Total Equipment	

3. CONSTRUCTION DE UN DALOT DE 3X3X9 EN BETON ARME QUI RELIER L'EGLISE BAPTIST A L'EGLISE CATHOLIC BUJONG QUARTER DANS L'ARRONDISSEMENT DE BAMENDA I, DEPARTEMENT DE LAS MEZAM DANS LA REGION DU NORD OUEST .

100: TRAVAUX PRELIMINAIRE	
101	Installation du Chantier
102	Etudes Géotechniques
103	Projet d'exécution et Plan de Récolement
Series 200: preparation du site	
201	débroussaillage

203	nettoyage du lits d'eaux
204	Implantation de la structure
	Series 300 ; TERRASSEMENTS
	Ouverture de 2km de route de part et d'autre du ponts
301	deblais mise en depots
302	materiaux drainante derriere les culees
303	remblayage de las fouille
304	Ramblais et refection de la chaussee des access au pont sur 300m de part et d'autre
	Series 400 - Fondations- culee - Piles-
401	enrochement
402	Demolition
403	Beton de propriete dosage de 150Kg/m3
404	Beton arme pour dalot de 3m x3m x9m
405	Construction de carnieaux en V perez masconne 135x65cm

LOT 2 : CONSTRUCTION DE TROIS PONTS DANS LA COMMUNE DE BAMENDA II

1. CONSTRUCTION DE UN PONTS EN BETON ARMEE QUI RELIER NDZEMAMBEAH - NTANKAH 8M

S/No	DESCRIPTION
	Series 000-Installation
1	Site installations
2	mobilisation and demobilisation of equipment
3	Work execution program and as built plan
4	Geotechnical studies (evironmental studies inclusive)
	Total installation
	Series 100: Site preparation
101	Site clearance
102	Traffic flow (diversion of water course/road)
103	Setting out of the bridge
	Total Site preparation
	Series 200: General Earth works
201	Excavation of trenches
202	Backfilling of excavation
203	Resurfacing of the filled accesses to the bridge with laterite from borrowed pit 1KM on both side
	Total General Earth works
	Series 300 -FOUNDATION- ABUTMENT- DECK- WING WALL-GUTTERS
301	Hard core
302	Lean concrete dosed at 150Kg/m3
303	Reinforced concrete dosed at 350Kg/m3 for the footings
304	reinforce concrete 15cm thick dosed at 350Kg/m3 for the bridge's raft
305	Reinforced concrete dosed at 400Kg/m3 for abutment and wing walls
306	Reinforced concrete dosed at 400Kg/m3 for the beam seat, slab and kerbs
307	Transitional Slab on both sides of the bridge
308	Anchor of rods HA25 to a rock

309	Drainage material behind the abutment
310	Construction of stone trapezoidal gutters of 100x70x30m
Total Fondations- abutments- deck- wing wall	
Series 400 - EQUIPMENT	
401	Mix guard rails (concrete pillars and metallic pipes)
402	weep holes in PVC
403	Drainage pipes (PVC 100)
404	Metallic project information sign posts (type AB)
405	Round post markers (Balises) in treated Eucalyptus well seasoned wood

2. CONSTRUCTION DE UN PONTS DE 7ML QUI RELIER MBINFIBIEH -AKOKIKANG QUATER DANS LARONDISSEMENT DE BAMENDA II

S/No	DESCRIPTION
Series 000-Installation	
1	Site installations
2	mobilisation and demobilisation of equipment
3	Work execution program and as built plan
4	Geotechnical studies (evironmental studies inclusive)
Total installation	
Series 100: Site preparation	
101	Site clearance
102	Traffic flow (diversion of water course/road)
103	Setting out of the bridge
Total Site preparation	
Series 200: General Earth works	
201	Excavation of trenches
202	Backfilling of excavation
203	Resurfacing of the filled accesses to the bridge with laterite from borrowed pit
Total General Earth works	
Series 300 -FOUNDATION- ABUTMENT- DECK- WING WALL-GUTTERS	
301	Hard core
302	Lean concrete dosed at 150Kg/m3
303	Reinforced concrete dosed at 350Kg/m3 for the footings
304	reinforce concrete 15cm thick dosed at 350Kg/m3 for the bridge's raft
305	Reinforced concrete dosed at 400Kg/m3 for abutment and wing walls
306	Reinforced concrete dosed at 400Kg/m3 for the beam seat, slab and kerbs
307	Transitional Slab on both sides of the bridge
308	Anchor of rods HA25 to a rock
309	Drainage material behind the abutment

	Total Fondations- abutments- deck- wing wall
	Series 400 - EQUIPMENT
401	Mix guard rails (concrete pillars and metallic pipes)
402	weep holes in PVC
403	Drainage pipes (PVC 100)
404	Metallic project information sign posts (type AB)
405	Round post markers (Balises) in treated Eucalyptus well seasoned wood

3. CONSTRUCTION DE UN DALOT 3.5X4X8M EN BETON ARME RELIER NDZEMAMBEAH - ALAMATU DAN L'ARRONDISSEMENT DE BAMEDA II

S/No	Description
	Series 100-Preparatory works
101	Site installation (construction site hut, mobilisation, Etc...)
102	Geotechnical studies
103	Execution Program and as built plan
	Total installation
	Series 200: Site preparation
201	Bush clearing
202	Maintenance of traffic flow
203	Cleaning of the river bed
204	Setting out of the structure
	Total Site preparation
	Series 300: Earth works
301	Excavation in ordinary terrain
302	Drainage material behind the abutments
303	Backfilling of the excavation
304	Fill and resurfacing of the accesses to the bridge 600m on both side
	Total Earth works
	Series 400 - Fondations- abutments- Piles- beams-deck
401	Hard core
402	Demolition
403	Lean concrete dosed at 150Kg/m3
404	Reinforced concrete box culvert of 3.5m x4m x8m
405	Reinforced concrete dose at 400kg/m3 for the 4 heads
406	Construction of stone trapezoidal gutters of 100x70x30m
	Total Fondations- abutments- Piles- beams-deck
	Series 500 - Paint
	Series 500 - Equipment
501	Metallic guard rails
502	Triangular sign posts type A ou AB

503	Wooden post markers
504	Drainage pipes
Total Equipment	

3. Tranches/Allotissement

Les travaux sont dans deux lots(02) et un entreprise ne peux soumissionne pour un seul lots.

4. Coût prévisionnel

N°	Désignation du Projet	Type du Structure	Portée(ml)	Cout du Projet (TTC) en Fcfa
LOT 01(CONSTRUCTIO N DE TROIS PONTS)	A : PONT DE 8ML A BANGSHIE (KENELAR BRIDGE) ET OUVERTURE DES ACCESS DE 2KM DE PART ET D'AUTRE DU PONT, UN DALOT DE 3X3X9ML A L'EGLISE BAPTIST DE AKUMBELE POUR RELIER L'EGLISE CATHOLIC BUJONG ET OUVERTURE DE LA ROUTE 2KM DE PART ET D'AUTRE DU PONT ,UN PONT DE 6 ML BANGSHIE BRIDGE AND OPENING OF ACCESS WAY IN BAMENDA I COUNCIL AREA En Procédure D'urgence	PONT	varier	245,610,000
LOT 2 (CONSTRUCTION DE TROIS PONTS)	LOT 2 (CONSTRUCTION DE TROIS PONTS) UN PONT DE 08 ML (RELIER NDZEMANBEAH A NTANKAH UN PONTS DE 8ML RELIER NDZEMANBEAH A ALAMATU ET UN PONT DE 7ML RELIER MBINFIBIEH -AKOKIKANG QUATER DANS L'ARONDISSEMENT BAMENDA II.	PONT	varier	245,610,000

Le coût prévisionnel de l'opération à l'issue des études préalables est de **quatre cents quatre-vingt onze millions deux cent vingt mille (491 220 000) Francs CFA toute taxes inclus** comme présentés ci-dessus et seront financés par **le budget MINTP exercice 2026.et suivants.**

5. Délai prévisionnel d'exécution

Le délai maximum prévu par le Maître d'Ouvrage Délégué pour la réalisation des travaux, objet du présent appel d'offres est de **Cinq(05)** mois calendaires. Ce délai court à compter de la date de notification de l'ordre de service de commencer les travaux.

6. Participation et origine

La participation au présent appel d'offres est ouverte à tous les Entreprises Camerounaise concernées dans le Bâtiment et Travaux Publics et catégorise.

7. Financement

Les travaux objet du présent appel d'offres sont financés par **le budget MINTP exercice 2026 et suivants.**

8. Mode de soumission

Le mode de soumission est : **en ligne**

9. Cautionnement de soumission

Les offres devront être accompagnées, d'un cautionnement provisoire (garantie de soumission) d'une durée de validité de Quatre-vingt-dix(90) jours à compter de la date initiale de remise des offres et établi selon le modèle indiqué dans le Dossier d'Appel d'Offres par un établissement financier agréé par le Ministre en charge des finances pour délivrer les cautions dans le cadre des Marchés Publics. Le montant de ladite garantie est indiqué dans le tableau ci-dessous.

N°	Montant de la caution en chiffres FCFA	Montant de la caution en lettres FCFA
Lot 01	500 000	CINQ cent mille
Lot 2	500 000	CINQ cent mille

Sous peine de rejet, le cautionnement provisoire devra impérativement être produit en original datant de moins de trois (03) mois.

Le cautionnement provisoire sera libéré d'office dès publication de la Décision d'attribution pour les soumissionnaires n'ayant pas été retenus. Dans le cas où le soumissionnaire est adjudicataire du marché, le cautionnement provisoire sera libéré après constitution du cautionnement définitif. Les

chèques bancaires même certifiés ne seront pas acceptés en lieu et place du cautionnement provisoire. Le cautionnement sera valide par un récépissé de dépôts à la CDEC.

10. Consultation et acquisition du dossier d'Appel d'Offres :

Le Dossier d'Appel d'Offres peut être consulté et obtenu aux heures ouvrables au Bureau du Gouverneur de la Région du Nord-Ouest ou en ligne à l'adresse: www.marchespublics.cm dès Publication du présent avis

11. Acquisition du Dossier d'Appel d'Offres

Le dossier sera obtenu en ligne sur la Platform www.publiccontracts.com du MINMAP/COLEPS dès la publication du présent avis de marché contre paiement d'une somme non remboursable de 136,000 (Cent Trente-Six Mille) francs CFA, payable au Trésor Public, représentant le coût d'achat du dossier d'appel d'offres.

12. Remise des offres

La méthode de remise doit être en ligne et rédigée en français ou en anglais.

L'offre devra être déposée par le soumissionnaire sur la plateforme COLEPS au plus tard de le 16 / 07 / 2026 à 11 h 00. Une copie de sauvegarde de l'offre sauvegardée sur une clé USB ou un CD/DVD devra être envoyée dans une enveloppe fermée avec la mention claire et lisible « copie de sauvegarde » portant le libellé dans le délai imparti:

**AVIS D'APPEL D'OFFRE NATIONAL OUVERTE N°...../ONIT/NWRTB/GOV-NW/2026 DU
..... /..... /2026 POUR LA CONSTRUCTION DE CERTAINS PONTS DANS LES
ARRONDISSEMENTS DE BAMENDA 1 ET 2 EN DEUX LOTS
EN PROCEDURE D'URGENCE**

**LOT 01(CONSTRUCTION DE TROIS PONTS) A : PONT DE 8ML A BANGSHIE (KENELAR BRIDGE) ET OUVERTURE DES ACCESS DE 2KM DE PART ET D'AUTRE DU PONT, UN DALOT DE 3X3X9ML A L'EGLISE BAPTIST DE AKUMBELE POUR RELIER L'EGLISE CATHOLIC BUJONG ET OUVERTURE DE LA ROUTE 2KM DE PART ET D'AUTRE DU PONT ,UN PONT DE 6 ML BANGSHIEET OUVERTURE DES VOIES D'ACESS DU PONTS DE PART ET D'AUTRE
DANS LA COMMUNE DE BAMENDA I**

A n'ouvrir qu'en séance de dépouillement"

« Copie de sauvegarde et original de la caution de soumission »,

**AVIS D'APPEL D'OFFRE NATIONAL OUVERTE N°...../ONIT/NWRTB/GOV-NW/2026 DU
..... /..... /2026 POUR LA CONSTRUCTION DE CERTAINS PONTS DANS LES
ARRONDISSEMENTS DE BAMENDA 1 ET 2 EN DEUX LOTS
EN PROCEDURE D'URGENCE**

LOT 2 (CONSTRUCTION DE TROIS PONTS) UN PONT DE 08 ML (RELIER NDZEMANBEAH A NTANKAH UN PONTS DE 8ML RELIER NDZEMANBEAH A ALAMATU ET UN PONT DE 7ML RELIER MBINFIBIEH -AKOKIKANG QUATER DANS L'ARONDISSEMENT BAMENDA II.

A n'ouvrir qu'en séance de dépouillement"

« Copie de sauvegarde et original de la caution de soumission »,

Taille et format du fichier :

Pour le en chères en ligne, la taille maximale de documents qui seront téléchargés sur la plateforme et constituant l'offre du soumissionnaire sera de:

- 5 MO pour le Dossier Administratif (Volume 1) ;
- 15 MO pour l'Offre Technique (Volume 2) ;
- 5 MO pour l'Offre Financière (Volume 3).

Les formats acceptés sont les suivants :

- Format PDF pour les documents textuels ;
- JPEG pour les images.

Le candidat veillera à utiliser des logiciels de compression afin de réduire éventuellement la taille des fichiers à transmettre.

13. -Recevabilité des plis

Les offres parvenues après la date et l'heure de dépôt des offres seront irrecevables.

Toute offre non conforme aux prescriptions du présent Avis et du Dossier d'Appel d'Offres sera déclarée irrecevable. Notamment l'absence de la caution de soumission timbrée établie selon le modèle proposé

dans le DAO et délivrée par une banque ou compagnie d'assurance agréée et habilitée à émettre des cautions dans le cadre des Marchés Publics, valable pendant **Quatre-vingt-dix(90)** jours au-delà du délai de validité des offres.

Sous peine de rejet, les pièces administratives requises devront être impérativement produites en originaux ou en copies certifiées conformes par le service émetteur, conformément aux stipulations du Règlement Particulier de l'Appel d'Offres.

Ces pièces administratives ont une durée de validité de **Trois(03)** mois, cette date limite de validité des pièces administratives doit être postérieure à la date de lancement de l'Appel d'Offres

14. Présentation du dossier de consultation:

L'offre préparée en Anglais ou en Français devra être envoyée en trois (03) volumes comme suit :

- A) contenant les documents administratifs (Volume 1);
- B) contenant les documents techniques et financiers (Volume 2);
- C) contenant les documents financiers (Volume 3);

Les trois (03) volumes seront alors enfermés dans une seule enveloppe scellée portant uniquement la référence du devis en question. Les différents documents de chaque offre seront numérotés comme indiqué dans l'offre et séparés par des intercalaires de même couleur.

15. -Ouverture des plis

Les offres seront ouvertes en une seule phase. L'ouverture des documents administratifs, les offres techniques et financières auront lieu en ligne sur la plateforme www.publiccontracts.com du MINMAP/COLEPS le 16/09/2026 à 12 heures, heure locale, dans la salle des conférences du bureau désigné par le maître d'ouvrage, par la Commission Régionale des marchés de la région du Nord-Ouest. Seuls les soumissionnaires peuvent assister ou se faire représenter par des personnes dûment mandatées de leur choix.

Sous peine de rejet, les pièces du dossier administratif requises doivent être produites en originaux ou en copies certifiées conformes par le service émetteur ou l'autorité administrative compétente, conformément aux dispositions du Règlement Particulier de l'Appel d'Offres. Elles doivent dater de moins de trois (03) mois ou avoir été établies postérieurement à la date de signature de l'avis de D'Appel d'Offres

En cas d'absence ou de non-conformité d'une pièce du dossier administratif lors de l'ouverture des plis, après **un délai de 48 heure accordé par la Commission, l'offre sera rejetée.**

16. Critères d'évaluation

1. Critères éliminatoires

A- Pièces Administratives

- a) Absence de l'original de la caution de soumission à l'ouverture des plis délivrée par un organisme financier de première catégorie autorisé par le Ministère chargé des Finances à émettre des cautions dans le cadre des marchés publics ;
- b) Absence (à l'exception de la caution de soumission) après un délai de 48 heures après la notification, d'au moins une des pièces du dossier administratif.

B- Offre technique incomplète pour absence de l'une des pièces ci-après :

- a) Absence de la déclaration sur l'honneur attestant que le soumissionnaire n'a pas abandonné un marché au cours des trois dernières années, et qu'il ne figure pas sur la liste des entreprises défaillantes établies par le MINMAP ;
- b) Absence de la charte d'intégrité datée et signée
- c) Absence de la déclaration d'engagement au respect des clauses environnementales
- d) Absence d'une capacité de financement (Ligne de crédit disponible) avec un contenu conforme au modèle de la Commission Bancaire de l'Afrique Centrale (COBAC), délivrée par une banque de premier ordre agréé par le Ministre en charge des Finances au Cameroun d'au moins :

N°	Capacité de financement en chiffres Fcfa	Capacité de financement en lettres Fcfa
1	150, 000,000	Cent cinquante Millions

- e) N'avoir pas validé au moins 2/3 des critères essentiels avec obligatoirement le critère matériel ;
- f) N'avoir pas satisfait au minimum de matériel en propre requis :

- Pelle excavatrice
- Un Camion Berne
- Deux Betonnières
- Deux vibreurs
- Deux pompe a motor

- Deux Compacteur manuel
 - Un Pick Up 4x4
 - g) Absence de l'attestation de visite des lieux datée, cachetée et signée sur l'honneur par le soumissionnaire ;
 - h) Preuves d'acceptation des clauses du marché
- C- Offre financière incomplète pour absence de l'une des pièces ci-après :**
- a) Sous-détails de prix unitaires non conformes au modèle de l'offre ;
 - b) Bordereau de prix unitaires non conformes au modèle fourni dans le présent dossier d'Appel d'Offres ;
 - c) Absence dans l'offre financière d'un prix quantifié.
 - d) Absence d'un élément de l'offre financière (la soumission, les BPU, le DQE)

D- Critère éliminatoire d'ordre général

- a- Absence de la copie de sauvegarde ou non-respect du format de fichier des offres.
- b- Absence de l'origine de la caution de soumission
- c- Fausse déclaration, documents falsifiés ou non authentique, manœuvres frauduleuses
- d- Absence de la copie de sauvegarde
- e- L'utilisation du certificat COLEPS d'une autre entreprise pour soumissionner.
- f- Défaut de présenter un reçu du CDEC ou une preuve de dépôt du montant de la caution de soumission exigée auprès du Fonds de dépôt et de garantie;
- g- - Défaut de présenter un certificat de catégorisation ou un reçu de dépôt du dossier de catégorisation de l'entreprise dans le sous-secteur d'activité « Bâtiment et équipement général;

15.2. Critères essentiels

L'évaluation des offres techniques sera faite sur la base des critères essentiels ci-dessous

- Le personnel d'encadrement ;
- Matériels ;
- Référence et Note méthodologique

NB : Un agent public sans justificatif de sa libération de la fonction publique ne sera pas évalué ;

17. Attribution

Le marché sera attribué au soumissionnaire présentant l'offre la moins-disant et remplissant les capacités techniques et administratives requises.

Par ailleurs, le Maître d'Ouvrages se réserve le droit de ne pas attribuer le marché dans le cadre du présent appel d'offres à un soumissionnaire qui, titulaire d'un contrat en cours dans la zone, a des performances non satisfaisante (résilier ou abandonné) ou peu satisfaisantes (mise en demeure dont l'évaluation a été jugée non satisfaisante ou constate de défaillance notifiée dans les six mois précédent l'attribution ou contrat en cours de résiliation).

18. Nombre maximum de lots :

Un candidat peut soumissionner pour un seul lot.

19. Durée de validité des offres

Les soumissionnaires restent engagés par leur offre pendant **Quatre-vingt-dix (90)** jours à partir de la date limite initiale fixée pour la remise des offres.

20. Renseignements complémentaires

Les renseignements techniques complémentaires peuvent être obtenus auprès de la Délégation Régionale de travaux publics du Nord-Ouest, Tel. +237 233 361 148 ou en ligne sur la plateforme COLEPS aux adresses <http://www.marchespublics.cm> et <http://www.publiccontracts.cm>, ou tout autres moyens de communication électronique indiqué par le Maître d'Ouvrage.

21. Lutte contre la corruption et les mauvaises pratiques

Pour toute dénonciation pour des pratiques, faits ou actes de corruption ou faits de mauvaises pratiques, bien vouloir appeler la CONAC au numéro 1517, l'Autorité chargée des Marchés Publics (MINMAP) (SMS ou appel) aux numéros : (+237) 673 20 57 25 et 699 37 07 48 ou le MINTP au numéro 88002042

Fait à Bamenda, le **21 Avril 2026**

Le Gouverneur

(Autorité Contractant Délégué)

**FOR THE GOVERNOR
AND BY DELEGATION
THE SECRETARY GENERAL**

Saidouma Ali
Administrateur Civil Principal

27

Ampliations :

RD MINTP/NW/B'DA
RD MINMAP NW
ARMP ;
Présidents CPM ;
Affichage.
Chrono/archive

